

CHAPTER 9

9. REFERENCES

- Abdel-Rahman, E.M., Ismael, N.A., Dixon, R.A. (2000) Antibiotic resistance and prevalence of β -lactamase in *Haemophilus influenzae* isolates – a surveillance study of patients with respiratory infection in Saudi Arabia. *Diagnostic Microbiology and Infectious Disease* 36 (3): 203-208
- Agrawal, P.K. (1989) Carbon-13 NMR of Flavonoids. Elsevier, Netherlands, Amsterdam
- Allan, M.J., Rushton, N. (1994) Use of the CytoTox 96 TM assay in routine biocompatibility testing *in vitro*. *Promega Notes Magazine* 45 (7).
<http://www.promega.com>
- Alexander, D.M., Bhana, K., Bhika, K.H. and Rogers, C.B. (1992) Antimicrobial testing of selected plant extracts from *Combretum* species. *South African Journal of Science* 88: 342-344
- Amyes, S.G.B. (2000) The rise in bacterial resistance: Is partly because there have been no new classes of antibiotics since the 1960s. *British Medical Journal* 320 (7229): 199-200
- Arnold, T.H. and De Wet, B.L. (Eds) (1993) Plants of Southern Africa: names and distribution. Memoirs of the Botanical Survey of South Africa No 62, 521-522

- Asresk, Bucar, F., Kartnig, T., Witvrouw, M., Pannecouque, C., De Clercq, E. (2001) Antiviral activity against human immunodeficiency virus type 1 (HIV-1) and type 2 (HIV-2) of ethnobotanically selected medicinal plants. *Phytotherapy Research* 15 (1) 62-9
- Baba-Moussa, F., Akpagana, K., Bouchet, P. (1999) Antifungal activities of seven West African Combretaceae used in traditional medicine. *Journal of Ethnopharmacology* 66: 335-338
- Baker, JT. Modern Drug research: The potential and the problems of marine natural products In: Natural Products and Drug Development Alfred Benson Symposium 0. Eds: P. Krogsgaard-larson, S. Brogger Christensen, H. Kofod, Munsgaard, Copenhagen 1984
- Balick, M.J. Ethnobotany and identification of therapeutic agents from the rainforest. 1990 Bioactive compounds from plants. Wiley, Chichester (Ciba Foundation Symposium 154) p 22-39.
- Balick, M.J. (1991) Ethnobotany and the identification of therapeutic agents from the rainforest. In Chadwick, D.J. & Marsh, J. [Eds.]. *Bioactive compounds from plants* 22-39. John Wiley Chichester, England
- Barbera, O., Sanz, J.F., Sanchez-Parareda, J., Alberto Marco, J. (1986) Further flavonol glycosides from *Anthyllis onobrychioides*. *Phytochemistry* 25 (10): 2361-2365
- Basile, A., Giordano, S., Lopez-Saez, J.A., Cobianchi, R.C. (1999) Antibacterial activity of pure flavonoids isolated from mosses. *Phytochemistry* 52: 1479-1482
- Batterham, T.J. and Highet, R.J. (1963) Nuclear Magnetic Resonance spectra of flavonoids. *Australian Journal of Chemistry* 17: 428-39

Begue, W.J. and Kline, R.M. (1972) The use of tetrazolium salts in bioautographic procedures. *J. Chromatogr.* 64: 182-184

Benoit, F., Valentin, A., Pelissier, Y., Diafouka, F., Marion, C., Kone-Bamba, D., Kone, M., Mallie, M., Yapo, A., Bastide, J.M. (1996). *In vitro* antimalarial activity of vegetal extracts used in West African traditional medicine. *The American Society of Tropical Medicine and Hygiene* 54 (1), 67-71

Berkoff, N. (1998) Focus on Flavonoids

<http://www.healthwell.com/hnbreakthroughs/sep98/flavonoids.cfm?path=hw>

Bisignano, G., Sanogo, R., Marino, R., Aquino, R., D'Angelo, V., Germano, M.P., De Pasquale, R., Pizza, C. (2000) Antimicrobial activity of *Mitracarpus scaber* extract and isolated constituents. *Letters in Applied Microbiology* 30: 105-108

Bosabalidis, A, Gabrieli, C, Niopas, I. (1997) Flavone aglycones in glandular hairs of *Origanum intercedes*. *Phytochemistry* 49 (6): 1549-1553

Breytenbach, J.C. and Malan, S.F. (1989) Pharmacochemical properties of *Combretum zeyheri*. *South African Journal of Science* 85: 372-374

Brieskorn, C.H., Domling, H.J. (1967) On the presence of 5-hydroxy-7,4'-dimethoxyflavone in the leaves of *Rosmarinus officinalis* L. *Archiv der Pharmazie und Berichte der Deutchen Pharmazeutischen Gesellschaft* 300 (12): 1042-4

Cai, L., Wu, C.D. (1996) Compounds from *Syzygium aromaticum* possessing growth inhibitory activity against oral pathogens. *Journal of Natural Products* 59 (10): 987-90

- Carr, J.D. and Rogers, C.B. (1986) Chemosystematic studies of the genus *Combretum* (Combretaceae). I. A convenient method of identifying species of this genus by a comparison of the polar constituents extracted from leaf material. *South African Journal of Botany* 53 (2): 173-176
- Christensen, A.B., Gregersen, P.L., Olsen, C.E., Collonge, D.B. (1998) A flavonoid 7-O-methyltransferase is expressed in barley leaves in response to pathogen attack. *Plant Molecular Biology* 36 (2): 219-27
- Cowan, M.M. (1999) Plant products as antimicrobial agents. *Clinical Microbiology Reviews* 12 (4): 564-582
- Cox, P.A. (1994) The ethnobotanical approach to drug discovery: strengths and limitations. In Prance, G.T. [eds] *Ethnobotany and the search for new drugs*. Wiley, Chichester [Ciba Foundation Symposium 185] p 25-41
- Cunningham, A.B. (1990) People and medicines: the exploitation and conservation of traditional Zulu medicinal plants. *Mitteilungen der Institut fur Allgemeine Botanik*, Hamburg 23b, 979-990
- Djerassi, C. (1979) The politics of contraception, p 68-69, W.W. Norton and Company, New York.
- Edwards, D. (1980) Antimicrobial Drug Action. MacMillan Press Ltd, London
- Eloff, J.N. (1998) A sensitive and quick microplate method to determine the MIC of plant extracts for bacteria. *Planta Medica* 64: 711-713
- Facundo, V.A., Andrade, C.H.S., Silveira, E.R., Braz-Filho, R., Hufford, C.D. (1993) triterpenes and flavonoids from *Combretum leprosum*. *Phytochemistry* 32 (2) 411-415

Farnsworth, N.R. & Morris, R.W. (1976) Higher plants – the sleeping giant of drug development. *Amer. J. Pharmacy* 147, 46-52.

Farnsworth, N.R. and Bingel, A.S. (1977) Problems and prospects of discovering new drugs from higher plants by pharmacological screening. In: New Natural Products and Plant Drugs with Pharmacological, Biological or Therapeutic Activity, eds. Wagner, H. & Wolff, P. p 1-22, Springer-Verlag, New York.

Farnsworth, N.R. (1982b) The potential consequences of plant extinction in the United States on the current and future availability of prescription drugs. Unpublished invited paper at a symposium on Estimating the Value of Endangered Species: Responsibilities and Role of the Scientific Community, American Association for the Advancement of Science annual meeting, Washington, D.C., January 1982.

Farnsworth, N.R. (1984) The role of medicinal plants in drug development. Natural products and drug development, Alfred Benzon Symposium 20. Eds P. Krogsgaard-Larson, S. Brogger Christensen, H. Munksgaard, Copenhagen 1984.

Farnsworth, N.R. (1990) The role of ethnopharmacology in drug development. In: Chadwick, D.J. & Marsh, J. [Eds.] *Bioactive Compounds from Plants* 2-21. John Wiley Chichester, England

Farnsworth, N.R. (1994) Ethnopharmacology and drug development. In: Prance, G.T. [Ed.] Ethnobotany and the search for new drugs. Wiley, Chichester [Ciba Foundation Symposium 185] p 42-59

Flournoy, D.J., Reinert, R.L., Bell-Dixon, C., Gentry, C.A. (2000) Increasing antimicrobial resistance in gram-negative bacilli isolated from patients in intensive care units. *American Journal of Infection Control* 28 (3) 244-250

Fraga, C.G., Martino, V.S., Ferraro, G.E., Coussio, J.D., Boveris, A. (1987) Flavonoids as antioxidants evaluated by *in vitro* and *in situ* liver chemiluminescence. *Biochemical Pharmacology* 36 (5): 717-20

Goda, Y., Hoshino, K., Akiyama, K., Ishikawa, T., Abe, Y., Nakamura, T., Otsuka, H., Takeda, Y., Tanimura, A., Toyoda, M. (1999) Constituents in watercress: inhibitors of histamine release from RBL-2H3 cells induced by antigen stimulation. *Biological & Pharmaceutical Bulletin* 22 (12): 1319-26

Goodwin and Mercer [1983] Introduction to plant biochemistry. Second edition. Pergamon Press, Oxford, England

Gotfried, M.H. (2000) Comparison of bacteriologic eradication of *Streptococcus pneumoniae* by clarithromycin and reports of increased antimicrobial resistance. *Clinical Therapeutics* 22 (1) 2-14

Grayer, R.J. and Harborne, J.B. (1994) A survey of antifungal compounds from higher plants 1982-1993). *Phytochemistry* 37 (1) 19-42

Harborne, J.B. (1965) Plant Polyphenols XV. Flavonols as yellow flower pigments. *Phytochemistry* 4: 647-657

Heller, W. and Forkmann, G. (1988) Biosynthesis. In: Harborne, J.B. [Ed.] The Flavonoids. Chapman and Hall, London, England p 400-425

- Hoareau, L., Da Silva, E.J. (1999) Medicinal plants: a re-emerging health aid. *Plant Biotechnology* 2 (2).
- Electronic J. of Biotechnology.* <http://www.ejb.org/content/vol2/issue2/full/2>
- Hillis, W.E., Carle, A (1960) The chemistry of *Eucalypt kinos*. *Aus J Chem* 13: 390-395
- [\(1999\)](http://biosafety.ihe.be/AR/Armenu.htm)
- [\(1998\)](http://www.bizjournals.com/pacific/stories/1998/01/19/smallb1.htm)
- [\(2000\)](http://www.fiu.edu/~sullivan/newebpage/botany/fall99/lec19-medicinal.htm)
-
- [\(1995\)](http://www.sa-embassy.hu/governme/forest-agri/forestry.htm)
- Hutchings, A, Scott, A.H., Lewis, G., Cunningham, A.B. (1996) Zulu Medicinal Plants: An Inventory. University of Natal Press; Pietermaritzburg, South Africa.
- Ibrahim, R.K. (2000) Flavonoids.
- Jossang, A., Seuleiman, M., Maidou, E., Bodo, B. (1996) Pentacyclic triterpenes from *Combretum nigricans*. *Phytochemistry* 41 (2): 591-594
- Katerere, D.R.P. (2001) Phtochemical and pharmacological studies on African Combretaceae (PhD Thesis, University of Strathclyde, UK)
- King, S.S. (2000) Antibiotic resistance and the “Problem Mare” – are we part of the “Problem”?

- Kingsbury, C.A., Looker, J.H. (1974) Carbon-13 spectra of methoxyflavones. *Journal of Organic Chemistry* 40 (8): 1120-1124
- Kingston, D.G.I. and Fales, H.M. (1973) Methane chemical ionization mass spectrometry of flavonoids. *Tetrahedron* 29, 4083-4086
- Kurosaki, F., Nishi, A. (1983) Isolation and antimicrobial activity of the phytoalexin 6-methoxymellein from cultured carrot cells. *Phytochemistry* 22: 669-672
- Lawton, J.R. and Rogers, C.B. (1991) Localization of triterpenoids in young leaves of *Combretum molle*. *Electron Microscopy Society of South Africa* 21: 27-9
- Letcher, R.M. and Nhamo, L.R.M. (1973) Chemical constituents of the Combretaceae. Part IV. Phenanthrene derivatives form the heartwood of *Combretum heteroense*. *Journal of the Chemical Society Perkin Transactions 1*: 1179-1181
- Levy, S.B. (1984) The Antibiotic Paradox. How miracle drugs are destroying the miracle. Plenum Press. New York
- Lewis, M.T., Gales, A.C., Sader, H.S, Pfaller, M.A., Jones, R.N. (2000) Frequency of occurrence and antimicrobial susceptibility patterns for pathogens isolated from Latin American patients with a diagnosis of pneumonia: results from the SENTRY antimicrobial surveillance program (1998). *Diagnostic Microbiology and Infectious Disease* 37 (1): 63-74
- Lopez-Lazaro, M., Martin-Cordero, C., Ayuso, M.J. (2000a) Two new flavonol glycosides as DNA topoisomerase I poisons. *Zeitschrift fur Naturforschung. Section C. Journal of Biosciences* 55 (11-12): 898-902

- Lopez-Lazaro, M., Martin-Cordero, C., Cortes, F., Pinero, J., Ayuso, M.J. (2000b) Cytotoxic activity of flavonoids and extracts from *Retama sphaerocarpa* Boissier. *Zeitschrift fur Naturforschung. Section C. Journal of Biosciences* 55 (1-2): 40-3
- Mahato, S.B., Nandy, A.K., Roy, G. (1992) Triterpenoids. *Phytochemistry* 31(7): 2199-2249
- Mahato, S.B., Sen, S. (1997) Advances in triterpenoid research, 1990-1994. *Phytochemistry* 44(7): 1185-1236
- Malone, M.H. (1983) The pharmacological evaluation of natural products- general and specific approaches to screening ethnopharmaceuticals. *Journal of Ethnopharmacology* 8: 127-147
- Manez, S., Recio, M.C., Gil, I., Gomez, C., Giner, R.M., Waterman, P.G., Rios, J.L. (1999) A glycosyl analogue of diacylglycerol and other antiinflammatory constituents from *Inula viscosa*. *Journal of Natural Products* 62 (4): 601-4
- Martini, N.D. and Eloff, J.N. (1998) The preliminary isolation of several antibacterial compounds from *Combretum erythrophyllum* (Combretaceae). *Journal of Ethnopharmacology* 62: 255-263
- Mocktar, C. (1997) Department Pharmacy, University of Durban-Westville (unpublished data).
- Narendran, N.C.N. (2001) Clinical trials of Arjuna-based Ayurvedic drug gives encouraging results in heart patients.
<http://www.pharmabiz.com/archives/Mar2001/cltri186.as>

National Committee for Clinical Laboratory Standards. Methods for dilution of antimicrobial susceptibility tests for bacteria that grows aerobically – Second edition, approved standard. NSSL Doc M7-A2, Villanova, Pa: NCCLS; 1990

Oliver-Bever, B.E.P. (1986) Medicinal plants in tropical West Africa. Cambridge University Press, Cambridge.

Operation Resistance 2000. The Terrain, Dynamics and Defenses of Antimicrobial Resistance. J.J. Schentag [Ed.] Sheffield Dawson Publishers, Ltd, 1999.

Osborne, R. and Pegel, K.H. (1985) Methyl jessate 1α , 11α -oxide, a further novel triterpenoid ester from *Combretum elaeagnoides*. *S. Afr. J. Chem.* 38: 83-86

Ozaki, Y, Kume, S, Ohashi, T (1984) Effects of histamine agonists and antagonists on luminol-dependent chemiluminescence of granulocytes. *Agents and Actions* 15: 182-188

Paulo, A., Pimentel, M., Viegas, S., Pires, I., Duarte, A., Cabrita, J., Gomes, E.T. (1994) *Cryptolepis sanguinolenta* activity against diarrhoeal bacteria. *Journal of Ethnopharmacology* 44: 73-77

Pegel, K.H. and Rogers, C.B. (1985) The characterization of mollic acid 3β -D-xyloside and its genuine aglycone mollic acid, two novel 1α -hydrocycloartenoids from *Combretum molle*. *J. Chem. Soc. Perkin Trans 1*: 1711-1715

Pettit, G.R., Singh, S.B., Boyd, M.R., Hamel, E., Pettit, R.K., Schmidt, J.M., Hogan, F. J. (1995) *Med Chem.* 38, 1666-1672

Pillow, W.F. Jr. (1978-1979) Editorial, *Tile and Till* 64, 13.

Rogers, C.B and Thevan, I. (1986) Identification of mollic acid α -L-arabinoside, a 1α -hydrocycloartenoid from *Combretum molle* leaves. *Phytochemistry* 25: 1759-1761

Rogers, C.B. (1989) Isolation of the 1α -hydroxycycloartenoid mollic acid α -L-arabinoside from *Combretum edwardssii* leaves. *Phytochemistry* 28: 279-81

Rogers, C.B, Verotta, L. (1996) Chemistry and biological properties of the African Combretaceae. In: Hostettmann, K., Chinyanganya, F., Maillard, M., Wolfender, J.L. [Eds], Chemistry, Biological and Pharmacological Properties of African Medicinal Plants, University of Zimbabwe Publications, Harare, Zimbabwe, p 121-141.

Rogers, C.B. (1998) Cycloartenoid dienone acids and lactones from *Combretum erythrophyllum*. *Phytochemistry* 49; 7 2069-2076

Rossi, M.H., Yoshida, M., Maia, J.G.S. (1997) Neolignans, styrylpyrones and flavonoids from an *Aniba* species. *Phytochemistry* 45 (6) 1263-1269

Sato, Y., Suzaki, S., Nishikawa, T., Kihara, M., Shibata, H., Higuti, T. (2000) Phytochemical flavones isolated from *Scutellaria barbata* and antibacterial activity against methicillin-resistant *Staphylococcus aureus*. *Journal of Ethnopharmacology* 72: 483-488

Sawa, T., Nakao, M., Akaike, T., Ono, K., Maeda, H. (1999) Alkylperoxyl radical-scavenging activity of various flavonoids and other phenolic compounds: implications for the anti-tumour promoter effect of vegetables. *Journal of Agricultural & Food Chemistry* 47 (2): 397-402

Schultes, R.E, A. Hofman. Plants of the Gods (1992). Healing Art Press, Rochester, Vermont.

Schwikkard, S., Zhou, B.N., Glass, T.E., Sharp, J.L., Mattern, M.R., Johnson, R.K., Kingston, D.G.I. (2000) Bioactive compounds from *Combretum erythrophyllum*. *Journal of Natural Products* 63: 457-460

Singh, N., Yu, V.L. (2000) Rational emperic antibiotic prescription in the ICU: Clinical research is mandatory. *Chest* 117 (5): 1496-1499

Suffness, M., Douros, J. (1979) Drugs of plant origin. *Methods in Cancer Research* 26: 73-126

Suh, N., Luyengi, L., Fong, H.H., Kinghorn, A.D., Pezzuto, J.M. (1995) Discovery of natural product chemoprotective agents utilising HL-60 cell differentiation as a model. *Anticancer Research* 15 (2): 233-9

Taylor, R.S., Manandhar, N.P., Towers, G.H.N. (1995) Screening of selected medicinal plants of Nepal for antimicrobial activities. *Journal of Ethnopharmacology* 46, 153-159

Tilton, R.C., Lieberman, L., Gerlach, E.H. (1973) Microdilution antibiotic susceptibility test: examination of certain variables. *Applied Microbiology* 26: 658-665

Vlietinck, A.J., Van Hoof, L., Totte, J., Lasure, A., Van den Berghe, D., Rwangabo, P.C. and Mvukiyumwami, J. (1995) Screening of hundred Rwandese medicinal plants for antimicrobial and antiviral properties. *Journal of Ethnopharmacology* 46, 31-47

Vogt, T, GÜLZ, P, Wray, V (1988) Epicuticular 5-O-methyl flavonols from *Cistus laurifolius*. *Phytochemistry* 27(11): 3712-3713

Wang, S.X., Zhang, F.J., Feng, Q.P., Li, Y.L. (1992) Synthesis, characterisation and antibacterial activity of transition metal complexes with 5-hydroxy-7,4'-dimethoxyflavone. *Journal of Inorganic Biochemistry* 46 (4): 251-7

Wiik, P, Opstad, P.K., Bóyum, A. (1996) Granulocyte chemiluminescence response to serum opsonized zymosan particles *ex vivo* during long-term strenuous exercise, energy and sleep deprivation in humans. *Eur J Applied Physiol* 73: 251-258

Williamson, A., Day, A.J., Plumb, G.W., Couteau, D. (2000) Human metabolic pathways of dietary flavonoids and cinnamates. *Biochemical Society Transactions* 28 (2): 16-22

Williamson, E.M., Okpako, D.T., Evans, F.J. (1996) Selection, preparation and pharmacological evaluation of plant material. In: *Pharmacological Methods in Phytotherapy Research* Vol. 1. John Wiley and Sons Ltd., Chichester, England

Wollenweber, E. and Dietz, V.H. (1980) Occurrence and distribution of free flavonoid aglycones in plants. *Phytochemistry* 20 (5): 869-932

Wollenweber, E. and Jay, M. (1988) Flavones and flavonols. In: Harborne, J.B. [Ed.] *The Flavonoids*. Chapman and Hall Ltd, London, England p 233-302

Yang, H.O., Suh, D.Y., Han, B.H. (1995) Isolation and characterization of platelet-activating factor receptor binding antagonists from *Biota orientalis*. *Planta Medica* 61 (1): 37-40

- Yokozawa, T., Dong, E., Kawai, Y., Gemba, M., Shimizu, M. (1999) Protective effects of some flavonoids on the renal cellular membrane. *Experimental & Toxicological Pathology* 51 (1): 9-14
- Yun, B.S., Lee, I.K., Kim, J.P., Chung, S.H., Shim, G.S., Yoo, I.D. (2000) Lipid peroxidation inhibitory activity of some constituents isolated from the stem bark of *Eucalyptus globulus*. *Archives of Pharmacal Research* 23 (2): 147-50
- Zahir, A., Jossang, A., Bodo, B., Provost, J., Cosson, J.P., Sevenet, T. (1996) DNA topoisomerase I inhibitors: cytotoxic flavones from *Lethedon tannaensis*. *Journal of Natural Products* 59 (7): 701-3
- Zhao, Q., Tian, J, Yue, J, Chen, S, Lin, Z, Sun, H (1998) Diterpenoids from *Isodon flavidus*. *Phytochemistry* 48 (6): 1025-1029