

REFERENCES

- Attias, J., Furst, M., Furman, V., Haran, I.R., Horowitz, G. & I. Bresloff, 1995. "Noise-Induced Otoacoustic Emission Loss With or Without Hearing Loss". *Ear & Hearing*, 16(6), pp. 612-618.
- Avan, P. & P. Bonfils, 1993. "Frequency Specificity of Human Distortion Product Otoacoustic Emissions". *Audiology*, 32, pp. 12-26.
- Block, M.G. & T.L. Wiley, 1994. "Overview and Basic Principles of Acoustic Immittance Measurements." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Wilkins.
- Blum, A. 1992. *Neural networks in C++. An Object-Oriented Framework for Building Connectionist Systems*, NY: John Wiley & Sons.
- Bonfils, P., Avan, P., Francois, M., Marie, P., Trotoux, J. & P. Narcy, 1990. "Clinical Significance of Otoacoustic Emissions: A Perspective". *Ear and Hearing*, 11 (2), pp. 155-158.
- Bonfils, P., Avan, P., Londero, A., Trotoux, J. & P. Narcy, 1991. "Objective Low-Frequency Audiometry by Distortion-Product Acoustic Emissions." *Archives of Otorhinolaryngology Head and Neck Surgery*, 117, pp. 1167-1171.
- Bonfils, P., Piron, J.P., Uziel, A. & R. Pujol, 1988. "A correlative study of evoked otoacoustic emission properties and audiometric thresholds". *Archives of Otorhinolaryngology*, 245, pp. 53-56.
- Bonfils, P & A. Uziel, 1989. "Clinical Applications of Evoked Acoustic Emissions: Results in Normally Hearing and Hearing-Impaired Subjects". *Ann Otol Rhinol Laryngol*, 98, pp. 326-331.
- Brass, D. & D.T. Kemp, 1994. "Quantitative Assessment of Methods for the Detection of Otoacoustic Emissions." *Ear & Hearing*, 15, pp.378-389.

- Bright, K.E., 1994. "Helpful Hints for OAE Measurement." *The Hearing Journal*, 47, pp. 10-61.
- Brownell, W. 1990. "Outer Hair Cell Electromotility and Otoacoustic Emissions". *Ear and Hearing*, 11 (2), pp. 82-92.
- Brunt, M.A., 1994. "Tests of Cochlear Function." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Wilkins.
- Cacace, A.T., McClelland, W.A., Weiner, J. & D.J. McFarland, 1996. "Individual Differences and the Reliability of 2f1-f2 Distortion-Product Otoacoustic Emissions: Effect of Time-of Day, Stimulus Variables, and Gender". *Journal of Speech and Hearing Research*, 39, pp. 1138-1148.
- Cane, M.A., Donoghue, G.M. & M.E. Lutman, 1992. "The Feasibility of Using Otoacoustic Emissions to Monitor Cochlear Function during Acoustic Neuroma Surgery." *Scandinavian Audiology*, 21, pp. 173-176.
- Collet, L., Gartner, M., Moulin, A., Kauffmann, I., Disant, F. & A. Morgon, 1989. "Evoked Otoacoustic Emissions and Sensorineural Hearing Loss." *Arch Otolaryngol Head Neck Surg*. 115, pp. 1060-1062.
- Danhauer, J.L., 1997. "How Otoacoustic Emissions Testing Can Change Your Audiology Practice." *The Hearing Journal*, 50, pp. 62-69.
- Durrant, J.D. 1992. "Distortion-Product OAE Analysis: Is It Ready For Broad Clinical Use?". *The Hearing Journal*, 45 (11), pp. 42-45.
- Elberling, C., Parbo, J., Johnsen, N.H. & P. Bagi, 1985. "Evoked Otoacoustic Emission: Clinical Application". *Acta Otolaryngology*, 421, pp. 77-85.

Ferraro, J.A. & J.D. Durrant, 1994. "Auditory Evoked Potentials: Overview and Basic Principles." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Wilkins.

Gaskill, S.A. & A.M. Brown, 1990. "The behavior of the acoustic distortion product, 2f₁-f₂, from the human ear and its relation to auditory sensitivity". *Journal of the Acoustical Society of America*, 88(2), pp. 821-839.

Glatke, T.J., Pafitis, I.A., Cummiskey, C. & G.R. Herer, 1995. "Identification of Hearing Loss in Children and Young Adults Using Measures of Transient Otoacoustic Emission Reproducibility". *American Journal of Audiology*, 4, pp. 71-86.

Gorga, M.P., Neely, S.T., Bergman, B. & K.L. Beauchaine, 1993. "Otoacoustic emissions from normal-hearing and hearing-impaired subjects: Distortion product responses". *Journal of the Acoustical Society of America*, 93(4), pp. 2050-2060.

Gorga, M.P., Stover, L., Neely, S.T. & D. Montoya, 1996. "The use of cumulative distributions to determine critical values and levels of confidence for clinical distortion product otoacoustic emission measurements." *Journal of the Acoustical Society of America*, 100(2), pp. 968-977.

Hall III, J.W., Baer, J.E., Chase, P.A. & M.K. Schwaber, 1993. Clinical application of otoacoustic emissions: What do we know about factors influencing measurement and analysis?" *Otolaryngology- Head and Neck Surgery*, 110(1), pp. 22-34.

Hall III, J.W. & D. Chandler, 1994. "Tympanometry in Clinical Audiology." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Wilkins.

Harris, F.P., Lonsbury-Martin, B.L., Stagner, B.B., Coats. A.C. & G.K. Martin, 1989. "Acoustic Distortion Products in Humans: Systematic changes in amplitude as a function of f₂/f₁ ratio." *Journal of the Acoustical Society of America*, 85(1), pp. 220-229.

Harris, F.P, & R. Probst, 1991. "Reporting Click-Evoked and Distortion-Product Otoacoustic Emission Results with Respect to the Pure-Tone Audiogram". *Ear and Hearing*, 12 (6), pp. 399-405.

Hawley, D., Johnson, J & D. Raina, 1993. "Artificial Neural Systems: A New Tool for Financial Decision Making". In Trippi, R.R. & E. Turban (Ed) 1993. *Neural Networks in Finance and Investing: Using Artificial Neural Networks to Improve Real-World Performance*. Chicago: Probus Publishing Company.

He, N & R. Schmiedt, 1996. "Effects of aging on the fine structure of the 2f1-f2 acoustic distortion product". *Journal of the Acoustical Society of America*, 99 (2), pp. 1002-1015.

He, N & R. Schmiedt, 1997. "Fine structure of the acoustic distortion product: Effects of primary level and frequency ratios". *Journal of the Acoustical Society of America*, 101(6), pp. 3554-3565.

Hurley, R.M. & F.E. Musiek, 1994. "Effectiveness of Transient-Evoked Otoacoustic Emissions (TEOAEs) in Predicting Hearing Level". *Journal of the American Academy of Audiology*, 5 (3), pp. 195-203.

Karzon, R.K., Garcia, P., Peterein, J.L. & G.A. Gates. 1994. "Distortion Product Otoacoustic Emissions in the Elderly." *The American Journal of Otology*, 15(5), pp. 596-605.

Kemp, D.T. 1978. "Stimulated acoustic emissions from within the human auditory system". *Journal of the Acoustical Society of America*, 64: 1386-1391.

Kemp, D.T. & S. Ryan, 1993. "The Use of Transient Evoked Otoacoustic Emissions in Neonatal Hearing Screening Programs". *Seminars in Hearing*, 14(1), pp. 30-44.

Kemp, D.T., Ryan, S. & P. Bray, 1990. "A Guide to the Effective Use of Otoacoustic Emissions". *Ear and Hearing*, 11(2), pp. 93-105.

Kimberley, B.P., Hernadi, I., Lee, A.M. & D.K. Brown, 1994. "Predicting Pure Tone Thresholds in Normal and Hearing-Impaired Ears with Distortion Product Emission and Age". *Ear & Hearing*, 15(3), pp. 199-209.

Kimberley, B.P. & D.A. Nelson, 1989. "Distortion product emissions and sensorineural hearing loss". *The Journal of Otolaryngology*, 18 (7), pp. 365-369.

Klimasauskas, C. 1993. "Applying Neural Networks". In Trippi, R.R. & E. Turban (Ed) 1993. *Neural Networks in Finance and Investing: Using Artificial Neural Networks to Improve Real-World Performance*. Chicago: Probus Publishing Company.

Konkle, D.F. & J.T. Jacobson, 1991. "Hearing Loss in Newborns, Infants, and Young Children." in Rintelmann, W.F. (Ed) 1991. *Hearing Assessment*. Austin, Texas: Pro-ed.

Kossl, M. & G.S. Boyan, 1998. "Acoustic Distortion Products from the Ear of a Grasshopper." *Journal of the Acoustical Society of America*. 104(1), pp. 326-335.

Kraus, N., Kileny, P. & T. McGee, 1994. "Middle Latency Auditory Evoked Potentials." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Willkins.

Kulaweic, J.T. & M.S. Orlando, 1995. "The Contribution of Spontaneous Otoacoustic Emissions to the Click Evoked Otoacoustic Emissions." *Ear and Hearing*, 16, pp. 515-520.

Kummer, P., Janssen, T. & Arnold, W. 1998. "The level and growth behavior of the 2f1-f2 distortion product otoacoustic emission and its relationship to auditory sensitivity in normal hearing and cochlear hearing loss." *Journal of the Acoustical Society of America*, 103(6), pp. 3431-3444.

Lasky, R.E., 1998(a). "Distortion product otoacoustic emissions in human newborns and adults. I. Frequency effects." *Journal of the Acoustical Society of America*, 103(2), pp. 981-991.

Lasky, R.E., 1998(b). "Distortion product otoacoustic emissions in human newborns and adults. II. Level effects." *Journal of the Acoustical Society of America*, 103(2), pp. 992-1000.

Lee, A., Kimberley, B. & D. Brown, 1993. "Developing Distortion Product Emission Measurements for Clinical Applications". *Journal of Speech Language Pathology and Audiology*, 17 (1), pp. 15-25.

Leedy, P.D, 1993. "*Practical Research, Planning and Design.*" 5th Ed. NY: Macmillan Publishing Co.

Lonsbury-Martin, B.L. 1994. "Introduction To Otoacoustic Emissions." *The American Journal of Otology*, 15 (1), pp. 1-3.

Lonsbury- Martin, B.L., Cutler, W.M. & G.K. Martin, 1991. "Evidence for the influence of aging on distortion product emissions in humans." *Journal of the Acoustical Society of America*, 89, 1749-1759.

Lonsbury-Martin, B.L., Harris, F.P., Stagner, B.B., Hawkins, M.D. & G.K. Martin, 1990. "Distortion Product Emissions in Humans I: Basic Properties in Normally Hearing Subjects". *Ann Otol Rhinol Laryngol*, 99, pp. 3-14.

Lonsbury-Martin, B.L. & G.K. Martin, 1990. "The Clinical Utility of Distortion-Product Otoacoustic Emissions". *Ear & Hearing*, 11 (2), pp. 144-154.

Lonsbury-Martin, B.L., McCoy, M.J., Whitehead, M.L. & G.K. Martin, 1992. "Otoacoustic Emissions: Future Directions For Research and Clinical Applications". *The Hearing Journal*, 45 (11), pp. 47-52.

- Martin, G.K., Ohlms, L.A., Franklin, P.H., Harris, F.P. & B.L. Lonsbury-Martin, 1990a. "Distortion Product Emissions in Humans III. Influence of Sensorineural Hearing Loss." *Ann Otol Rhinolaryngol*, 99, pp. 30-42.
- Martin, G.K., Probst, R. & B.L. Lonsbury-Martin, 1990b. "Otoacoustic Emissions in Human Ears: Normative Findings". *Ear and Hearing*, 11 (2), pp. 106-120.
- Medsker, L., Turban, E. & R. Trippi, 1993. "Neural Network Fundamentals for Financial Analysts". In Trippi, R.R. & E. Turban (Ed) 1993. *Neural Networks in Finance and Investing: Using Artificial Neural Networks to Improve Real-World Performance*. Chicago: Probus Publishing Company.
- Metz, D.E., Schiavetti, N. & S.D. Knight, 1992. "The Use of Artificial Neural Networks to Estimate Speech Intelligibility From Acoustic Variables: A Preliminary Analysis". *Journal of Communication Disorders*, 25, pp. 43-53.
- Mills, D.M, 1997. "Interpretation of distortion product otoacoustic emission measurements. I. Two stimulus tones". *Journal of the Acoustical Society of America*, 102(1), pp. 413-429.
- Moulin, A., Bera, C. & L. Collet, 1994. "Distortion Product Otoacoustic Emissions and Sensorineural Hearing Loss". *Audiology*, 33, pp. 305-326.
- Muller, B. & J. Reinhardt, 1990. *Neural Networks: An Introduction*. London: Springer-Verlag.
- Musiek, F.E., Borenstein, S.P., Hall III, J.W. & M.K. Schwaber, 1994. "Auditory Brainstem Response: Neurodiagnostic and intraoperative applications." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Willkins.
- Nelson, M.M. & W.T. Illingworth, 1991. *A Practical Guide to Neural Nets*. New York: Addison-Wesley Publishing Company, Inc.

Nielsen, L.H., Popelka, G.R., Rasmussen, A.N. & P.A. Osterhammel, 1993. "Clinical Significance of probe tone frequency ratio on distortion product otoacoustic emissions." *Scandinavian Audiology*, 22, pp. 159-164.

Nieschalk, M., Hustert, B. & W. Stoll, 1998. "Distortion Product Otoacoustic Emissions in Middle-Aged subjects with Normal versus Potentially Presbycusis High-Frequency Hearing Loss." *Audiology*, 37, pp. 83-99.

Northern, J.L. 1991. "*Hearing in Children*." Baltimore, MD: Williams & Wilkins.

Northern, J.L. & S.A. Gabbard, 1994. "Acoustic Reflex Measurements." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Wilkins.

Norton, S.J. 1993. "Application of Transient Evoked Otoacoustic Emissions to Pediatric Populations". *Ear and Hearing*, 14(1), pp. 64-73.

Norton, S.J., Schmidt, A.R. & L.J. Stover, 1990. "Tinnitus and Otoacoustic Emissions: Is There a Link?". *Ear & Hearing*, 11 (2), pp. 159-166.

Norton, S.J. & L.J. Stover, 1994. "Otoacoustic Emissions An Emerging Clinical Tool." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Wilkins.

Norton, S.J. & J.E. Widen, 1990. "Evoked Otoacoustic Emissions in Normal-Hearing Infants and Children: Emerging Data and Issues". *Ear and Hearing*, 11 (2), pp. 121-127.

Odom, M & R. Shara, 1993. "A Neural Network Model for Bankruptcy Prediction". In Trippi, R.R. & E. Turban (Ed) 1993. *Neural Networks in Finance and Investing: Using Artificial Neural Networks to Improve Real-World Performance*. Chicago: Probus Publishing Company.

- Ohlms, L.A., Lonsbury-Martin, B.L. & G.K. Martin 1990. "Acoustic-distortion products: Separation of sensory from neural dysfunction in sensorineural hearing loss in human beings and rabbits." *Otolaryngology-Head and Neck Surgery*, 104(2), pp. 159-174.
- Osterhammel, P.A., Nielsen, L.H. & A.N. Rasmussen, 1993. "Distortion Product Otoacoustic Emissions, The Influence of the Middle Ear Transmission". *Scandinavian Audiology*, 22, pp. 111-116.
- Popelka, G.R., Karzon, R.K. & E.M. Arjmand, 1995. "Growth of the 2f1-f2 Distortion Product Otoacoustic Emission for Low-Level Stimuli in Human Neonates". *Ear & Hearing*, 16(2). pp. 159-165.
- Probst, R. & R. Hauser, 1990. "Distortion Product Otoacoustic Emissions in Normal and Hearing-Impaired Ears." *American Journal of Otolaryngology*, 11, pp. 236-243.
- Raghupathi, W., Schkade, L, & B. Raju, 1993. "A Neural Network Approach to Bankruptcy Prediction". In Trippi, R.R. & E. Turban (Ed) 1993. *Neural Networks in Finance and Investing: Using Artificial Neural Networks to Improve Real-World Performance*. Chicago: Probus Publishing Company.
- Rahimian, E., Singh, S., Thammachote, T & R. Virmani, 1993. "Bankruptcy Prediction by Neural Network". In Trippi, R.R. & E. Turban (Ed) 1993. *Neural Networks in Finance and Investing: Using Artificial Neural Networks to Improve Real-World Performance*. Chicago: Probus Publishing Company.
- Rao, V. & H. Rao, 1995. "C++ Neural Networks and Fuzzy Logic." 2nd Ed. NY: MIS:Press.
- Rasmussen, A.N., Popelka, G.R., Osterhammel, P.A. & L.H. Nielsen, 1993. "Clinical significance of relative probe tone levels on distortion product otoacoustic emissions." *Scandinavian Audiology*, 22, pp. 223-229.

Robinette, M.S. 1992. "Otoacoustic Emissions In Cochlear Vs. Retrocochlear Auditory Dysfunction". *The Hearing Journal*, 45 (11), pp. 32-34.

Robinette, M.S. 1994, "Integrating Audiometric Results." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Willkins.

Ruth, R.A., 1994. "Electrocochleography." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Willkins.

Salchenberger, L., Cinar, E. & N. Lash, 1993. "Neural Networks: A New Method for Predicting Thrift Failures". In Trippi, R.R. & E. Turban (Ed) 1993. *Neural Networks in Finance and Investing: Using Artificial Neural Networks to Improve Real-World Performance*. Chicago: Probus Publishing Company.

Schwartz, D.M. & J.A. Schwartz, 1991. "Auditory Evoked Potentials in Clinical Pediatrics." in Rintelmann, W.F. (Ed) 1991. *Hearing Assessment*. Austin, Texas: Pro-ed.

Siegel, J.H., 1995. "Cross-Talk in Otoacoustic Emission Probes." *Ear & Hearing*, 16(2), pp. 150-156.

Smurzynski, J., Leonard, G., Kim, D.O., Lafreniere, D.C. Marjorie & M.D. Jung, 1990. "Distortion Product Otoacoustic Emissions in Normal and Impaired Adult Ears." *Arch Otolaryngol Head Neck Surg*, 116, pp. 1309-1316.

Spektor, Z., Leonard, G., Kim, D.O., Marjorie, Jung, M.D. & J. Smurzynski, 1991. "Otoacoustic Emissions in Normal and Hearing-Impaired Children and Normal Adults". *Laryngoscope*, 101. Pp. 965-976.

Stach, B.A., Wolf, S.J. & L. Bland, 1993. "Otoacoustic Emissions as a Cross-Check in Pediatric Hearing Assessment: Case Report". *Journal of the American Academy of Audiology*, 4, pp. 392-398.

Stevens, J.C., Webb, H.D., Hutchinson, J., Connell, J., Smith, M.F. & J.T. Buffin, 1990. "Click Evoked Otoacoustic Emissions in Neonatal Screening". *Ear and Hearing*, 11 (2), pp. 128-133.

Stover, L., Gorga, M.P. & S.T. Neely, 1996(a). "Toward optimizing the clinical utility of distortion product otoacoustic emission measurements". *Journal of the Acoustical Society of America*, 100(2), pp. 956-967.

Stover, L. Neely, S.T. & M.P. Gorga, 1996(b). "Latency and multiple sources of distortion product otoacoustic emissions". *Journal of the Acoustical Society of America*, 99(2). pp. 1016-1024.

Subramaniam, M., Henderson, D. & V. Spongr, 1994. "The Relationship Among Distortion Product Otoacoustic Emissions, Evoked Potential Thresholds, and Outer Hair Cells Following Interrupted Noise Exposures." *Ear & Hearing*, 15(4), pp. 299-309.

Tam, K. & M. Kiang, 1993. "Managerial Applications of Neural Networks: The Case of Bank Failure Prediction". In Trippi, R.R. & E. Turban (Ed) 1993. *Neural Networks in Finance and Investing: Using Artificial Neural Networks to Improve Real-World Performance*. Chicago: Probus Publishing Company.

Teleschi, F.F., Roth, J., Stagner, B.B., Lonsbury-Martin, B.L. & T.J. Balkany, 1995(a). "Patterns of Evoked Otoacoustic Emissions Associated With Acoustic Neuromas." *Laryngoscope*, 105, pp. 675-682.

Teleschi, F.F., Widick, M.P., Lonsbury-Martin, B.L. & M.J. McCoy, 1995(b). "Monitoring Cochlear Function Intraoperatively using Distortion Product Otoacoustic Emissions." *The American Journal of Otology*, 16(5), pp. 597-608.

Ventry, I.M. & N. Schiavetti, 1980. *Evaluating Research in Speech Pathology and Audiology*. London: Addison-Wesley Publishing Company.

Vinck, B.M., Vel, E.D., Xu, Z.M. & P.B. Van Cauwenberge 1995. "Distortion Product Otoacoustic Emissions: A Normative Study." *Audiology*, 35, pp. 231-245.

Weber, B.A., 1994. "Auditory Brainstem Response: Threshold Estimation and Auditory Screening." in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Wilkins.

Yantis, P.A. 1994. "Puretone Air-Conduction Threshold Testing". in Katz, J. (Ed) 1994. *Handbook of Clinical Audiology*. 4th Ed. London: Williams & Wilkins.

Zhang, M. & P.J. Abbas, 1997. "Effects of middle ear pressure on otoacoustic emission measures". *Journal of the Acoustical Society of America*, 102(2), pp. 1032-1037.



APPENDICES:

Appendix A: The interview

PERSONAL INFORMATION			
Name:		Subject file #	
Date of birth: ___/___/___ YY MM DD		Gender	<input type="checkbox"/> M <input type="checkbox"/> F

INFORMATION REGARDING HEARING STATUS
<p>Complaints of a hearing loss?</p> <p>If Yes, what is the degree of the hearing loss?</p> <p> When was the onset of the hearing loss?</p> <p> What was the cause of the hearing loss?</p> <p>Is there a history of hearing loss in the family?</p> <p>If yes, what was the cause: genetic /trauma /unknown?</p>
<p>Complaints of current middle ear problems?</p> <p>If Yes, what is the current status of the middle ear problem, for example, does the subject experience any hearing loss, pain or fluid discharge.</p> <p>What was the frequency of past middle ear infections.</p> <p>Any allergies?</p>



Complaints of tinnitus? If yes, what is the perceived pitch and loudness level of the tinnitus?

Complaints of vertigo? If yes, how severe and how frequent?

Has the subject been exposed to high noise levels?

If yes, amount of noise exposure:

Type of noise exposed to for example gun shots, machinery, loud music.

What types of medication does the subject currently use?