

REFERENCES

- Allison, R., Higgitt, D., Kirk, A., Warburton, J. Al-Homoud, A., Sunna, B. & White, K. (1998) Geology, geomorphology, hydrology, groundwater and physical resources. In Dutton, R., Clarke, J. & Battikli, A. (Eds) *Arid land resources and their management: Jordan's desert margin*. Kegan Paul International London and New York.
- Andrews, P. & Fernandez-Jalvo, Y. (1997) Surface modifications of the Sima de los Huesos fossil humans. *Journal of Human Evolution*. **33**: 191-217.
- Backwell, L.R. (1999) A critical assessment of southern African 'early hominid bone tools'. Unpublished MSc Thesis, University of the Witwatersrand, Johannesburg, South Africa.
- Bearder, S.K. (1977) Feeding habits of the spotted hyaenas in a woodland habitat. *East African Wildlife Journal* **15**: 163-290.
- Behrensmeyer, A.K. (1984) Taphonomy and the fossil record. *American Scientist* **72**: 558-566.
- Behrensmeyer, A.K. (1978) Taphonomic and ecological information from bone weathering. *Palaeobiology* **4**: 150-162.

- Behrensmeyer, A.K. & Boaz, N. (1980) The recent bones of Amboseli National Park, Kenya, in relation to East African Paleocology. In (Behrensmeyer & Hill) *Fossils in the Making*. Chicago, University of Chicago Press. Pp. 72-92.
- Berger, L.R. (2006) Brief communication: Predatory bird damage to the Taung type-skull of *Australopithecus africanus* Dart 1925. *American Journal of Physical Anthropology* **131**(2): 166-168.
- Berger, L.R. & Clarke, R.J. (1995) Eagle involvement in accumulation of the Taung child fauna. *Journal of Human Evolution* **29**: 275-299.
- Berta, A. (1981) The Plio-Pleistocene hyaena *Chasmaporthetes ossifragus* from Florida. *Journal of Vertebrate Palaeontology* **1**: 341-356.
- Binford, L., Mills, M. & Stone, N. (1988) Hyena scavenging behavior and its implications for the interpretation of faunal assemblages from FLK 22 (the zinj floor) at Olduvai Gorge. *Journal of Anthropological Archaeology* **7**: 99-135.
- Blumenshine, R.J., Marean, C.W. and Capaldo, S.D. (1996) Blind tests inter-analyst correspondence and accuracy in the identification of cut marks, percussion marks, and carnivore tooth marks on bone surfaces. *Journal of Archaeological Science* **23**: 493-507.

- Boaz, N. & Crochon, R. (2001) The Scavenging of Peking Man. *Natural history* March 2001. Pp. 46-51.
- Boshoff, P. (2003) A New Specimen of *Hyaena makapani* (Carnivora: Hyaenidae) from the Plio/Pleistocene Fossil Locality of Bolts Farm. Vicinity Sterkfontein (District Krugersdorp) Gauteng. Unpublished BSc Honours project Report, University of Witwatersrand.
- Brain, C.K. (1981) The hunters or the hunted? An introduction to African cave Taphonomy. Chicago, University of Chicago Press.
- Brain, C.K. (1980) Some criteria for the recognition of bone collecting agencies in African caves. In Behrensmeyer, A.K. & Hill, A.P. (Eds.) *Fossils in the Making. Vertebrate Taphonomy and Palaeoecology*. Chicago. The University of Chicago Press. Pp. 108-130.
- Brain, C.K. (1974) Some suggested procedures in the analysis of bone accumulations from southern African quaternary sites. *Annals of the Transvaal Museum* **29** (1): 1-8
- Capaldo, S.D. (1998) Methods, marks, and models for inferring hominid and carnivore behaviour. *Journal of Human Evolution* **35**: 323-326.

- Capaldo, S.D. (1997) Experimental determination of carcass processing by Plio-Pleistocene hominids and carnivores at FLK 22 (*Zinjanthropus*), Olduvai Gorge, Tanzania. *Journal of Human Evolution* **33**: 555-597.
- Capaldo, S.D. & Blumenschine, R.J. (1994) A quantitative diagnosis of notches made by hammerstone percussion and carnivore gnawing on bovid long bones. *American Antiquity* **59**: 724-748.
- Cooper, S., Lansing, S., Boydston, E. and Holekamp, K. Unpublished manuscript.
- Cruz-Uribe, K. (1991) Distinguishing hyaena from hominid bone accumulations. *Journal of Field Archaeology* **18**: 467-486.
- Cruz-Uribe, K. & Klein, R. (1998) Hyrax and hare bones from modern South African eagle roosts and the detection of eagle involvement in fossil bone assemblages. *Journal of Archaeological Science* **25**: 135-147.
- Dart, R. (1956) The myth of the bone accumulating hyaena. *American Anthropologist* **58**: 40-62.
- Davies, R.A.G. (1994) Black eagle (*Aquila verreauxii*) predation on rock hyrax (*Procavia capensis*) and other prey in the Karoo. Unpublished PhD. Thesis, University of Pretoria.

- de Ruiter, D.J. (2001) A methodological analysis of the relative abundance of hominids and other macro mammals from the site of Swartkrans, South Africa. Unpublished PhD. Thesis, University of the Witwatersrand, Johannesburg, South Africa.
- de Ruiter, D.J. & Berger, L.R. (2001) Leopard (*Panthera pardus* Linneaus) cave caching related to anti-theft behaviour in the John Nash Nature Reserve, South Africa. *African Journal of Ecology* **39**: 1-3.
- de Ruiter, D.J. & Berger, L.R. (2000) Leopards as taphonomic agents in dolomitic caves-implications for bone accumulations in the hominid-bearing deposits of South Africa. *Journal of Archaeological Science* **27**: 665-684.
- Dominguez-Rodrigo, M. & Barba, R. (2006) New estimates of tooth mark and percussion mark frequencies at the FLK Zinj site: the carnivore-hominid-carnivore hypothesis falsified. *Journal of Human Evolution* **50**: 170-194.
- Dominguez-Rodrigo, M. & Piqueras, A. (2003) The use of tooth pits to identify carnivore taxa in tooth-marked archaeofaunas and their relevance to reconstruct hominid carcass processing behaviours. *Journal of Archaeological Science* **30**: 1385-1391.
- Erlandson, J.M., Rick, T.C., Collins, P.W. & Guthrie, D.A. (2007) Archaeological implications of a bald eagle nesting site at Ferrelo Point, San Miguel Island, California. *Journal of Archaeological Science* **34**(2): Pg 255-271.

- Ericson, Per. G.P. & Stora, J. (1999) *A manual to the skeletal measurements of the seal genera Halichoerus and Phoca (Mammalia: Pinnipedia)*. Department of Vertebrate Zoology, Swedish Museum of Natural History, Stockholm.
Stencil.
- Ewer, R.F. (1956a) The fossil carnivores of the Transvaal caves: Felinae. *Proceedings of the Zoological Society of London* **126**: 83-95.
- Ewer, R.F. (1956b) The fossil carnivores of the Transvaal caves: Canidae. *Proceedings of the Zoological Society of London* **126**: 97-119.
- Ewer, R.F. (1956c) The fossil carnivores of the Transvaal caves: two new Viverrids, together with some general considerations. *Proceedings of the Zoological Society of London* **126**: 259-274.
- Ewer, R.F. (1955a) The fossil carnivores of the Transvaal caves: Machairodontinae. *Proceedings of the Zoological Society of London* **125**: 587-615.
- Ewer, R.F. (1955b) The fossil carnivores of the Transvaal caves: The Hyaenidae other than *Lycyaena*, of Swartkrans and Sterkfontein. *Proceedings of the Zoological Society of London* **124**: 815-837.

- Ewer, R.F. (1955c) The fossil carnivores of the Transvaal caves: The *Lycyaenas* of the Sterkfontein and Swartkrans, together with some general considerations of the Transvaal fossil Hyaenids. *Proceedings of the Zoological Society of London* **124**: 839-837.
- Galliano, H. & Frailey, D. (1977) *Chasmapothetes kani*, new species from China, with remarks on phylogenetic relationships of genera within the Hyaenidae (Mammalia: Carnivora). *American Museum Novitates* **2632**: 1-16.
- Gautier, A. (1984) How do I count you, let me count the ways? Problems of archaeozoological quantification. In Grigson, C. and Clutton-Brock, J. (Eds.) *Animals and Archaeology: 4. Husbandry in Europe*. BAR International Series 227, Oxford. Pp. 237-251.
- Gilbert, A.S. & Singer, B.H. (1982) Reassessing zooarchaeological quantification. *World Archaeology* **14**: 21-40.
- Goss, R.A. (1986) The influence of food source on the behavioural ecology of brown hyaenas, *Hyaena brunnea*, in the Namib Desert. Unpublished MSc. Thesis, University of Pretoria. Pretoria, South Africa.
- Grayson, D.K. (1984) *Quantitative Zooarchaeology: Topics in the Analysis of Archaeological Faunas*. Orlando, Academic Press.

- Haynes, G.A. (1983) A guide for differentiating mammalian carnivore taxa responsible for gnaw damage to herbivore limb bones. *Palaeobiology* **9**(2): 164-172.
- Haynes, G.A. (1980) Evidence of Carnivore gnawing on Pleistocene and recent mammalian bones. *Palaeobiology* **6**(2): 341-351.
- Hendey, Q.B. (1978) Later Tertiary Hyaenidae from Langebaanweg and their relevance to the phylogeny of the family. *Annals of the South African Museum* **76**: 265-297.
- Hendey Q.B. (1974) Faunal dating of the late Cenozoic of Southern Africa, with special reference to the carnivora. *Quaternary Research* **4**: 149-161.
- Henschel, J.R., Tilson, R. & von Blottnitz, F. (1979) Implications of a spotted hyaena bone assemblage in the Namib Desert. *South African Archaeological Bulletin* **34**: 127-131.
- Hill, A. (1989) Bone modification by modern spotted hyenas. In *Bone Modification* Bonnichsen, R. & Sorg, M.H. (Eds) Center for the Study of the First Americans: Orono, ME; Pp. 169-178.

- Hill, A. (1984) Hyaenas and hominids: Taphonomy and hypothesis testing In Foley, R. (Ed.) *Hominid evolution and Community Ecology*. Academic Press, London. Pp. 111-128.
- Hill, A. & Behrensmeyer, A. (1984) Disarticulation patterns of some modern East African mammals. *Paleobiology* **10**(3): 366-376.
- Hillson, S. (1992) *Mammal Bones and Teeth; An Introductory Guide to Methods of Identification* Dorset Press, Dorchester, Dorset, UK.
- Horwitz, L.K. (1998) The influence of prey body size on patterns of bone distribution and representation in a striped hyaena den. *XVIII Recontres Internationales d'Archaeologie et de Histoire d'Antibes*, Editions APDCA, Sophia Antipolis. Pp. 31-42.
- Horwitz, L.K. & Kerbis-Peterhans, J. (1991) Hyenas at home. *Israel Land & Nature* **16**(4): 162-165.
- Horwitz, L.K. & Smith, P. (1988) The effects of striped hyaena activity on human remains. *Journal of Archaeological Science* **15**: 471-481.
- Howell, F. & Petter, G. (1976) Carnivora from Omo group formations, Southern Ethiopia. In Coppers, Y., Howell, F., Isaac, G., and Leakey, R. (Eds) *Earliest man and environments in the Lake Rudolf basin*. Chicago, University of Chicago Press. Pp. 313-330.

- Hughes, A.R. (1961) Further notes on the habits of hyaenas and bone gathering by porcupines. *Zoological Society South African News Bulletin* **3**: 35-37.
- Hughes, A.R. (1958) Some ancient and recent observations on hyaenas. *Koedoe* **1**: 105-114.
- Hughes, A.R. (1954a) Hyaenas versus australopithecines as agents of bone accumulations. *American Journal of Physical Anthropology* **12**: 467-486.
- Hughes, A.R. (1954b) Habits of hyaenas. *South African Journal of Science* **51**: 156-158.
- Kerbis-Peterhans, J. & Horwitz, L.K. (1992) A bone assemblage from a stripped hyaena den in the Negev desert, Israel. *Israel Journal of Zoology* **37**: 225-245.
- Klein, R. (1986) The brown hyaenas of the Cape Flats. *Sagittarius* **1**(4).
- Klein, R.G. (1982) Age (mortality) profiles as a means of distinguishing hunted species from scavenged ones in stone age archaeological sites. *Paleobiology* **8**(2): 151-158.
- Klein, R.G. (1975) Paleoanthropological implications of the non-archaeological bone assemblages from Swartklip 1, south-western Cape Province, South Africa. *Quaternary Research* **5**: 275-288.

Klein, R.G. (1972) The Late Quaternary mammalian fauna of Nelson Bay Cave (Cape Province, South Africa): its implications for megafaunal extinctions and environmental change. *Quaternary Research* **2**: 135-142.

Klein, R.G., Cruz-Uribe, K., Halkett, D., Hart, T. & Parkington, J. (1999) Paleoenvironmental and human behavioural implications of the Boegoeberg 1 Late Pleistocene hyena den, Northern Cape Province, South Africa. *Quaternary Research* **52**: 393-403.

Klein, R.G., Cruz-Uribe, K. & Beaumont, P.B. (1991) Environmental, ecological, and paleoanthropological implications of the late Pleistocene mammalian fauna from Equus Cave, northern Cape Province, South Africa. *Quaternary Research* **36**: 94-110.

Kruuk, H. (1976) Feeding and social behaviour of the striped hyaena (*Hyaena hyaena*) *East African Wildlife Journal* **14**: 91-111.

Kruuk, H. (1972) *The Spotted Hyena*. The university of Chicago Press. Chicago.

Kruuk, H. (1966) Clan-system and feeding habits of spotted hyaenas (*Crocuta crocuta* Erxleben) *Nature* **209**: 1257-1258.

- Kuhn, B. (2005) The faunal assemblages and taphonomic signatures of five striped hyaena (*Hyaena hyaena syriaca*) dens in the desert of eastern Jordan *Levant* **35**: 221-234.
- Kuhn, B. (2001) The collecting behaviour of striped hyaena, *Hyaena hyaena*, in the eastern desert of Jordan. Unpublished MSc. Thesis, University College London.
- Lacruz, R. & Maude, G. (2005) Bone accumulations at brown hyaena (*Parahyaena brunnea*) den sites in the Makgadikgadi Pans, northern Botswana: taphonomic, behavioural and palaeoecological implications *Journal of Taphonomy* **3**(1): 43-54.
- La Roux, P.G. & Skinner, J.D. (1989) A note on the ecology of the leopard (*Panthera pardus* Linnaeus) in the Londolozi Game Reserve, South Africa. *African Journal of Ecology* **27**: 167-171.
- Lam (1992) Variability in the behaviour of spotted hyaenas as taphonomic agents. *Journal of Archaeological Science* **19**: 389-406.

- Laudet, F. & Selva, N. (2005) Ravens as small mammal bone accumulators: First taphonomic study on mammal remains in raven pellets. *Palaeogeography, Palaeoclimatology, Palaeoecology* **226** (3-4): 272-286.
- Leakey L.N., Milledge S.A.H., Leakey M., Edung J., Haynes P., Kiptoo D.K., & McGeorge, A. (1999). Diet of the striped hyaena in northern Kenya. *African Journal of Ecology* **37**: 314-326.
- Louw, G.N. & Seely, M.K. (1982) *Ecology of Desert Organisms*. Longman, Harlow & Essex, London.
- Lyman, R.L. (1994) *Vertebraete Taphonomy*. Cambridge, Cambridge University Press.
- Maguire, J., Pemberton, D. & Collet, M. (1980) The Makapansgat limeworks grey breccia: hominids, hyaenas, hystricids, or hill wash? *Palaeontologia Africana* **23**: 75-98.
- Marean, C.W. & Bertino, L. (1994) Intrasite spatial analysis of bone: Subtracting the effect of secondary carnivore consumers. *American Antiquity* **59**(4): 748-768.
- Marean, C.W. & Spencer, L.M. (1991) Impact of carnivore ravaging on zooarchaeological measures of element abundance. *American Antiquity* **56**: 645-658.

- Maude, G. (2005) The Comparative Ecology of Brown Hyaena (*Hyaena brunnea*) in Makgadikgadi National Park and a Neighbouring Community Cattle Area in Botswana. Unpublished MSc. Thesis, University of Pretoria, Pretoria.
- Maude, G. & Mills, G. (2005) The comparative feeding ecology of brown hyaena in a cattle area and national park in Botswana. *South African Journal of Wildlife Research* **35**: 201-214.
- Mayhew, D.F. (1977) Avian predators as accumulators of fossil mammal material. *Boreas* **6**: 25-31.
- Mills, M.G.L. (1990) *Kalahari Hyaenas: The Comparative Ecology of Two Species*. London , Unwin-Hyman.
- Mills, M.G.L. (1978) The comparative socio-ecology of the Hyaenidae. *Carnivore* **1**: 1-7.
- Mills, M.G.L. (1973) The brown hyaena. *African Wildlife* **27**(3): 150-152.
- Mills, M.G.L. & Mills, M.E.J. (1977) An analysis of bones collected at hyaena breeding dens in the Gemsbok National Park (Mammalia: Carnivora). *Annals of the Transvaal Museum* **30**: 145-155.
- Mundy, P.J. & Ledger, J.A. (1976) Griffon vultures, carnivores and bones. *South African Journal of Science* **72**(1): 106-110.

- Mutter, R.J., Berger, L. & Schmid, P. (2001) New evidence of the giant hyaena, *Pachyocrocuta brevirostris* (Carnivora: Hyaenidae), from the Gladysvale Cave Deposit (Plio-Pleistocene, John Nash Nature Reserve, Gauteng, South Africa). *Palaeontologica Africana* **37**: 103-113.
- Newman, R. (1993) The incidence of damage marks on Swartkrans fossil bones from the 1979-1986 excavations. In C.K. Brain (ed) *Swartkrans: A Cave's Chronicle of Early Man*. Pretoria, Transvaal Museum. 217-228.
- Njau, J.K. & Blumenschine, R.J. (2006) A diagnosis of crocodile feeding traces on larger mammal bone, with fossil examples from the Plio-Pleistocene Olduvai, Tanzania. *Journal of Human Evolution* **50**(2): 142-162.
- Owens, M. & Owens, D. (1979) Communal denning and clan associations in brown hyaenas (*Hyaena brunnea*) of the Central Kalahari Desert. *African Journal of Ecology* **17**: 35-44.
- Owens, M. & Owens, D. (1978) Feeding ecology and its influence on social organisation in brown hyaenas (*Hyaena brunnea* Thunberg) of the central Kalahari Desert. *East African Wildlife Journal* **16**: 113-135.
- Peters, J. (1986) Osteomorphology and osteometry of the appendicular skeleton of African buffalo, *Syncerus caffer* (Sparrman, 1779) and cattle, *Bos primigenius*

f. Taurus Bojanus , 1827. Occasional papers, Laboratory voor Paleaontologie.
Rijks Universiteit, No.1 Ghent, Belgium.

Pickering, T.R. (2002) Reconsideration of criteria for differentiating faunal assemblages accumulated by hyenas and hominids. *International Journal of Osteoarchaeology* **12**: 127-141.

Pickering, T.R., Dominguez-Rodrigo, M., Egeland, C.P., & Brain, C.K. (2004) Beyond leopards: tooth marks and the contribution of multiple carnivore taxa to the accumulation of the Swartkrans Member 3 fossil assemblage. *Journal of Human Evolution* **46**: 595-604.

Richardson, P.R.K. (1980) Carnivore damage to antelope bones and its archaeological implications. *Palaeontologica Africana* **23**: 109-125.

Richardson, P.R.K., Mundy, P.J., & Plug, I (1986) Bone crushing carnivores and their significance to osteodystrophy in griffon vulture chicks. *Journal of Zoology* **210**: 23-43.

Robert, I. and Vigne, J. (2002) The bearded vulture (*Gypaetus barbatus*) as an accumulator of archaeological bones. Late glacial assemblages and present day reference data in Corsica (western Mediterranean). *Journal of Archaeological Science* **29**: 763-777.

- Sanders, W.J., Trapani, J. & Mitani, J.C. (2003) Taphonomic aspects of crowned hawk-eagle predation on monkeys. *Journal of Human Evolution* **44**(1): 87-105.
- Schmid, E. (1972) *Atlas of Animal Bones* Elsevier Publishing Company Amsterdam-London-New York.
- Scott, L. & Klein, R. (1981) A hyaena accumulated bone assemblage from late Holocene deposits at Deelpan, Orange Free State. *Annals of the South African Museum* **86**: 217-227.
- Selvaggio, M.M. (1998) Evidence for a three-stage sequence of hominid and carnivore involvement with long bones at FLK *Zinjanthropus*, Olduvai Gorge, Tanzania. *Journal of Archaeological Science* **25**: 191-202.
- Selvaggio, M.M. & Wilder, J. (2001) Identifying the involvement of multiple carnivore taxa with archaeological bone assemblages. *Journal of Archaeological Science* **28**: 465-470.
- Silver, I. (1969) 'The ageing of domestic animals' in Brothwell D. and Higgs E. (eds) *Science in Archaeology*. London: Thames and Hudson. Pp. 283-302.
- Simons, J.W. (1966) The presence of leopard and a study of food debris in the leopard lairs of the Mount Suswa caves, Kenya. *Bulletin of the Cave Exploration Group of East Africa* **1**: 51-69.

Skinner, J.D. (1976) Ecology of the brown hyaena, *Hyaena brunnea*, in the Transvaal with a distribution map for southern Africa. *South African Journal of Science* **72**: 262-269.

Skinner, J.D. (2006) Bone collecting by hyaenas: a review. *Transactions of the Royal Society of South Africa* **61**(1); 4-7.

Skinner, J.D. & Chimimba, C. P. (2005) *The Mammals of the Southern African Subregion*, 3rd Edn. Cambridge University Press.

Skinner, J.D. & van Aarde, R.J. (1991) Bone collecting by brown hyaenas *Hyaena brunnea* in the central Namib Desert, Namibia. *Journal of Archaeological Science* **18**: 513-523.

Skinner, J.D. & van Aarde R.J. (1981) The distribution and ecology of the brown hyaena *Hyaena brunnea* and spotted hyaena *Crocuta crocuta* in the central Namib Desert. *Madoqua* **12** (4); 231-239.

Skinner, J.D. & Ilani, G. (1979) The Striped Hyaena *Hyaena hyaena* of the Judean and Negev Deserts and a Comparison with the Brown Hyaena *H. brunnea*. *Israel Journal of Zoology* **28**: 229-232.

- Skinner, J.D., Haupt, M.A., Hoffmann, M. & Dott, H.M. (1998) Bone collecting by brown hyaena *Hyaena brunnea* in the Namib Desert: rate of accumulation. *Journal of Archaeological Science* **25**: 69-71.
- Skinner, J.D., Henschel, J.R. & van Jaarsveld, A.S. (1986) Bone collecting by spotted hyaenas, *Crocuta crocuta*, in the Kruger National Park. *South African Journal of Zoology* **21**: 303-308.
- Skinner, J.D., Davis, S. & Ilani, G. (1980) Bone collecting by striped hyaenas, *Hyaena hyaena*, in Israel. *Paleontologica Africana* **23**: 99-104.
- Stiner, M. (1991) Food procurement and transport by human and non-human predators. *Journal of Archaeological Science* **18**: 455-482.
- Stuart, C. & Stuart, T. (1997) *Field guide to the larger mammals of Africa*. Struik Publishers. Cape Town.
- Sutcliffe, A.J. (1970) Spotted hyaena: crusher, gnawer, digester and collector of bones. *Nature* **12**: 1110-1113.
- Sutcliffe, A.J. (1969) Adaptations of spotted hyaenas to living in the British Isles. *Mammal Society Bulletin* **31**: 1-4.

- Turner, A. (1993) New Fossil Carnivore Remains from Swartkrans. In (ed. C.K. Brain) *Swartkrans: A Cave's Chronicle of Early Man*. Transvaal Museum Monograph No. 8.
- von den Driesch, A. (1976) *A guide for the measurement of animal bones from archaeological sites*. Peabody Museum Bulletin 1. Cambridge Massachusetts: Peabody Museum.
- Walker, R. (1985) *A Guide to Post-Cranial Bones of East African Animals: Mrs Walker's Bone Book* Hylochoerus Press, Norwich, England.
- Watson, V. (1993) Composition of the Swartkrans Bone Accumulations, in Terms of Skeletal Parts and Animals Represented. In (ed. C.K. Brain) *Swartkrans: A Cave's Chronicle of Early Man*. Transvaal Museum Monograph No. 8.
- Wiesel, I. (2006) Predatory and Foraging Behaviour of Brown Hyenas (*Parahyaena brunnea* (Thunberg, 1820)) at Cape Fur Seal (*Arctocephalus pusillus pusillus* Schreber, 1776) Colonies. Unpublished PhD Thesis, University of Hamburg, Germany.
- Yom-Tov, Y. & Mendelsohn, H. (2002) The biology of striped hyaena (*Hyaena hyaena* Brisson, 1762) in Israel. Unpublished manuscript. University of Tel-Aviv, Israel.