

## 8 References

- Achieng, A. 1999. African medicinal tree threatened with extinction.  
<http://www.twinside.org.sg/title/1903-cn.htm>.
- Anandhi, C. L., Nagaraj, V. K. and Kumar R. 2002. Knowledge and practice pattern of non-allopathic indigenous medical practitioners regarding tuberculosis in a rural area of India. *International Journal of Tuberculosis and Lung Diseases*, 6(6):553-555.
- Arnold, T. and de Wet, B. 1993. Memoir 62. Plants of South Africa: names and distributions. National Botanical Institute, Pretoria:825
- Balint, G. A., 2001 Artemisin and its derivatives: an important new class of antimalarial agents. *Pharmacology and Therapeutics*, 90(2-3):261-265.
- Bateman, J., Chapman, R. D. and Simpson, D. 1998 Possible toxicity of herbal remedies. *Scottish Medical Journal*, 43(1):7-15.
- Bell, E. A. 1993. Mankind and plants: the need to conserve biodiversity. *Parasitology*, 106 (suppl):S47-S53.
- Brandt, H. D., Osuch, E., Mathibe, L. and Tsipa, P. 1995. Plants associated with accidental poisoned patients presenting at Ga-Rankuwa Hospital, Pretoria. *South African Journal of Science*, 91(1):57-29.
- Chakraborty, A., Brantner, A. H. 1999. Antibacterial steroid alkaloids from the stem bark of *Holarrhena pubescens*. *Journal of Ethnopharmacol*, 68(1-3):339-344.

- Chan, T. Y., Tomlinson, B., Tse, L. K., Chan, J. C., Chan, W. W. and Critchley J. A. 1994. Aconitine poisoning due to Chinese herbal medicines: a review. *Veterinary & Human Toxicology*, 36(5):452–455.
- Collins, E. J. T. 1993. Food adulteration and food safety in Britain in the 19<sup>th</sup> and early 20<sup>th</sup> centuries. *Food Policy*, 18(2):95–109.
- du Plessis, N. and Duncan, G. 1989. *Bulbous plants of Southern Africa: A guide to their cultivation and propagation*. Tafelburg Publication, Cape Town, South Africa:192
- Edgar J. A, Roeder E, Molyneux R. J. 2002. Honey from plants containing pyrrolizidine alkaloids: a potential threat to health. *Journal of Agricultural Food and chemistry*, 50(10):2719-2730.
- Eloff, J. N. 1998a. A sensitive and quick microplate technique to determine the minimal inhibitory concentration of plant extracts for bacteria, *Planta Medica*, 64: 711-713.
- Eloff, J. N. 1998b *Conservation of Medicinal Plants: Selecting Medicinal Plant for Research and Gene Banking*. Monographs in Systematic Botany from the Missouri Botanical Garden 71:209-222. [In: *Conservation of Plant Genes III: Conservation and Utilization of African Plants*. Robert P. Adams and Janice E. Adams, eds., Missouri Botanical Garden Press, St. Louis, USA.
- Eloff, J. N. 2000. A proposal on expressing the antibacterial activity of plant extracts - a small first step in applying scientific knowledge to rural primary health care in South Africa. *South African Journal of Science*. 96:116-118.
- Fisher, A., Roytblat, L., Greemberg, L. 1995. Combined analgesic effect of morphine and ketamine. *Anaesthesia*, 50(8):746.

- Griffiths, V. 1999. Eastern and Western paradigms: the holistic nature of traditional Chinese medicine. *The Australian Journal of Holistic Nursing*, 6(2):35–8.
- Hahn-Deinstrop, E. 2000 *Applied Thin –layer chromatography: Best practice and avoidance of mistakes*. Wiley-VCH publishers, Germany.
- Hamburger, M. O. and Cordell, G. A., 1987. A direct bioautography TLC assay for compounds possessing antibacterial activity. *Journal of Natural Products*, 50(1):19–22.
- Hegnauer, R. 1986. Phytochemistry and plant taxonomy – an assay on the chemotaxonomy of higher plants. *Phytochemistry*, 25(7):1519–1535.
- Hirshon, J. M., 2001. *Plant Poisoning, Herbs*. Division of Emergency Medicine, University of Maryland Medical Center, <http://www.emedicine.com>
- Huang, W. F., Wen, K. C. and Hsiao, M. L. 1997. Adulteration by synthetic therapeutic substances of traditional Chinese medicines in Taiwan. *Journal of Clinical Pharmacology*, 37(4):344-350.
- Hutchings, A. 1989. Observation on plant usage in Xhosa and Zulu medicine. *Bothalia*, 19(2):225–235.
- Hutchings, A., Scott, A. H., Lewis, G. and Cunningham, A. 1996. *Zulu Medicinal Plants – an Inventory*. Scottsville: University of Natal Press.
- Jäger, A. K., Hutchings, A. and van Staden, J. 1996. *Journal of Ethnopharmacology*, 52:95.
- Jork, H., Funk, W., Fischer, W. and Wimmer, H. 1990 *Thin layer chromatography: Reagents and detection methods*. Volume 1a, VCH publishers, Germany.

- Kareiva, P. 2001. Assessing viability of forest species. *Trends of Ecology and Evolution*. 16(5):227.
- Kirsten, K., and Reid, O. 1982 *Keith Kirsten's down to earth garden book*, CAN, Johannesburg, South Africa.
- Koh, H. L., and Woo, S. O. 2000. Chinese proprietary medicine in Singapore: regulatory control of toxic heavy metals and undeclared drugs. *Drug safety*, 23(5):351–362.
- Kohler, M., Haerdi, W., Christen, P. and Veuthey J-L. 1997 Extraction of artemisinin and artemisic acid from *Artemisia annua* L. using supercritical carbon dioxide. *Journal of Chromatography A*, 785:353–360.
- Kovacs, A., Xu, J. Warnke, K. and Nowicki, M. 2002 Genetic diversity and resistance mutation of HIV-1 in blood and genital secretion of women, University of California Keck Sch, of Medicine, Los Angeles 787-W
- Lambers, M., Beijer, F. H., Padron, J. M., Toth, I. and De Vries J. G. 2002. Highly selective hydroformylation of the cinchona alkaloids. *Journal of Organic Chemistry*, 67(14):5022-5024.
- Li, R. W., David Lin G., Myers, S. P. and Leach, D. N. 2003. Anti inflammatory of Chinese medicinal vine plants. *Journal of Ethnopharmacology*, 85(1):6–67.
- Low, A. B. and Rebelo, A. G. 1996. *Vegetation of South Africa, Lesotho and Swaziland*. Published by the Department of Environmental Affairs & Tourism, Pretoria, <http://www.ngo.grida.no/>
- Mander, M. 1997. Investigational report. No. 164. Institute of Natural Resources, University of Natal.

- Mander, M., Mander J., Crouch N., Mckean, S. and Nichols, G. 1995. Catchment action: Growing and knowing muthi plants. Share Net Resource, Howick, South Africa.
- McKinnon-Villa, S. 1996. Sangoma [videorecording]: Traditional healers in modern society.
- Ndibi, B. P. and Kay, E. J. 1997. The regulatory framework for the exploitation of medicinal plants in Cameroon: The case of *Prunus africana* on Mount Cameroon. *Biodiversity and Conservation*, 6(10):1409-1412.
- Ntloedibe, D. T. 2001. Identification of commercially used phytomedicines for quality control purposes. Thesis (MSc. (Pharmacology)) – University of Pretoria.
- Ong, E. S. and Woo, S. O. 2001. Detection of aristolochic acid in medicinal plants (Chinese) prepared medicine using capillary zone electrophoresis. *Electrophoresis*, 22(11):2236–2241.
- Perharic, L., Shaw, D., Colbridge, M., House, I., Leon, C. and Murray, V. 1994. Toxicological problems resulting from exposure to traditional remedies and food supplements. *Drug Safety*, 11(4):284-294.
- Rabe, T. and van Staden, J. 1997. Antibacterial activity of South African plants used for medicinal purposes. *Journal of Ethnopharmacology*, 56(1):81–87.
- Rhainds, M., Taft, T., English-Loeb, G., Dunst, R. and Weigle, T. 2002. Ecology and economic impact of two plant bugs (Hemiptera: Miridae) in commercial vineyards. *Journal of Entomology*, 95(2):354-359.
- Robbers, J. E. and Tyler, V. E. 2000 Tyler's herbs of choice: the therapeutic use of phytomedicinals, The Haworth Herbal Press, Bringhamton, New York.

- Rothe, G., Garske, U. and Drager, B. 2001. Calystegines in root cultures of *Atropa belladonna* respond to sucrose, not to elicitation. *Plant Science*, 160(5):1043-1053.
- Savya, M., Valizadeh, J. and Kamalinejad, M. 2002. Anticonvulsant activity of the leaf essential oil of *Laurus nobilis* against pentylenetetrazole- and maximal electroshock-induced seizures. *Phytomedicine*, 9(3):212-216.
- Sgoutas, D. and Kummerow, F. A. 1963. Thin-layer chromatographic separation of some bromo- and hydroxy-derivatives of stearic acid. *Journal of the American Oil Chemists' Society*, 40(4):138-41.
- Smit, N. 1999. *Guide to the Acacias of South Africa*, Briza Publications, Pretoria.
- Smith, P. M. 1976. *The chemotaxonomy of plants: Contemporary biology*. Edward Arnold, Edinburgh, Scotland.
- Solomon, N., Berg, J. and Martin, D. 1999. *Biology 5th edition*, Saunders College publishing, United States of America.
- Stahl, E. 1969. *Thin layer Chromatography (Laboratory Handbook)*. Springer – Verlag Berlin.
- Steyn, M. and Muller, A. 2000. Traditional healer and cancer prevention. *Curationis*, 23(3):4-11.
- Stoborova, M., Frei, E., Breuer, A., Wiessler, M. and Schmeiser, H. H. 2001. Evidence of reductive activation of carcinogenic aristolochic acids by prostaglandin H synthase-23P-postlabeling analysis of DNA adduct formation. *Mutation Research*, 493(1):149-60.

- Tagwireyi, D., Ball, D. E. and Nhachi, C.F. 2002. Global situation of foot-and-mouth disease (FMD). *Journal of Veterinary Science*, 5(4):283-287.
- Thomas, V. and Grant, R. 1998. *Sappi Tree Spotting, Highveld and the Drakensberg*. Jacana Education. Johannesburg.
- Tomlinson, B., Chan, T. Y., Chan, J. C., Critchley, J. A and But, P. P. 2000. Toxicity of complementary therapies: an eastern perspective. *Journal of Clinical Pharmacology*, 40(5):451–456.
- Touchstone, J. C., and Dobbins, M. F. 1983. *Practice of thin layer chromatography*. 2nd edition, A Wiley-interscience publication, New York.
- Traffic network. 17 July 2001. Programme priority: Medicinal Wildlife Trade, [http://www.traffic.org/about/priority\\_medicinal\\_trade.html](http://www.traffic.org/about/priority_medicinal_trade.html).
- Ulrich, M. 1966. Thin layer chromatography on siloxyd. *Cesk pharmacology*, 15(1):41–42.
- van Staden, J. and Zschocke, S. 2000. *Cryptocarya* species – substitute plant for *Ocotea bullata*? A pharmacological investigation in terms of cyclooxygenase-1 and –2 inhibition. *Journal of Ethnopharmacology*, 71(3):473–478.
- van Wyk, B - E., Van Oudtshoorn, B. and Gericke, N. 1997. *Medicinal plants of South Africa*. Briza Publication, South Africa.
- van Wyk, B. and van Wyk, P. 1997. *Field Guide to Trees of Southern Africa*. Struik Publishers. Cape Town.
- Venter, D. P. 1996. New methods for determining dissociate contacts of against-receptor complex. *European Journal of Pharmacology*, 303(3):235-246.

- Venter, S.L. and van den Heever E. September 1998. Vegetable and medicinal uses of traditional edible seed and leafy vegetable crops. Abstracts SANCRA , Southern African New Crop Research Association, Symposium:28–30.
- Wagner, H. and Bladt, S. 1996. Plant drug analysis: A thin layer chromatography atlas. Second edition. Springer Verlag, Berlin.
- Watt, J. M. and Breyer-Brandwijk, M. G., 1962. The Medicinal and Poisonous Plants of Southern and Eastern Africa. E. S. Livingstone, Edinburgh.
- Wills, E. D. 1985. Biochemical basis of medicine. John Wright and Sons limited, Bristol, England:378.
- Ziegler, F., Giere, R. and Johnson C. A. 2001. Sorption mechanisms of zinc to calcium silicate hydrate: sorption ad microscopic investigations. Environmental Science and Technology, 15(22):4556–4561.
- Zschocke, S., Drewes, S. E., Paulus, K., Bauer R. and van Staden J. 2000a. Analytical and pharmacological investigation of *Ocotea bullata* (black stinkwood) bark and leaves. Journal of Ethnopharmacology, 71(1):219-230.
- Zschocke, S., van Staden, J., Paulus, K., Bauer, R., Horn, M. M., Munro, O. Q., Brown, N. J. and Drewes S. E. 2000b. Stereostructure and anti-inflammatory activity of three diastereomers of acobullenone from *Ocotea bullata*. Phytochemistry, 54(1):59-595.



## 9. Appendix

<b>Questionnaire No. 1</b>				
<b>Assesement of the popularity of traditional medicines in Pretoria City</b>				
<b>Time</b>		<b>Date</b>		
<b>Vendor Name</b>				
<b>Market area</b>				
<b>Number</b>	<b>Medicine name</b>	<b>Plant part</b> whole plant (10) root (10) bark (8) leaves (4)	<b>Place of origin</b> e.g KZN (10) local (5)	<b>Medicinal use</b>
1				
2				
3				
4				
5				
6				
7				
8				
9				
10				