

References

- Adewusi EA, Moodley N, Steenkamp V (2010). Medicinal plants with cholinesterase inhibitory activity: A Review. *African Journal of Biotechnology* 9: 8257-8276.
- Ahmad F, Khan RA, Rasheed S (1994). Preliminary screening of methanolic extracts of *Celastrus paniculatus* and *Tecomella undulata* for analgesics and anti-inflammatory activities. *Journal of Ethnopharmacology* 42: 193-198.
- Akhisa T, Kimura Y, Tamura T (1997). Cycloartane triterpenes from the fruit peel of *Musa sapientum*. *Phytochemistry* 47: 1107-1110.
- Aliyu AB, Ibrahim MA, Musa AM, Ibrahim H, Abdulkadir IE, Oyewale AO (2009). Evaluation of antioxidant activity of leave extract of *Bauhinia rufescens* (Caesalpiaceae). *Journal of Medicinal Plants Research* 3: 563-567.
- Amabeoku GJ, Kinyua CG (2010). Evaluation of the anticonvulsant activity of *Zanthoxylum capense* (Rutaceae) in mice. *International Journal of Pharmacology* 6: 844-853.
- Andersen K, Launer LJ, Ott A, Hoes AW, Breteler MM, Hofman A (1995). Do nonsteroidal anti-inflammatory drugs decrease the risk for Alzheimer's disease? The Rotterdam Study. *Neurology* 45: 1441-1445.
- Anderson JK (2004). Oxidative stress in neurodegeneration: cause or consequence? *Nature Reviews Neuroscience* 5: S18-S25.

Araújo TAS, Alencar NL, de Amorim ELC, de Albuquerque UP (2008). A new approach to study medicinal plants with tannins and flavonoid contents from the local knowledge. *Journal of Ethnopharmacology* 120: 72-80.

Arias E, Alés E, Gabilan N, Cano-Abad M, Villarroya M, García A, López GM (2004). Galantamine prevents apoptosis induced by β -amyloid and thapsigargin: involvement of nicotinic acetylcholine receptors. *Neuropharmacology* 46: 103-114.

Ashani Y, Peggins JO, Doctor BP (1992). Mechanism of inhibition of cholinesterases by huperazine A. *Biochemical and Biophysical Research Communications* 184: 719-726.

Barboni L, Gariboldi P, Torregiani E, Verotta L (1994). Cyclopeptide alkaloids from *Ziziphus mucronata*. *Phytochemistry* 35: 1579-1582.

Barth SA, Inselmann G, Engemann R, Heidemann HT (1991). Influences of *Ginkgo biloba* on cyclosporin A induced liver peroxidation in human liver microsomes in comparison to vitamin E, glutathione and N-acetylcysteine. *Biochemical Pharmacology* 41: 1521-1526.

Bartus RT (2000). On neurodegenerative disease, models and treatment strategies: lessons learned and lessons forgotten, a generation following the cholinergic hypothesis. *Experimental Neurology* 163: 495-529.

Bastianetto S, Ramassamy C, Dore S, Christen Y, Poirier J, Quirion R (2000a). The *Ginkgo biloba* extract (EGb 761) protects hippocampal neurons against cell death induced by β -amyloid. *European Journal of Neuroscience* 12: 1882-1890.

Bastianetto S, Zheng WH, Quiron R (2000b). The *Ginkgo biloba* extract (EGb 761) protects and rescues hippocampal cells against nitric oxide-induced toxicity: Involvement of its flavonoid constituents and protein kinase C. *Journal of Neurochemistry* 74: 2268-2277.

Bastianetto S, Quirion R (2002). Natural extracts as possible protective agents of brain aging. *Neurobiology of Aging* 23: 891-897.

Bastianetto S, Yao Z-X, Papadopoulos V, Quirion R (2006). Neuroprotective effects of green and black teas and their catechin gallate esters against β -amyloid-induced toxicity. *European Journal of Neuroscience* 23: 55-64.

Bastida J, Berkov S, Torras L, Pigni NB, de Andrade JP, Martínez V, Codina C, Viladomat F (2011). Chemical and biological aspects of Amaryllidaceae alkaloids. *Recent Advances in Pharmaceutical Sciences*: 65-100.

Batool F, Sabir SM, Rocha JBT, Shah AH, Saify ZS, Ahmed SD (2010). Evaluation of antioxidant and free radical scavenging activities of fruit extract from *Zanthoxylum alatum*: a commonly used spice from Pakistan. *Pakistani Journal of Botany* 42: 4299-4311.

Bay-Smidt MGK, Jäger AK, Krydsfeldt K, Meerow AW, Stafford GI, van Staden J, Rønsted N (2011). Phylogenetic selection of target species in Amaryllidaceae tribe Haemanthaeae for acetylcholinesterase inhibition and affinity to the serotonin reuptake transport protein. *South African Journal of Botany* 77: 175-183.

Behl C (2000). Vitamin E protects neurons against oxidative cell death *in vitro* more effectively than 17-beta estradiol and induces the activity of the transcription factor NF-kappaB. *Journal of Neural Transmission* 107: 393-407.

Behl C, Moosmann B (2002). Anti-oxidation neuroprotection in Alzheimer's disease as preventive and therapeutic approach. *Free radical Biology and Medicine* 33: 182-191.

Benammar C, Hichami A, Yessoufou A, Simonin A-M, Belarbi M, Allali H, Khan NA (2010). *Zizyphus lotus* L. (Desf.) modulates anti-oxidant activity and human T-cell proliferation. *BMC Complementary and Alternative Medicine* 10: 54.

Borenfreund E, Puerner JA (1984). A simple quantitative procedure using monolayer cultures for cytotoxicity assays (HTD/NR-90). *Journal of Tissue Culture Methods* 9: 7-9.

Bores GM, Huger FP, Petko W, Mutlib AE, Camacho F, Rush DK, Selk DE, Wolf V, Kosley RW, Davis L, Vargas HM (1996). Pharmacological evaluation of novel Alzheimer's disease therapeutics: acetylcholinesterase inhibitors related to galanthamine. *Journal of Pharmacology and Experimental Therapeutics* 227: 728-738.

Botha EW, Kahler CP, du Plooy WJ, du Plooy SH, Mathibe L (2005). Effect of *Boophone disticha* on human neutrophils. *Journal of Ethnopharmacology* 96: 385-388.

Brand-Williams W, Cuvelier ME, Berset C (1995). Use of a free-radical method to evaluate antioxidant activity. *LWT – Food Science and Technology* 28: 25-30.

Breitner JC, Gau BA, Welsh KA, Plassman BL, McDonald WM Helms MJ, Anthony JC (1994). Inverse association of anti-inflammatory treatments and Alzheimer's disease: initial results of a co-twin control study. *Neurology* 44: 227-232.

Brenner GM (2000). *Pharmacology*. WB Saunders Company, Philadelphia.

Brinkhaus B, Lindner M, Schuppan D, Hahn EG (2000). Chemical, pharmacological and clinical profile of the East Asian medicinal plant *Centella asiatica*. *Phytomedicine* 7: 427-448.

Brodaty H, McGilchrist C, Harris L, Peters KE (1993). Time until institutionalization and death in patients with dementia. Role of caregiver training and risk factors. *Archives of Neurology* 50: 643-650.

Bryant AT (1966). *Zulu Medicine and Medicine-Men*. Struik, Cape Town.

Butterfield D, Drake J, Pcernich C, Castegna A (2001). Evidence of oxidative damage in Alzheimer's disease brain: central role for amyloid beta-peptide. *Trends In Molecular Medicine* 7: 548-554.

Byun JS, Han YH, Hong SJ, Hwang SM, Kwon YS, Lee HJ, Kim SS, Kim MJ, Chun W (2010). Bark constituents from mushroom-detoxified neuronal cell death in mouse hippocampus. *The Korean Journal of Physiology and Pharmacology* 14: 279-283.

Castellani RJ, Lee HG, Zhu X, Nunomura A, Perry G, Smith MA (2006). Neuropathology of Alzheimer's disease: pathogenomonic but not pathogenic. *Acta Neuropathologica* 111: 503-509.

Castro A, Condeh S, Sambamurti K, Rosriguez-Franco MI, Martinez A (2002). Non-cholinergic pharmacotherapy approaches to the future treatment of Alzheimer's disease. *Mini Reviews In Medicinal Chemistry* 2: 37-50.

Cavin AL, Hay AE, Marston A, Stoeckli-Evans H, Scopelliti R, Diallo D, Hostettmann K (2006). Bioactive diterpenes from the fruits of *Detarium microcarpum*. *Journal of Natural Products* 69: 768-773.

Chang CL, Lin CS (2012). Phytochemical composition, anti-oxidant activity and neuroprotective effect of *Terminalia chebula* Retzius extracts. Evidence-Based Complementary and Alternative Medicine. doi:10.1155/2012/125247.

Chauhan AK, Dobhal MP, Joshi BC (1988). A review of medicinal plants showing anticonvulsant activity. Journal of Ethnopharmacology 22: 11-23.

Chen Q (1998). The Clinical and pharmacology of the Chinese patent medicine [in Chinese]. 1st ed. Beijing: Ren Min Wei Min Chu Ban She: 342-59.

Chen X, Zhu Y, Zhu L, Huang C, Chen Y, Chen L, Fang F, Zhou Y, Zhao C (2003). Ginsenoside Rg1 attenuates dopamine-induced apoptosis in PC12 cells by suppressing oxidative stress. European Journal of Pharmacology 473: 1-7.

Chiba T, Nishimoto I, Aiso S, Matsuoka M (2007). Neuroprotection against neurodegenerative diseases. Development of a novel hybrid neuroprotective peptide colivelin. Molecular Neurobiology 35: 55-84.

Chonpathompikunlert P, Wattanathorn J, Muchimapura S (2010). Piperine, the main alkaloid of Thai black pepper, protects against neurodegeneration and cognitive impairment in animal model of cognitive deficit like condition of Alzheimer's disease. Food and Chemical Toxicology 48: 798-802.

Choudhary D, Kale RK (2002). Antioxidant and non-toxic properties of *Piper betle* leaf extract: *in vitro* and *in vivo* studies. Phytotherapy Research 16: 461-466.

Cos PA, Balick MJ (1994). The ethnobotanical approach to drug discovery. Scientific American 270: 60-65.

Cos P, Vlietinck AJ, Vanden Berge D, Maes L (2006). Anti-infective potential of natural products: How to develop a stronger *in vitro* ‘proof of concept’. *Journal of Ethnopharmacology* 106: 290-302.

Coyle J, Kershaw P (2001). Galantamine, a cholinesterase inhibitor that allosterically modulates nicotinic receptors: effects on the course of Alzheimer’s disease. *Biological Psychiatry* 49: 289-299.

Dasgupta N, De B (2004). Antioxidant activity of *Piper betle* leaf extract *in vitro*. *Food Chemistry* 88: 219-224.

Dastmalchi K, Damien Dorman HJ, Vuorela H, Hiltunen R (2007). Plants as potential sources for drug development against Alzheimer’s disease. *International Journal of Biomedical and Pharmaceutical Sciences* 1: 83-104.

De Lorgeril M, Salen P, Martin JL, Monjaud I, Delaye J, Mamelle N (1999). Mediterranean diet, traditional risk factors and the rate of cardiovascular complications after myocardial infarction: final report of the Lyon Diet Heart Study. *Circulation* 99: 779-785.

Deng M, Zhao J, Tu P, Jiang Y, Li Z, Wang Y (2004). Echinacoside rescues the SH-SY5Y neuronal cells from TNF alpha-induced apoptosis. *European Journal of Pharmacology* 505: 11-18.

Deng KZ, Xiong Y, Gao WY (2009). Chemical constituents of *Lobelia chinensis*. *Chinese Traditional and Herbal Drugs* 40: 1198-1201.

Doraiswamy P (2002). Non-cholinergic strategies for treating and preventing Alzheimer’s disease. *CNS Drugs* 16: 811-824.

- Eldeen IMS, Elgorashi EE, van Staden J (2005). Antibacterial, anti-inflammatory, anti-cholinesterase and mutagenic effects of extracts obtained from some trees used in South African traditional medicine. *Journal of Ethnopharmacology* 102: 457-464.
- Elgorashi EE, Drewes SE, van Staden J (2001a). Alkaloids from *Crinum moorei*. *Phytochemistry* 56: 637-640.
- Elgorashi EE, Drewes SE, van Staden J (2001b). Alkaloids from *Crinum macowanii*. *Biochemical Systematics and Ecology* 29: 749-750.
- Elgorashi EE, Stafford GI, van Staden J (2004). Acetylcholinesterase enzyme inhibitory effects of Amaryllidaceae alkaloids. *Planta Medica* 70: 260-262.
- Elufioye TO, Obuotor EM, Sennuga AT, Agbedahunsi JM, Adesanya SA (2010). Acetylcholinesterase and butyrylcholinesterase inhibitory activity of some selected Nigerian medicinal plants. *Brazilian Journal of Pharmacognosy* 20: 472-477.
- Eskander MF, Nagykerly NG, Leung EY, Khelghati B, Geula C (2005). Rivastigmine is a potent inhibitor of acetyl- and butyrylcholinesterase in Alzheimer's plaques and tangles. *Brain Research* 1060: 144-152.
- Fabricant DS, Farnsworth NR (2001). The value of plants used in traditional medicine for drug discovery. *Environmental Health Perspectives* 109: 69-75.
- Fassbender K, Simons M, Bergmann C, Stroick M, Lutjohann D, Keller P, Runz H, Kühl S, Bertsch T, von Bergmann K, Hennerici N, Beyreuther K, Hartmann T (2001). Simvastatin strongly reduces levels of Alzheimer's disease beta-amyloid peptides Abeta 42 and Abeta 40 *in*

vitro and *in vivo*. Proceedings of the National Academy of Sciences of the United States of America 98: 5856-5861.

Felder CC, Bymaster FP, Ward J, DeLapp N (2000). Therapeutic opportunities for muscarinic receptors in the central nervous system. *Journal of Medical Chemistry* 43: 4333-4353.

Fennell CW, Lindsey KL, McGaw LJ, Sparg SG, Stafford GI, Elgorashi EE, Grace OM, van Staden J (2004). Assessing African medicinal plants for efficacy and safety: pharmacological screening and toxicology. *Journal of Ethnopharmacology* 94: 205-217.

Ferri CP, Prince M, Brayne C, Brodaty H, Fratiglioni L, Ganguli M, Hall K, Hasegawa K, Hendrie H, Huang Y, Jorm A, Mathers C, Menezes PR, Rimmer E, Sczufca M (2005). Global prevalence of dementia: a Delphi consensus study. *Lancet* 366: 2112-2117.

Floyd RA, Hensley K (2002). Oxidative stress in brain aging. Implications for therapeutics of neurodegenerative diseases. *Neurobiology of Aging* 23: 795-807.

Foye WO, Lemke TL, Williams DA (1995). *Principles of Medicinal Chemistry*, fourth ed. Williams and Wilkins, USA.

Gamaliel K, Amos S, Chindo B, Wambebe C, Vongtau H, Olusola A (2000). Behavioral effects of the methanol extract of *Ficus platyphylla* bark in mice and rats. *The Journal of Neuroscience* 3: 17-23.

Geerts H (2005). Indicators of neuroprotection with galantamine. *Brain Research Bulletin* 64: 519-524.

Gelfand M, Mavi S, Drummond RB, Ndemera B (1985). *The Traditional Medical Practitioner in Zimbabwe*. Mambo Press, Zimbabwe.

Glasby JS (1991). Dictionary of plants containing secondary metabolites. Taylor and Francis, London.

Gomes NGM, Campos MG, Órfão JMC, Ribeiro CAF (2009). Plants with neurobiological activity as potential targets for drug discovery. Progress in Neuro-Psychopharmacology and Biological Psychiatry 33: 1372-1389.

Greeff OBW (2009). Alzheimer's disease in family practice. South African Family Practice 51: 364-367.

Greig NH, Utsuki T, Yu Q, Zhu X, Holloway HW, Perry T, Lee B, Ingram DK, Lahiri DK (2001). A new therapeutic target in Alzheimer's disease treatment: attention to butyrylcholinesterase. Current Medical Research and Opinion 17: 159-165.

Grundman M (2000). Vitamin E and Alzheimer's disease: the basis for additional clinical trials. The American Journal of Clinical Nutrition 71: 630S-636S.

Hakkim FL, Shankar CG, Girija S (2007). Chemical composition and antioxidant property of holy basil (*Ocimum sanctum* L.) leaves, stems and inflorescence and their *in vitro* callus cultures. Journal of Agricultural and Food Chemistry 55: 9109-9117.

Halliwell B, Gutteridge JMC (1985). Oxygen radicals in the nervous system. Trends in Neurosciences 8: 22-26.

Hansen MB, Nielsen SE, Berg K (1989). Re-examination and further development of a precise and rapid dye method for measuring cell growth/cell kill. Journal of Immunological Methods 119: 203-210.

Hara H, Ohta M, Adachi T (2006). Apomorphine protects against 6-hydroxydopamine-induced neuronal cell death through activation of the Nrf2-ARE pathway. *Journal of Neuroscience Research* 84: 860–866.

Head E (2009). Oxidative Damage and Cognitive Dysfunction: Antioxidant treatments to promote healthy brain aging. *Neurochemical Research* 34: 670-678.

Heinrich M, Teoh HL (2004). Galanthamine from snowdrop – the development of a modern drug against Alzheimer’s disease from local Caucasian knowledge. *Journal of Ethnopharmacology* 92: 147-162.

Hensley K, Carney J, Mattson M, Aksenova M, Harris M, Wu J, Floyd RA, Butterfield DA (1994). A model for beta-amyloid aggregation and neurotoxicity based on free radical generation by the peptide: relevance to Alzheimer’s disease. *Proceedings of the National Academy of Sciences USA* 91: 3270-3274.

Heo HJ, Kim D-O, Choi SJ, Shin DH, Lee CY (2004). Potential inhibitory effect of flavonoids in *Scutellaria baicalensis* on Amyloid β Protein-Induced Neurotoxicity. *Journal of Agricultural and Food Chemistry* 52: 4128-4132.

Herholz K, Weisenbach S, Kalbe E, Diederich NJ, Heiss WD (2005). Cerebral acetylcholine esterase activity in mild cognitive impairment. *NeuroReport* 8:1431-1434.

Hofferberth B (1994). The efficacy of EGb 761 in patients with senile dementia of the Alzheimer type: a double-blind, placebo-controlled study on different levels of investigation. *Human Psychopharmacology* 9: 215-222.

Hollander E, Mohs RC, Davis KL (1986). Cholinergic approaches to the treatment of Alzheimer's disease. *British Medical Bulletin* 42: 97-100.

Hostettmann K, Borloz A, Urbain A, Marston A (2006). Natural product inhibitors of acetylcholinesterase. *Current Organic Chemistry* 10: 825-847.

Houghton PJ (1995). The role of plants in traditional medicine and current therapy. *The Journal of Alternative and Complementary Medicine* 1: 131-143.

Houghton PJ, Mensah AY, Iessa N, Hong LY (2003). Terpenoids in *Buddleja*: relevance to chemosystematics, chemical ecology and biological activity. *Phytochemistry* 64: 385-393.

Houghton PJ, Agbedahunsi JM, Adegbulugbe A (2004). Cholinesterase inhibitory properties of alkaloids from two Nigerian *Crinum* species. *Phytochemistry* 65: 2893-2896.

Houghton PJ, Howes M-J (2005). Natural Products and Derivatives affecting neurotransmission relevant to Alzheimer's and Parkinson's disease. *Neurosignals* 14: 6-22.

Howes M-JR, Houghton PJ (2003). Plants used in Chinese and Indian traditional medicine for improvement of memory and cognitive function. *Pharmacology, Biochemistry and Behavior* 75: 513-527.

Huang X-A, Shen X-L, Hu Y-J, Liu Y-M, Liu K-L, Zhang F-X, Zhou X-X (2011). Two new triterpenoids from *Lysimachia heterogenea* and evaluation of their cytotoxicity. *Molecules* 16: 8076-8082.

Hulme MM (1954). *Wild Flowers of Natal*. Shuter and Shooter, Pietermaritzburg.

Hutchings A, Scott AH, Lewis G, Cunningham AB (1996). Zulu Medicinal Plants: An Inventory, University of Natal Press, Pietermaritzburg.

Inestrosa NC, Alvarez A, Perez CA, Moreno RD, Vincente M, Linker C, Cassanueva OI, Soto C, Garido J (1996). Acetylcholinesterase accelerates assembly of amyloid-beta peptides into Alzheimer's fibrils: possible role of the peripheral site of the enzyme. *Neuron* 16: 881-891.

Ingkaninan K, Temkitthawon P, Chuenchom K, Yuyaem T, Thongnoi W (2003). Screening for acetylcholinesterase inhibitory activity in plants used in Thai traditional rejuvenating and neurotonic remedies. *Journal of Ethnopharmacology* 89: 261-264.

Jäger AK, Andersen A, Fennel CW (2004). Acetylcholinesterase inhibition of *Crinum* spp. *South African Journal of Botany* 70: 323-325.

Jayaprakasam B, Padmanabhan K, Nair MG (2010). Withanamides in *Withania somnifera* fruit protect PC-12 cells from β -amyloid responsible for Alzheimer's disease. *Phytotherapy Research* 24: 859-863.

Jick H, Zornberg GL, Jick SS, Seshadri S, Drachman DA (2000). Statins and the risk of dementia. *Lancet* 356: 1627-1631.

Kamuhabwa A, Nshimo C, de Witte P (2000). Cytotoxicity of some medicinal plant extracts used in Tanzanian traditional medicine. *Journal of Ethnopharmacology* 70: 143-149.

Kanowski S, Herrmann WM, Stephan K, Wierich W, Hörr R (1997). Proof of efficacy of the *Ginkgo biloba* special extract EGb761 in outpatients suffering from mild to moderate primary degenerative dementia of the Alzheimer type or multi-infarct dementia. *Phytomedicine* 4: 3-13.

Khalifa AE (2001). *Hypericum perforatum* as a nootropic drug: Enhancement of retrieval memory of a passive avoidance conditioning paradigm in mice. *Journal of Ethnopharmacology* 76: 49-57.

Knapp FF, Nicholas HJ (1970). The isolation of 31-norcycloaudenone from *Musa sapientum*. *Steroids* 16: 329-351.

Knapp MJ, Knopman DS, Solomon PR, Pendlebury WW, Davis CS, Gracon SI (1994). A 30-week randomized controlled trial of high-dose tacrine in patients with Alzheimer's disease. The Tacrine Study Group. *Journal of the American Medical Association* 271: 985.

Koetter U, Barrett M, Lacher S, Abdelrahman A, Dolnick D (2009). Interactions of *Magnolia* and *Ziziphus* extracts with selected central nervous system receptors. *Journal of Ethnopharmacology* 124: 421-425.

Koné WM, Soro D, Dro B, Yao K (2011). Chemical composition, anti-oxidant, antimicrobial and acetylcholinesterase inhibitory properties of *Lannea barteri* (Anacardiaceae). *Australian Journal of Basic and Applied Sciences* 5: 1516-1523.

Kongkathip N, Dhumma-upakorn P, Kongkathip B, Chawanoraset K, Sangchomkaeo P, Hatthakitpanichakul S (2002). Study on cardiac contractility of cycloeucaleanol and cycloeucalenone isolated from *Tinospora crispa*. *Journal of Ethnopharmacology* 83: 95-99.

Kumar V, Singh PN, Muruganandam AV, Bhattacharya SK (2000). Effect of Indian *Hypericum perforatum* on animal models of cognitive dysfunction. *Journal of Ethnopharmacology* 72: 119-128.

Kumar MHV, Gupta YK (2002a). Antioxidant property of *Celastrus paniculatus* Willd.: A possible mechanism in enhancing cognition. *Phytomedicine* 9: 302-311.

Kumar MHV, Gupta YK (2002b). Effect of different extracts of *Centella asiatica* on cognition and markers of oxidative stress in rats. *Journal of Ethnopharmacology* 79: 253-260.

Kumar V, Khanna VK, Seth PK, Singh PN, Bhattacharya SK (2002). Brain neurotransmitter receptor binding and nootropic studies on Indian *Hypericum perforatum*. *Phytotherapy Research* 16: 210-216.

Kumar RS, Sivakumar T, Sunderam RS, Gupta M, Mazumdar K, Gomathi P, Rajeshwar Y, Saravanan S, Kumar MS, Muruges K, Kumar KA (2005). Antioxidant and antimicrobial activities of *Bauhinia racemosa* stem bark. *Brazilian Journal of Medical and Biological Research* 38, 1015-1024.

Kumar V (2006). Potential medicinal plants for CNS disorders: An overview. *Phytotherapy Research* 20: 1023-1035.

Kumar PS, Sucheta S, Deepa VS, Selvamani P, Latha S (2008). Antioxidant activity in some selected Indian medicinal plants. *African Journal of Biotechnology* 7: 1826-1828.

LaFerla FM, Green KN, Oddo S (2007). Intracellular amyloid- β in Alzheimer's disease. *Nature Reviews Neuroscience* 8: 499-509.

Lagiou P, Trichopoulou A, Henderickx HK, Kelleher C, Leonhauser IU, Moreiras O, Nelson M, Schmitt A, Sekula W, Trygg K, Zajkas G (1999). Household budget survey nutritional data in relation to mortality from coronary heart disease, colorectal cancer and female breast cancer in

European countries. DAFNE I and II projects of the European Commission. Data Food Networking. *European Journal of Clinical Nutrition* 53: 328-332.

Lahiri DK, Lewis S, Farlow MR (1994). Tacrine alters the secretion of the beta-amyloid precursor protein in cell lines. *Journal of Neuroscience Research* 37: 777-787.

Le Bars PL, Katz MM, Berman N, Itil TM, Freedman AM, Schatzberg AF (1997). A placebo-controlled, double-blind, randomized trial of an extract of *Gingko biloba* for dementia. *Journal of the American Medical Association* 278: 1327-1332.

Lee KY, Sung SH, Kim YC (2003). New acetylcholinesterase inhibitory pregnane glycosides of *Cynanchum atratum* roots. *Helvetica Chimica Acta* 86: 474-483.

Lee KY, Yoon JS, Kim ES, Kang SY, Kim YC (2005). Anti-acetylcholinesterase and anti-amnesic activities of a Pregnane Glycoside, Cynatroside B from *Cynanchum atratum*. *Planta Medica* 71: 7-11.

Lee J-W, Cheong I-Y, Kim H-S, Lee JJ, Lee Y-S, Kwon Y-S, Kim M-J, Lee HJ, Kim S-S, Chun W (2011). Anti-inflammatory activity of 1-docosanoyl cafferate isolated from *Rhus verniciflua* in LPS-stimulated by BV2 microglial cells. *The Korean Journal of Physiology and Pharmacology* 15: 9-15.

Li G, Larson EB, Sonnen JA, Shofer JB, Petrie EC, Schantz A, Peskind ER, Raskind MA, Breitner JCS, Montine TJ (2007). Statin therapy is associated with reduced neuropathologic changes of Alzheimer's disease. *Neurology* 69: 878-885.

Liao Y-H, Houghton PJ, Hoult JRS (1999). Novel and known constituents from *Buddleja* species and their activity against leukocyte eicosanoid generation. *Journal of Natural Products* 62: 1241-1245.

Likhitwitayawuid K, Angerhofer CK, Chai H, Pezzuto JM, Cordell GA (1993). Cytotoxic and antimalarial alkaloids from the bulbs of *Crinum amabile*. *Journal of Natural Products* 56: 1331-1338.

Liu Y-B, Cheng X-R, Qin J-J, Yan S-K, Jin H-Z, Zhang W-D (2011). Chemical constituents of *Toona ciliata* var. *pubescens*. *Chinese Journal of Natural Medicines* 9: 115-119.

Liyana-Pathirana CM, Shahidi F (2005). Antioxidant activity of commercial soft and hard wheat (*Triticum aestivum* L) as affected by gastric pH conditions. *Journal of Agricultural and Food Chemistry* 53: 2433-2440.

Loizzo MR, Tundis R, Conforti F, Menichini F, Bonesi M, Nadjafi F, Frega NG, Menichine F (2010). *Salvia lerrifolia* extract demonstrates *in vitro* antioxidant properties and cholinesterase inhibitory activity. *Nutrition Research* 30: 823-830.

López-Lázaro M (2009). Distribution and Biological Activities of the Flavonoid Luteolin. *Mini-Reviews in Medicinal Chemistry* 9: 31-59.

Lu Y-H, Du C-B, Liu J-W, Hong W, Wei D-Z (2001). Neuroprotective effects of *Hypericum perforatum* on trauma induced by hydrogen peroxide in PC12 cells. *The American Journal of Chinese Medicine* 32: 397-405.

Luchsinger JA, Mayeux R (2004). Dietary factors and Alzheimer's disease. *The Lancet Neurology* 3: 579-587.

Mabogo DEN (1990). The ethnobotany of the Vhavenda. M.Sc. thesis, University of Pretoria.

Maiga A, Malterud EK, Mathisen HG, Paulsen ER, Thomas-Oates J, Bergström E, Reubsæet L, Diallo D, Paulsen SB (2007). Cell protective antioxidants from the root bark of *Lannea velutina* A. Rich., a Malian medicinal plant. *Journal of Medicinal Plants Research* 1: 66-79.

Mander M (1998). Marketing of indigenous medicinal plants in South Africa. A case study in KwaZulu-Natal. Food and Agriculture Organization, Rome.

Manyam BV (1999). Dementia in Ayurveda. *Journal of Alternative Complementary Medicine* 5: 81-88.

Marcocci L, Packer L, Droy-Lefaix M-T, Sekaki A, Gardés-Albert M (1994). Antioxidant action of *Ginkgo biloba* extract EGb 761. *Methods in Enzymology* 234: 462-475.

Marwah RG, Fatope MO, Al Mahrooqi R, Varma GB, Al Abadi H, Al-Burtamani SKS (2007). Anti-oxidant capacity of some edible and wound healing plants in Oman. *Food Chemistry* 101: 465-470.

Mbwambo ZH, Erasto P, Nondo ROS, Innocent E, Kidukuli A (2011). Antibacterial and cytotoxic activities of *Terminalia stenostachya* and *Terminalia spinosa*. *Tanzania Journal of Health Research* 13: 1-8.

McGaw LJ, Van der Merwe D, Eloff JN (2007). *In vitro* antihelmintic, antibacterial and cytotoxic effects of extracts from plants used in South African ethnoveterinary medicine. *The Veterinary Journal* 173: 366-372.

- Melzer D (1998). New drug treatment for Alzheimer's disease: lessons for healthcare policy. *British Medical Journal* 316: 762-764.
- Min BS, Gao JJ, Nakamura N, Kim YH, Hattori M (2001). Cytotoxic alkaloids and a flavan from the bulbs of *Crinum asiaticum* var. *japonicum*. *Chemical and Pharmaceutical Bulletin* 49: 1217-1219.
- Misra R (1998). Modern drug development from traditional medicinal plants using radioligand receptor-binding assays. *Medical Research Reviews* 18: 383-402.
- Mitchell W (1995). Naturopathic Specific Condition Review: Alzheimer's Disease. *Protocol Journal of Botanical Medicine* 2: 107-110.
- Miyazawa M, Watanabe H, Kameoka H (1997). Inhibition of acetylcholinesterase activity by monoterpenoids with a *p*-menthane skeleton. *Journal of Agricultural and Food Chemistry* 45:677-669.
- Miyazawa M, Yamafuji C (2005). Inhibition of acetylcholinesterase activity by bicyclic monoterpenoids. *Journal of Agricultural and Food Chemistry* 53:1765-1768.
- Mochizuki M, Hasegawa N (2007). Anti-inflammatory effect of extract of *Terminalia sericea* roots in an experimental model of colitis. *Journal of Health Science* 53: 329-331.
- Mook-Jung I, Kim H, Fan W, Tezuka Y, Kadota S, Nishijo H, Jung MW (2002). Neuroprotective effects of constituents of the oriental crude drugs, *Rhodiola sacra*, *R. sachalinensis* and Tokaku-joki-to against β -amyloid toxicity, oxidative stress and apoptosis. *Biological and Pharmaceutical Bulletin* 25: 1101-1104.

Mossmann T (1983). Rapid colorimetric assay for cellular growth and survival. Application to proliferation and cytotoxicity assays. *Journal of Immunological Methods* 65: 55-63.

Motlhanka DMT (2008). Free Radical Scavenging Activity of Selected Medicinal Plants of Eastern Botswana. *Pakistani Journal of Biological Sciences* 11: 805-808.

Mukherjee PK, Kumar V, Mal M, Houghton PJ (2007). Acetylcholinesterase inhibitors from plants. *Phytomedicine* 14: 289-300.

Mulugeta E, Karlsson E, Islam A, Kalaria R, Mangat H, Winblad B, Adem A (2003). Loss of muscarinic M4 receptors in hippocampus of Alzheimer's patients. *Brain Research* 960: 259.

Nadkarni KM (1976). *Indian Materia Medica* (3rd Edition, Volume 1), Popular Prakashan, Bombay: 296.

Nagayama H, Hamamoto M, Ueda M, Nito C, Yamaguchi H, Katayama Y (2004). The effect of ascorbic acid on the pharmacokinetics of levodopa in elderly patients with Parkinson disease. *Clinical Neuropharmacology* 27: 270-273.

Nakatani N, Inatani R, Ohta H, Nishioka A (1986). Chemical constituents of peppers (*Piper spp.*) and application to food preservation: naturally occurring antioxidative compounds. *Environmental Health Perspectives* 67: 135-142.

Nalini K, Karanth KS, Rao A, Aroot AR (1995). Effects of *Celastrus paniculatus* on passive avoidance performance and biogenic amine turnover in albino rats. *Journal of Ethnopharmacology* 47: 101-108.

Nan L, Fang YU, Shi-Shan YU (2004). Triterpenoids from *Erythrophleum fordii*. *Acta Botanica Sinica* 46: 371-374.

Neergaard JS, Andersen J, Pedersen ME, Stafford GI, van Staden J, Jäger AK (2009). Alkaloids from *Boophone disticha* with affinity to the serotonin transporter. *South African Journal of Botany* 75: 371-374.

Nielsen ND, Sandager M, Stafford GI, van Staden J, Jäger AK (2004). Screening of indigenous plants from South Africa for affinity to the serotonin reuptake transport protein. *Journal of Ethnopharmacology* 94: 159-163.

Noridayu AR, Hii YF, Faridah A, Khozirah S, Lajis N (2011). Antioxidant and antiacetylcholinesterase activities of *Pluchea indica*. *International Food Research Journal* 18: 925-929.

Nunomura A, Perry G, Pappolla MA, Wade R, Hirai K, Chiba S, Smith MA (1999). RNA oxidation is a prominent feature of vulnerable neurons in Alzheimer's disease. *Journal of Neuroscience* 19: 1959-1964.

Nunomura A, Perry G, Aliev G, Hirai K, Takeda A, Balraj EK, Jones PK, Ghanbari H, Wataya T, Shimohama S, Chiba S, Atwood CS, Petersen RB, Smith MA (2001). Oxidative damage is the earliest event in Alzheimer's disease. *Journal of Neuropathology and Experimental Neurology* 60: 759-767.

Oloyede GK, Farombi EO (2010). Antioxidant Properties of *Crinum ornatum* bulb extract. *World Journal of Chemistry* 5: 32-36.

Oloyede GK, Oke JM, Raji Y, Olugbade TA (2010). Antioxidant and anticonvulsant alkaloids in *Crinum ornatum* bulb extract. *World Journal of Chemistry* 5: 26-31.

Ordonez AAL, Gomez JD, Vattuone MA, Isla MI (2006). Antioxidant activities of *Sechium edule* (Jacq.) Swart extracts. Food Chemistry 97: 452-458.

Ouattara L, Koudou J, Zongo C, Barro N, Savadogo A, Bassole IHN, Ouattara AS, Traore AS (2011). Anti-oxidant and antibacterial activities of three species of *Lannea* from Burkina Faso. Journal of Applied Sciences 11: 157-162.

Park JH, Joo HS, Yoo K-Y, Shin BN, Kim IH, Lee CH, Choi JH, Byun K, Lee B, Lim SS, Kim MJ, Won M-H (2011). Extract from *Terminalia chebula* seeds protect against experimental ischemic neuronal damage via maintaining SODs and BDNF levels. Neurochemical Research, 36, 2043-2050.

Passwater RA, Kandaswami C (1994). Pycnogenol: The super protector nutrient. Keats Publishing Inc., Connecticut.

Pavia DL, Lampman GM, Kriz GS, Vyvyan JR (2009). Introduction to spectroscopy. 4th edition. USA: Brooks/Cole.

Pawlowska AM, Camangi F, Bader A, Braca A (2009). Flavonoids of *Zizyphus jujuba* (L) and *Zizyphus spina-christi* (L.) Willd (Rhamnaceae) fruits. Food Chemistry 112: 858-862.

Pedersen ME, Szewczyk B, Stachowicz K, Wieronska J, Andersen J, Stafford GI, van Staden J, Pile A, Jäger AK (2008). Effects of South African traditional medicine in animal models for depression. Journal of Ethnopharmacology 119: 542-548.

Pedersen ME, Metzler B, Stafford GI, van Staden J, Jäger AK, Rasmussen HB (2009). Amides from *Piper capense* with CNS activity – A Preliminary SAR analysis. Molecules 14: 3833-3843.

Perry N, Court G, Bidet N, Court J, Perry E (1996). European herbs with cholinergic activities: potential in dementia therapy. *International Journal of Geriatric Psychiatry* 11: 1063-1069.

Perry EK, Pickering AT, Wang WW, Houghton PJ, Perry NSL (1998). Medicinal plants and Alzheimer's disease: Integrating ethnobotanical and contemporary scientific evidence. *Journal of Alternative and Complementary Medicine* 4: 419-428.

Perry NSL, Houghton PJ, Theobald A, Jenner P, Perry EK (2000). *In vitro* inhibition of human erythrocyte acetylcholinesterase by *Salvia lavandulaefolia* essential oil and constituent terpenes. *Journal of Pharmacy and Pharmacology* 52: 895-902.

Perry NSL, Houghton PJ, Sampson J, Theobald AE, Hart S, Lis-Balchin M, Hoult JRS, Evans P, Jenner P, Milligan S, Perry EK (2001). *In vitro* activities of *Salvia lavandulaefolia* (Spanish sage) relevant to the treatment of Alzheimer's disease. *Journal of Pharmacy and Pharmacology* 53: 1347-1356.

Perry NSL, Bollen C, Perry EK, Ballard C (2003). *Salvia* for dementia therapy: review of pharmacological activity and pilot tolerability clinical trial. *Pharmacology Biochemistry and Behavior* 75: 651-659.

Polinsky RJ (1998). Clinical pharmacology of rivastigmine: a new generation acetylcholinesterase inhibitor for the treatment of Alzheimer's disease. *Clinical Therapeutics* 20: 634-647

Prokai L, Prokai-Tatrai K, Perjesi P, Zharikova AD, Perez EJ, Liu R, Simpkins JW (2003). Quinol-based cyclic antioxidant mechanism in estrogen neuroprotection. *Proceedings of the National Academy of Sciences USA* 100: 11741-11746.

Qian XZ (1996). The colour pictorial handbook of the Chinese herbal. The common Chinese herbal medicine vol 2 [in Chinese]. 1st ed. Beijing: Ren Min Wei Sheng Chu Ban She.

Qiu C, De Ronchi D, Fratiglioni L (2007). The epidemiology of the dementias: an update. *Current Opinion in Psychiatry* 20: 380-5.

Qiu C, Kivipelto M, von Strauss E (2009). Epidemiology of Alzheimer's disease: occurrence, determinants and strategies toward intervention. *Dialogues in Clinical Neuroscience* 11: 111-28

Rahman AU, Choudhary MI (2001). Bioactive natural products as a potential source of new pharmacophores, a theory of memory. *Pure and Applied Chemistry* 73: 555-560.

Rai KS, Murthy KD, Karanth KS, Nalini K, Rao MS, Srinivasan KK (2002). *Clitoria ternatea* root extract enhances acetylcholine content in rat hippocampus. *Fitoterapia* 73: 685-689.

Ramassamy C (2006). Emerging role of polyphenolic compounds in the treatment of neurodegenerative diseases: A review of their intracellular targets. *European Journal of Pharmacology* 545: 51-64.

Ratnasooriya WD, Deraniyagala SA, Bathige SDNK, Hettiarachchi HDI (2005). Leaf extract of *Crinum bulbispermum* has antinociceptive activity in rats. *Journal of Ethnopharmacology* 97: 123-128.

Raves ML, Harel M, Pang YP, Silman I, Kozikowski AP, Sussman JL (1997). Structure of acetylcholinesterase complexed with the nootropic alkaloid, (-)-huperzine A. *Nature Structural and Molecular Biology* 4: 57-63.

Re R, Pellegrini N, Proteggente A, Pannala A, Yang M, Rice-Evans C (1999). Antioxidant activity applying an improved ABTS radical cation decolorization assay. *Free Radical Biology and Medicine* 26: 1231-1237.

Re L, Corneli C, Sturani E, Paolucci G, Rossini F, León OS, Martínez G, Bordicchia M, Tomassetti Q (2003). Effect of *Hypericum* extract on the acetylcholine release: A loose patch clamp approach. *Pharmacological Research* 48: 55-60.

Regasini LO, Cotinguiba F, Siqueira RJ, Bolzani SV, Silva SHD, Furlan M, Kato JM (2008). Radical scavenging capacity of *Piper arboreum* and *Piper tuberculatum* (Piperaceae). *Latin American Journal of Pharmacy* 27: 900-903.

Ren Y, Houghton PJ, Hider RC, Howes MJ (2004). Novel diterpenoid acetylcholinesterase inhibitors from *Salvia miltiorhiza*. *Planta Medica* 70: 201–204.

Reyes AE, Chacon MA, Dinamarca MC, Cerpa W, Morgan C, Inestrosa NC (2004). *American Journal of Pathology* 164: 2163-2174.

Rhee IK, van Rijn RM, Verpoorte R (2003). Qualitative determination of false-positive effects in the acetylcholinesterase assay using thin layer chromatography. *Phytochemical Analysis* 14: 127-131.

Rigney U, Kimber S, Hindmarch I (1999). The effects of acute doses of standardized *Ginkgo biloba* extract on memory and psychomotor performance in volunteers. *Phytotherapy Research* 13: 408-415.

Risa A, Risa J, Adsersen A, Stafford GI, van Staden J, Jäger AK (2004). Acetylcholinesterase inhibitory activity of plants used as memory-enhancers in traditional South African medicine. *South African Journal of Botany* 70: 664-666.

Rockwood K, Kirkland S, Hogan DB, MacKnight C, Merry H, Verreault R, Wolfson C, McDowell I (2002). Use of lipid-lowering agents, indication bias, and the risk of dementia in community-dwelling elderly people. *Archives of Neurology* 59: 223-227.

Rogers J, Kirby LC, Hempelman SR, Berry DL, McGeer PL, Kaszniak AW, Zalinski J, Cofield M, Mansukhani L, Willson P (1993). Clinical trial of indomethacin in Alzheimer's disease. *Neurology* 43: 1609-1611.

Rösler M, Anand R, Cicin-Sain A, Gauthier S, Agid Y, Dal-bianco P, Stähelin HB, Hartman R, Gharabawi M, Bayer T (1999). Efficacy and safety of rivastigmine in patients with Alzheimer's disease: international randomized controlled trial. *British Medical Journal* 318: 633-640.

Ross IA (2001). *Medicinal Plants of the World. Chemical constituents, Traditional and Modern Medicinal Uses (Volume 2)*, Humana Press, Clifton, New Jersey, USA, 242.

Sakina MR, Dandiya PC (1990). A psycho-neuropharmacological profile of *Centella asiatica* extract. *Fitoterapia* 61: 291-296.

Samuelsson G (2004). *Drugs of Natural Origin: A text book of Pharmacognosy*, Aotekarsocieteten-Swedish Pharmaceutical Society, Swedish Pharmaceutical Press, Stockholm, Sweden: 265.

Sandager M, Nielsen ND, Stafford GI, van Staden J, Jäger AK (2005). Alkaloids from *Boophane disticha* with affinity to the serotonin transporter in rat brain. *Journal of Ethnopharmacology* 98: 367-370.

Sano M, Ernesto C, Thomas RG, Klauber MR, Schafer K, Grundman M, Woodbury P, Growdon J, Cotman CW, Pfeiffer E, Schneider LS, Thal LJ (1997). A controlled trial of selegiline, alpha-tocopherol or both as treatment for Alzheimer's disease. The Alzheimer's Disease Cooperative Study. *The New England Journal of Medicine* 336: 1216-1222.

Sanvicens N, Gómez-Vicente V, Messeguer A, Cotter TG (2006). The radical scavenger CR-6 protects SH-SY5Y neuroblastoma cells from oxidative stress-induced apoptosis: effect on survival pathways. *Journal of Neurochemistry* 98: 735-747.

Sayre LM, Zelasko DA, Harris PL, Perry G, Salomon RG, Smith MA (1997). 4-Hydroxynonenal-derived advanced lipid peroxidation end products are increased in Alzheimer's disease. *Journal of Neurochemistry* 68: 2092-2097.

Schindowski K, Leutner S, Kressmann S, Eckert A, Muller WE (2001). Age-related increase of oxidative stress-induced apoptosis in mice prevention by *Ginkgo biloba* extract (EGb 761). *Journal of Neural Transmission* 108: 969-978.

Schulz V (2003). Ginkgo extract or cholinesterase inhibitors in patients with dementia: what clinical trial and guidelines fail to consider. *Phytomedicine* 10: 74-79.

Şenol SF, Orhan I, Celep F, Kahraman A, Doğan M, Yılmaz G, Şener B (2010a) Survey of 55 Turkish *Salvia* taxa for their acetylcholinesterase inhibitory and antioxidant activities. *Food Chemistry* 120: 34-43.

Şenol SF, Orhan I, Yilmaz G, Çiçek M, Şener B (2010b). Acetylcholinesterase, butyrylcholinesterase and tyrosinase inhibition studies and antioxidant activities of 33 *Scutellaria* taxa from Turkey. *Food and Chemical Toxicology* 48: 781-788.

Shah RS, Lee H-G, Xiongwei Z, Perry G, Smith MA, Castellani RJ (2008). Current approaches in the treatment of Alzheimer's disease 62: 199-207.

Shaw KT, Utsuki T, Rogers J, Yu QS, Sambamurti K, Brossi A, Ge YW, Ge DK, Lahiri NH, Greig NH (2001). Phenserine regulates translation of beta-amyloid precursor protein mRNA by a putative interleukin-1 responsive element, a target for drug development. *Proceedings of the National Academy of Sciences USA* 98: 7605-7610.

Shirwaikar A, Shirwaikar A, Rajendran K, Punitha IS (2006). *In vitro* anti-oxidant studies on the benzyl tetra isoquinoline alkaloid berberine. *Biological and Pharmaceutical Bulletin* 29: 1906–1910.

Shu Y-Z (1998). Recent natural products based on drug development: A pharmaceutical industry perspective. *Journal of Natural products* 61: 1053-1071

Shukla S, Mehta A, John J, Singh S, Mehta P, Vyas SP (2009). Antioxidant activity and total phenolic content of ethanolic extract of *Caesalpinia bonducella* seeds. *Food and Chemical Toxicology* 47: 1848-1851.

Shulman RG, Rothman DL, Behar KL, Hyder F (2004) Energetic basis of brain activity: implications for neuroimaging. *Trends in Neurosciences* 27: 489-495.

Shults C (2003). Coenzyme Q10 in neurodegenerative diseases. *Current Medicinal Chemistry* 10: 1917-1921.

Silverstein RM, Webster FX, Kiemle DJ (2005) Spectrometric identification of organic compounds, 7th edition. Wiley, USA.

Singh RB, Dubnov G, Niaz MA, Ghosh S, Singh R, Rastogi SS, Manor O, Pella D, Berry EM (2002). Effect of an Indo-Mediterranean diet on progression of coronary artery disease in high risk patients (Indo-Mediterranean Diet Heart Study): a randomized single-blind trial. *Lancet* 360: 1455-1461.

Small SA, Mayeux R (2005). Alzheimer's disease and related dementias. In: Rowland LP (Ed) *Merritt's Neurology*, Lippincott Williams & Wilkins, Philadelphia, USA, 107, pp 771-776.

Sobiecki JF (2002). A preliminary inventory of plants used for psychoactive purposes in southern African healing traditions. *Transactions of the Royal Society of South Africa* 57: 1-24.

Solfrizzi V, Panza F, Capurso A (2003). The role of diet in cognitive decline. *Journal of Neural Transmission* 110: 95-110.

Stafford GI, Pedersen PD, Jäger AK, van Standen J (2007). Monoamine oxidase inhibition by Southern African traditional medicinal plants. *South African Journal of Botany* 73: 384-390.

Stafford GI, Pedersen ME, van Staden J, Jäger AK (2008). Review on plants with CNS-effects used in traditional South African medicine against mental diseases. *Journal of Ethnopharmacology* 119: 513-537.

Stewart WF, Kawas C, Corrada M, Metter EJ (1997). Risk of Alzheimer's disease and duration of NSAID use. *Neurology* 48: 626-632.

Sul D, Kim HS, Lee D, Joo SS, Hwang KW, Park SY (2009). Protective effect of caffeic acid against beta-amyloid-induced neurotoxicity by the inhibition of calcium influx and tau phosphorylation. *Life Sciences* 84: 257-262.

Summers WK (2006). Tacrine and Alzheimer's treatments. *Journal of Alzheimer's Disease* 9: 439.

Taati M, Alirezaei M, Moshkatsadat MH, Rasoulia B, Moghadasi M, Sheikhzadeh F, Sokhtezari A (2011). Protective effects of *Ziziphus jujuba* fruit extract against ethanol-induced hippocampal oxidative stress and spatial memory impairment in rats. *Journal of Medicinal Plants Research* 5: 915-921.

Taesotikul T, Panthong A, Kanjanapothi D, Verpoorte R, Scheffer JJ (1998). Neuropharmacological activities of the crude alkaloidal fraction from stems of *Tabernaemontana pandacaqui*. *Journal of Ethnopharmacology* 62: 229-234.

Tamagno E, Guglielmotto M, Aragno M, Borghi R, Autelli R, Giliberto L, Muraca G, Danni O, Zhu X, Smith M, Perry G, Jo D, Mattson M, Tabaton M (2008). Oxidative stress activates a positive feedback between the gamma- and beta-secretase cleavages of the beta-amyloid precursor protein. *Journal of Neurochemistry* 104: 683-695.

Taranalli AD, Cheeramkuzhy TC (2000). Influence of *Clitoria ternatea* extracts on memory and central cholinergic activity in rats. *Pharmaceutical Biology* 38: 51-56.

Tarus PK, Coombes PH, Crouch NR, Mulholland DA (2006). Benzo[c]phenanthridine alkaloids from stem bark of the Forest Knobwood, *Zanthoxylum davyi* (Rutaceae). *South African Journal of Botany* 72: 555-558.

Terry AV, Buccafusco JJ (2003) The cholinergic hypothesis of age and Alzheimer's disease-related cognitive deficits: recent challenges and their implications for novel drug development. *The Journal of Pharmacology and Experimental Therapeutics* 306: 821-827.

Thomsen T, Zende B, Fischer JP, Kewitz H (1991a). *In vitro* effects of various cholinesterase inhibitors on acetyl- and butyrylcholinesterase of healthy volunteers. *Biochemical Pharmacology* 41: 139-141.

Thomsen T, Kaden B, Fischer P, Bickel U, Barz H, Gusztony G, Cervos-Navarro J, Kewitz H (1991b). Inhibition of acetylcholinesterase activity in human brain tissue and erythrocytes by galanthamine, physostigmine and tacrine. *European Journal of Clinical Biochemistry* 29: 487-492.

Tian Z, Pan RL, Si JY, Xiao PG (2006). Cytotoxicity of cycloartane triterpenoids from aerial part of *Cimicifuga foetida*. *Fitoterapia* 77: 39-42.

Tildesley NTJ, Kennedy DO, Perry EK, Ballard CG, Wesnes KA, Scholey AB (2005). Positive modulation of mood and cognitive performance following administration of acute doses of *Salvia lavandulaefolia* essential oil to health young volunteers. *Physiology and Behavior* 83: 699-709.

Topic B, Tani E, Tsiakitzis K, Kourounakis PN, Dere E, Hasenöhri RU, Häcker R, Mattern CM, Huston JP (2002). Enhanced maze performance and reduced oxidative stress by combined extracts of *Zinziber officinale* and *Ginkgo biloba* in aged rat. *Neurobiology of Aging* 23: 135-143.

Tram NTN, Titorenkova TzV, Bankova BSt, Handjieva NV, Popov SS (2002). *Crinum* (Amaryllidaceae). *Fitoterapia* 73: 183-208.

Trichopoulou A, Costacou T, Bamia C, Trichopoulos D (2003). Adherence to a Mediterranean diet and survival in a Greek population. *The New England Journal of Medicine* 348: 2599-2608.

Trofimiuk E, Walesiuk A, Braszok JJ (2005). St. John's Wort (*Hypericum perforatum*) diminishes cognitive impairment caused by the chronic restraint stress in rats. *Pharmacological Research* 51: 239-246.

Tsuda Y, Kashiwaba N, Kumar V (1984). Studies on medicinal resources in Sri Lanka. The alkaloidal constituents of Goda-Manel (*Crinum zeylanicum*), a Sri Lankan folk medicine. *Chemical and Pharmaceutical Bulletin* 32: 3023–3027.

Van Wyk B, Gericke N (2000). *Peoples Plants*. Briza Publications, Pretoria, South Africa.

Veale DJH, Furman KI, Oliver DW (1992). South African traditional herbal medicines used during pregnancy and child-birth. *Journal of Ethnopharmacology* 36: 185-191.

Viladomat F, Almanza GR, Codina C, Bastida J, Campbell WE, Mathee S (1996). Alkaloids from *Brunsvigia orientalis*. *Phytochemistry* 43: 1379-1384.

Vinutha B, Prashanth D, Salma K, Sreeja SL, Pratiti D, Padmaja R, Radhika S, Amit A, Venkateshwarlu K, Deepak M (2007). Screening of selected Indian medicinal plants for acetylcholinesterase inhibitory activity. *Journal of Ethnopharmacology* 109: 359-363.

Viswanadhan VN, Ghose AK, Revankar GR, Robins PK (1989). Atomic physicochemical parameters for three dimensional structure directed quantitative structure-activity relationships:

4. Additional parameters for hydrophobic and dispersive interactions and their application for an automated superposition of certain naturally occurring nucleoside antibiotics. *Journal of Chemical Information and Computer Science* 29: 163-172.

Wang H, Xu Y, Yan J, Zhao X, Sun X, Zhang Y, Guo J, Zhu C (2009). Acteoside protects human neuroblastoma SH-SY5Y cells against β -amyloid-induced cell injury. *Brain Research* 1283: 139-147.

Wang LE, Bai YJ, Shi XR, Cui XY, Cui SY, Zhang F, Zhang QY, Zhao YY, Zhang YH (2008). Spinosin, a C-glycoside flavonoid from semen *Ziziphi spinosae*, potentiated pentobarbital-induced sleep via the serotonergic system. *Pharmacology, Biochemistry and Behaviour* 90: 399–403.

Warrier PK, Nambiar VPK, Ramankutty C (1995). *Indian medicinal plants, Volume 2*. India: Orient Longman.

Watt JM, Breyer-Brandwijk MG (1962). *The Medicinal and Poisonous Plants of Southern and Eastern Africa*. 2nd Edition. E and S Livingstone Ltd London, 1457.

Weyermann J, Lochmann D, Zimmer A (2005). A practical note on the use of cytotoxicity assays. *International Journal of Pharmaceutics* 288: 369-376.

White P, Hiley CR, Goodhardt MJ, Carrasco LH, Keet JP, Williams IEI, Bowen DM (1977). Neocortical cholinergic neurons in elderly people. *Lancet* 1: 668-671.

Whitehouse PJ (1993). Cholinergic therapy in dementia. *Genetics of Dementia* 149: 42.

WHO (2009). Traditional medicine. <http://www.who.int/mediacentre/factsheets/fs134/en/>

Widy-Tyszkiewicz E, Piechal A, Joniec I, Blecharz-Klin K (2002). Long term administration of *Hypericum perforatum* improves spatial learning and memory in the water maze. *Biological and Pharmaceutical Bulletin* 25: 1289-1294.

Williams BR, Nazarians A, Gill MA (2003). A review of rivastigmine: a reversible cholinesterase inhibitor. *Clinical Therapeutics* 25(6): 1634-1653.

Williamson G, Manach C (2005). Bioavailability and bioefficacy of polyphenols in humans. II. Review of 93 intervention studies. *American Journal of Clinical Nutrition* 81: 243S-255S.

Wing YK (2001). Herbal treatment of insomnia. *Hong Kong Medical Journal* 7: 392-402.

Wink M (2000). Interference of alkaloids with neuroreceptors and ion channels. In: Atta-ur-Rahman, editor. Amsterdam: Elsevier Science: 3-122.

Wolfe K, Wu X, Liu RH (2003). Antioxidant activity of apple peels. *Journal of Agricultural and Food Chemistry* 51: 609-614.

Wolozin B, Kellman W, Ruosseau P, Celesia GG, Siegel G (2000). Decreased prevalence of Alzheimer disease associated with 3-hydroxy-3-methylglutaryl coenzyme A reductase inhibitors. *Archives of Neurology* 57: 1439-1443.

Xiao X, Zhang H, Tang X (2002). Huperzine A attenuates amyloid beta-peptide fragment 25-35-induced apoptosis in rat cortical neurons via inhibiting reactive oxygen species formation and caspase-3-activation. *Journal of Neuroscience Research* 67: 30-36.

Xie H-R, Hu L-S, Li G-Y (2010). SH-SY5Y human neuroblastoma cell line: *in vitro* cell model of dopaminergic neurons in Parkinson's disease. *Chinese Medical Journal* 123: 1086-1092.

Yaffe K, Barrett-Connor E, Lin F, Grady D (2002). Serum lipoprotein levels, statin use and cognitive function in older women. *Archives of Neurology* 59: 378-384.

Yao Z, Drieu K, Papadopoulos V (2001). The *Ginkgo biloba* extract EGb 761 rescues the PC12 neuronal cells from β -amyloid-induced cell death by inhibiting the formation of β -amyloid-derived diffusible neurotoxic ligands. *Brain Research* 889: 181-190.

Zandi PP, Anthony JC, Khachaturian AS, Stone SV, Gustafson D, Tschanz JT, Norton MC, Welsh-Bohmer KA, Breitner JC (2004). Reduced risk of Alzheimer's disease in users of antioxidant vitamin supplements: the Cache County Study. *Archives of Neurology* 61: 82-88.

Zanolari B, Wolfender JL, Guilet D, Marston A, Queiroz EF, Paulo MQ, Hostettmann K (2003). On-line identification of tropane alkaloids from *Erythroxylum vacciniifolium* by liquid chromatography-UV detection-multiple mass spectrometry and liquid chromatography-nuclear magnetic resonance spectrometry. *Journal of Chromatography* 1020: 75-89.

Zou Y-P, Lu Y-H, Wei D-Z (2010). Protective effects of a flavonoids-rich extract of *Hypericum perforatum* L. against hydrogen peroxide-induced apoptosis in PC12 cells. *Phytotherapy research* 24: S6-S10.

Zvetkova E, Wirleitner B, Tram NT, Schennach H, Fuchs D (2001). Aqueous extracts of *Crinum latifolium* and *Camellia sinensis* show immunomodulatory properties in human peripheral blood mononuclear cells. *International Immunopharmacology* 1: 2143-2150.