



References

References

- Afolayan, A.J., Meyer, J.J.M., 1997. The antimicrobial activity of 3,5,7-trihydroxyflavone isolated from the shoots of *Helichrysum aureonitens*. *Journal of Ethnopharmacology* 57, 177-181.
- Aslan, M., Orhan, D.D., Orhan, N., Sezik, E., Yesilada, E., 2006. *In vivo* antidiabetic and antioxidant potential of *Helichrysum plicatum* ssp. *plicatum* capitulum in streptozotocin-induced-diabetic rats. *Journal of Ethnopharmacology* 109, 54-59.
- Augustine, A.C., D'Souza, L., 1997. Regeneration of an anticarcinogenic herb, *Curculigo orchioides* (Gaertn.). *In Vitro Cell. Dev. Biol. Plant* 33, 111-113.
- Bai, D.P., Brandle, J., Reeleder, R., 1997. Genetic diversity in North American ginseng (*Panax quinquefolius* L.) grown in Ontario detected by RAPD analysis. *Genome* 4, 111-115.
- Bajaj, Y.P.S. (1998) *Biotechnology for the improvement of medicinal plants*. *Acta Hort.* 457, 37-45.
- Balz, J.P., Courtois, D., Drieu, J., Drieu, K., Reynoird, J.P., Sohier, C., Teng, B.P., Touché, A., Pétiard, V., 1999. Production of ginkgolides and bilobalide by *Ginkgo biloba* plants and tissue cultures. *Planta Med.* 65, 620-626.
- Barber, N.J., Barber, J., 2002. Lycopene and prostate cancer. *Prostate cancer prostatic diseases*. 5, 6-12.
- Barz, W., Daniel, S., Hinderer, W., Jaques, U., Kessmann, H., Koster, J., and Tiemann, K. 1988. Elicitation and metabolism of phytoalexins in plant cell cultures. In: Pais, M.,
- Bate, N.J., Orr, J., Ni, W., Meromi, A., Nadler- Hassar, T., Doerner, P.W., Dixon, A.R., Lamb, C.J., Elkind, Y., 1994. Quantitative relationship between phenylalanine ammonia-lyase levels and phenylpropanoid accumulation in transgenic tobacco identifies a rate-

determining step in natural product synthesis. Proceedings of the National Academy of Sciences USA 91:7608–7612.

Beggs, C.J., StoltzerJehle, A., Wellman, E., 1985. Isoflavonoid formation as an indicator of UV stress in bean (*Phaseolus vulgaris* L.) leaves: The significance of photo-repair in assessing potential damage by increased solar UV-B radiation. *Plant Physiol.* 79, 630-634.

Bell-Lelong, D.A., Cusumano, J.C., Meyer, K., Chapple, D., 1997. Cinnamate-4-hydroxylase expression in *Arabidopsis*. Regulation in response to development and the environment. *Plant Physiol.* 113, 729-738.

Bernath, J., 2002. Strategies and recent achievements in selection of medicinal and aromatic plants. *Acta Hort.* 576, 115-128.

Betz, C., McCollum, T.G., Mayer, R.T., 2001. Differential expression of two cinnamate 4-hydroxylase genes in “Valencia” orange (*Citrus sinensis* Osbeck). *Plant molecular biology* 46, 741-748.

Bhattarai, N.K., 1997. Biodiversity – people interface in Nepal. p. 78-86. In: Bodeker, G., Bhat, K.K.S., Burley, J. and Vantomme, P. (eds.). *Medicinal plants for forest conservation and health care. Non-wood Forest Products 11.* FAO, Rome.

Biondi, D.M., Rocco, C., Ruberto, G., 2005. Dihydrostilbene derivatives from *Glycyrrhiza glabra* leaves. *Journal of natural products* 68, 1009-1102.

Blum, H., Beier, H., Gross, H.I., 1987. Improved silver staining of plant proteins, RNA and DNA in polyacrylamide gels. *Electrophoresis* 8, 93-99.

Bohlmann, F., Abraham, W.R., 1979. Neue, chloresubstituierte thiphenacethylenverbindungen mit ungewöhnlicher struktur aus *Helichrysum*-arten. *Phytochemistry* 18, 839-842.

Bohlmann, F., Knauf, W., Misra L.N., 1984. Structure and synthesis of chlorophenol derivatives from *Helichrysum* species. *Tetrahedron* 40, 4987-4989.

- Boudet, A.M., Grima-Pettenati, J., 1996. Lignin genetic engineering. *Mol. Breed.* 2, 25-39.
- Boudet, J.W., Kajita, S., Grima-Pettenati, J., Goffner, D. 2003. Lignins and lignocellulosics: a better control of synthesis for new improved uses. *Trend Plant Sci.* 8, 576-581.
- Brake, A. J., Merryweather, J. P., Coit, D. G., Heberlein, U. A., Masiarz, G. R., Mullenbach, G. T., Urdea, M. S., Valenzuela, P., and Barr, P. J. (1984). α -Factor-Directed Synthesis and Secretion of Mature Foreign Proteins in *Saccharomyces cerevisiae*. *Proceedings of the national academy of sciences* 81, 4642-4646.
- Campbell, M.M., Sederoff, R.R., 1996. Variation in lignin content and composition. *Plant Physiology* 110, 3-13.
- Canter, H.P., Thomas, H., Ernst, E., 2005. Bringing medicinal plants into cultivation: opportunities and challenges for biotechnology. *TRENDS in Biotechnology* 23, 180-185.
- Carini, M., Aldini, G., Furlanetto, S., Stefani, R., Facino, R. M., 2001. LC coupled to ion-trap MS for the rapid screening and detection of polyphenol antioxidants from *Helichrysum stoechas*. *Journal of Pharmaceutical and Biomedical Analysis* 24, 517-526.
- Chapple, C., 1998. Molecular-genetic analysis of plant cytochrome p450-dependent monooxygenases. *Annual Review of Plant Physiology and Plant Molecular Biology* 49, 311-43.
- Charlwood, B.V., Pletsch, M., 2002. Manipulation of natural product accumulation in plants through genetic engineering. *J. Herbs Spices Med Plants* 9, 139-151.
- Chen, A.H., Chai, Y.R., Li, J.N., Chen, I., 2007. Molecular cloning of two genes encoding cinnamate 4-hydroxylase (C4H) from Oilseed Rape (*Brassica napus*). *Journal of biochemistry and molecular biology* 40, 247-260.

Chen, D.H., Liu, C.J., Ye, H.C., Li, G.F., Liu, B.Y., Meng, Y.L., Chen, X.Y., 1999. Ri-mediated transformation of *Artemisia annua* with a recombinant farnesyl diphosphate synthase gene for artemisinin production. *Plant Cell Tissue Organ and Culture* 57, 157-162.

Chen, D.H., Ye, H., Li, G., 2000. Expression of a chimeric farnesyl diphosphate synthase gene in *Artemisia annua* L. transgenic plants via *Agrobacterium tumefaciens*-mediated transformation. *Plant Science* 155, 179-185.

Choi, K. T., Ahn, I. O., Park, J. C., 1994. Production of ginseng saponin in tissue culture of ginseng (*Panax ginseng* C.A. Mayer). *Russian Journal of Plant Physiology*, 41, 784-788.

Christensen, L.P., 1992. Acetylenes and related compounds in Anthemideae. *Phytochemistry* 31, 1-7.

Cordell, G.A., 2000. Biodiversity and drug discovery. Asymbiotic relationship. *Phytochemistry* 55, 463-480.

Cosar and Cubukcu, 1990. Antibacterial activity of *Helichrysum* species growing in Turkey. *Fitoterapia* LXI, 161-164.

Cregg, J.M., Vedvik, T.S., Raschke, W. C., 1993. Recent advances in the expression of the foreign genes in *Pichia pastoris*. *Biotechnology* 11, 905-910.

Cunningham, A.B., 1988. An investigation of the herbal medicine trade in KwaZulu Natal. Investigational Report No. 29, Institute of Natural Resources, University of Natal.

Czinner, E., Hagymási, K., Blázovics, A. Ke'ry, A', Szóke, E', Lemberkovics, E', 2000. In vitro antioxidant properties of *Helichrysum arenarium* (L.) Moench. *Journal of Ethnopharmacology* 73, 437-443.

Czinner, E., Hagymasi, K., Blazovics, A., Kery, A., Szoke, E., Lemberkovics, E., 2001. The *in vitro* effect of *Helichrysi flos* on microsomal lipid peroxidation. *Journal of Ethnopharmacology* 77, 31-35.

Daly, R., Hearn, M.T.W., 2005. Expression of heterologous proteins in *Pichia pastoris*: a useful experimental tool in protein engineering and production. *Journal of Molecular Recognition* 18, 119-138.

Dicosmo, F. and Tallevi, S. G., 1985. Plant cell cultures and microbial insult: interactions with biotechnological potential. *Trends in Biotechnology* 3, 110-111.

DiCosmo, F., Misawa, M., 1995. Plant cell and tissue culture: Alternatives for metabolite production. *Biotechnology Advances* 13, 425-453.

Dixon, A.R., chen, F., Guo, D., Parvathi, K., 2001. The biosynthesis of monolignols: a “metabolic grid”, or independent pathways to guaiacyl and syringyl units? *Phytochemistry* 57, 1069-1084.

Dombrowicz, E., Swiatek, L., Kopycki, W., 1994. Phenolic acids in inflorescences *Helicrysi* and herba *Hieracii piosellae*. *Pharmazie* 47, 469-470.

Dornenburg, H. Knorr, D., 1995. Strategies for the improvement of secondary metabolites production in the plant cell cultures. *Enzyme and Microbial Technology* 17, 674-681.

Drapeau, D., Blanch, H. W., Wilke C. R., 1987. Economic assessment of plant cell culture for the production of ajmalicine. *Biotechnology and Bioengineering* 30, 946-953.

Drewes, S.E., Mudau, K.E., van Vuuren, S.F., Viljoen, A.M., 2006. Antimicrobial monomeric and dimeric diterpenes from the leaves of *Helichrysum tenax* var *tenax*. *Phytochemistry* 67, 716-722.

Drewes, S.E., van Vuuren, S.F., 2008. Antimicrobial acylphloroglucinols and dibenzylxy flavonoids from flowers of *Helichrysum gymnocomum*. *Phytochemistry* 69, 1745-1749.

Edwards, R., 2004. No remedy is sight for herbal ransack. *New Science* 181, 10-11.

Eilert, U., 1987. Elicitation: methodology and aspects of application. In: Constabel, F., Vasil, I., editors. “Cell Culture and Somatic Cell Genetics of Plants”. 4, San Diego: Academic Press, 153-196.

Elkind, Y., Edwards, R., Mavandad, M., Hedrick, S.A., Ribak, O., Dixon, A.R., Lamb, C.J., 1990. Abnormal plant development and down-regulation of phenylpropanoid biosynthesis in transgenic tobacco containing a heterologous phenylalanine ammonia-lyase gene. *Proceedings of the National Academy of Sciences* 87, 9057-9061.

Fahrendorf, T., Dixon, R.A., 1993. Stress responses in alfalfa (*Medicago sativa*). XVII: Molecular cloning of the elicitor-inducible cinnamic acid 4-hydroxylase cytochrome P450 from alfalfa. *Arch biochem Biophys* 305, 509-515.

Feng, W., Tan, F., Xie, J., 2008. School of Life Science, Southwest University, No.2 Tiansheng Road, BeiBei District, Chongqing 400715, China

Ferreira, J.F.S., Duke, S.O., 1997. Approaches for maximising biosynthesis of medicinal plant secondary metabolites. *AgBiotech News and Information* 9, 309N-315N.

Fliegmann, J., Schröder, G., Schanz, S., Britsch, L., Schröder, J., 1992. Molecular analysis of chalcone and dihydropinosylvin synthase from Scots pine (*Pinus sylvestris*), and differential regulation of these and related enzyme activities in stressed plants. *Plant Molecular Biology* 18, 489-503.

Flores, H.E., Curtis, W.R., 1992. Approaches to understanding and manipulating the biosynthetic potential of plant roots. *Ann. New York Acad. Sci.* 665, 188-209.

Fontanel, A., Tabata, M., 1987. Production of secondary metabolites from plant tissue and cell cultures. *Nestle Research News*: 92-103.

Forkmann, G., Heller, W., Biosynthetic pathway of flavonoids. In *Comprehensive natural products chemistry* (eds Barton, D. & Nakanishi, K.) (Elsevier Science Ltd., Amsterdam; 1999).

Frank, M.R., Deyeneka, J.M., Schuler, M.A., 1996. Cloning of wound-induced cytochrome P450 monooxygenase expressed in pea. *Plant Physiol.* 110, 1035-1046.

Franklin, C. I., Dixon, R. A., 1994. Initiation and maintenance of callus and cell suspension cultures. In: Dixon, R. A., Gonzales, R. A. (eds.), "Plant Cell Culture- A Practical Approach". 2nd edition. IRL Press, Oxford, 1-25.

Fuller, D.O. 1991. Medicine from the wild: an overview of the U.S. native medicinal plant trade and its conservation implications. WWF/TRAFFIC USA, Washington.

Furuya, T., 1988. Saponins (ginseng saponins). In: Vasil, I.K. (Ed.), "Cell Cultures and Somatic Cell Genetics of Plants". 5, Academic Press, San Diego, CA, 213-234.

Furuya, T., Yoshikawa T, Taira M., 1984. Biotransformation of codeinone to codeine by immobilized cells of *Papaver somniferum*. *Phytochemicals* 23, 999-1001.

Gallagher, J., Kaderbhai, N., Kaderbhai, M.A., 1992. Gene-dosedependent expression of soluble mammalian cytochrome b5 in *Escherichia coli*. *Appl. Microbiol. Biotechnol.* 38, 77-83.

Ganapaty, S., Pushpalatha, V., Naidu, K.C., 1999. Flavonoids from *Milletia recemosa* Benth. *Indian drugs* 36, 635-637.

Gawel, N.J., Jarret, R.L., 1991. A modified CTAB DNA extraction procedure for *Musa* and *Ipomoea*. *Plant Molecular Biology Reporter* 9, 262-266.

Gentry, A.H., 1993. Tropical forest biodiversity and the potential for new medicinal plants. ACS Symposium Series Washington, DC American Chemical Society 534, 13-20.

Glaser, V., 1999. Billion-dollar market blossoms as botanicals take root. *Nat. Biotechnol.* 17, 17-18.

Hahlbrock, K., 1981. Flavonoids. In *Biochemistry of Plants*, Vol. 7, P.K. Stumpf and E.E. Conn, (Eds.) New York: Academic Press, pp. 425-456.

Han, K.H., Fleming, P., Walker, K., Loper, M., Chilton, W.S., 1994. Genetic transformation of mature *Taxus*: an approach to genetically control the *in vitro* production of the anticancer drug, taxol. *Plant Sci.* 95, 187-196.

Harakava, R., 2005. Genes encoding enzymes of the lignin biosynthesis pathway in Eucalyptus. *Genetics and Molecular Biology* 28, 601-607.

Harju, S., Fedosyuk, H., Peterson, K.R., 2004. Rapid isolation of yeast genomic DNA: Bust n' Grab. <http://www.biomedcentral.com>.

He, S., Sheng, N., 1997. Utilization and conservation of medicinal plants in China with special reference to *Atractylodes lancea*. p. 109-115. In: Bodeker, G., Bhat, K.K.S., Burley, J. and Vantomme, P. (eds.). *Medicinal plants for forest conservation and health care. Non-wood Forest Products* 11. FAO, Rome.

Heeger, E.F., 1989. *Handbuch des Arznei- und Gewürzpflanzenbaues–Drogengewinnung*. Harri Deutsch, Thun, Frankfurt am Main.

Heifets, L.B., Good, R.C., 1994. Current laboratory methods for diagnoses of Tuberculosis. In *Tuberculosis: Pathogenesis, Prevention and Control*; Bloom, B. R., (Ed.): ASM Press: Washington DC, ISBN 1-55581-072; p 85-108.

Holton, T.A., Brugliera, F., Lester, D.R., Tanaka, Y., Hyland, C.D., Menting, J.G.T., Lu, C.Y., Farcy, E., Stevenson, T.W., Cornish, E.C., 1993. Cloning and expression of cytochrome P450 genes controlling flower colour. *Nature* 366, 276-279.

Hotze, M., Schröder, G., Schröder, J., 1995. Cinnamate 4-hydroxylase from *Catharanthus roseus*, and a strategy for the functional expression of plant cytochrome P450 proteins as translational fusions with P450 reductase in *Escherichia coli*. *FEBS Letters* 374, 345- 350.

Humphreys, J.M., Chapple, C., 2002. Rewriting the lignin roadmap. *Current Opinion in Plant Biology* 5, 224-229.

Hurabielle, M., Eberle, J., 1982. Flavonoids of *Artemisia campestris*, ssp. *glutinosa*. *Planta medica* 46, 124-125.

Invitrogen Corporation, 2001. EasySelect™*Pichia* Expression Kit, A manual of methods for expression of recombinant proteins Using pPICZ and pPICZα in *Pichia pastoris*.

www.invitrogen.com.

Jakupovic, J., Kuhnke, J., Schuster, A., Metwally, M.A., Bohlmann, F., 1986. Phloroglucinol derivatives and other constituents from South African *Helichrysum* species. *Phytochemistry* 25, 1133-1142.

Jakupovic, J., Schuster, A., Bohlmann, F., Ganzer, U., King, R.M., Robinson, H., 1989a. Diterpenes and other constituents from Australian *Helichrysum* and related species *Phytochemistry* 28, 543-551.

Jakupovic, J., Zdero, C., Grenz, M., Tschritzis, F., Lehmann, L., Hashemi-Nejad, S.M., & Bohlmann, F., 1989b. Twenty-one acylphloroglucinol derivatives and further constituents from South African *Helichrysum*. *Phytochemistry* 25, 1119-1131.

Jones, K.L., Kim, S.W., Keasling J.D., 2000. Low-copy plasmids can perform as well as or better than high-copy plasmids for metabolic engineering of bacteria. *Metab Eng* 2, 328-338.

Jordan, B.R., 1996. The effects of ultraviolet-B radiation on plants: a molecular perspective. *Adv. Bot. Res.* 22, 98-162.

Jung, H.J., Min, B.S., Park, J.Y., Kim, Y.H., Lee, H.K., Bae, K.H., 2002. Gymnasterkoreaynes A-F, cytotoxic polyacetylenes from *Gymnaster koraiensis*. *Journal of Natural Products* 65, 897-901.

Jung, W., Yu, O., Lau, S., O'Keefe, D.P., Odell, J., Fader, G., McGonigle, B., 2000. Identification and expression of isoflavone synthase, the key enzyme for biosynthesis of isoflavones in legumes. *Nature Biotechnol*, 18:208-212.

Kaneko, M. Ohnishi, Y.; Horinouchi, S., 2003. Cinnamate:coenzyme A ligase from filamentous bacterium *Streptomyces coelicolor* A3(2). *Journal Bacteriol* 185, 20-27.

Khafagi, I., Dewedar, A., Amein, M., 2003. Opportunities of finding anti-infective agents from plant cell cultures. *Current medical chemistry- Anti-Infective Agents* 2, 191-211.

kibertis, P., Roberts, L., 2002. It's not just the genes. *Science* 296, 685.

Kieran, P.M., MacLoughlin, P.F., Malone, D.M., 1997. Plant cell suspension cultures: some engineering considerations. *Journal of Biotechnology* 59, 39-52.

Kim, J. J., Roberts, D. L., Djordjevic, S., Wang, M., Shea, T. M. & Masters, B. S. (1996) *Methods Enzymol.* 272, 368-377.

Kintzios, S. and Michaelakis, A. (1999) Induction of somatic embryogenesis and in vitro flowering from inflorescences of chamomile (*Chamomilla recutita* L.). *Plant Cell Rep.* 8, 684-690.

Koess, R.E., Quattrocchio, F., Mol, J.N.M., 1994. The flavonoid biosynthetic pathway in plants: function and evolution. *BioEssays.* 16, 123-132.

Koopmann, E., Logemann, E., hahlbrock, K., 1999. Regulation and functional expression of cinnamate-4-hydroxylase from parsley. *Plant Physiol.* 119, 49-55.

Koukol, J., Conn, E. E., 1961. The metabolism of aromatic compounds in higher plants. IV. Purification and properties of the phenylalanine deaminase of *Hordeum vulgare*. *Journal of Biological Chemistry* 236, 2692-2698.

Kressmann, S., Muller, W.E., Blume, H.H., 2002. Pharmaceutical quality of different *Ginkgo biloba* brands. *Journal of Pharmacy and Pharmacology* 54, 661-669.

Kucukogola, O., Ozturk, B., Kamataki, T., Topcu, Z., 2006. Inhibitor activity of *Helichrysum* Taxa on mammalian type I DNA topoisomerase. *Pharmaceutical Biology* 44, 189-193.

Kumar, S., Tamura, K., Nei, M., 2004. MEGA3: an integrated software for Molecular Evolutionary Genetics Analysis and sequence alignment. *Brief Bioinform.* 5, 150-163.

Kurkin, V.A., Braslavskii, V.B., Zapesochnaya, G.G., Tolkachev, V.O., 1990. Flavonoids from buds of *Populus deltoids*. *Khimiya Prirodnikh Soedinenii* 4, 548-550.

Kurkin, V.A., Zapesochnaya, G.G., Braslavskii, V.B., 1990. Flavonoids in buds of *Populus balsamifera*. *Khimiya Prirodnikh Soedinenii* 2, 272-273.

Laemmler, U.K., 1970. Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* 227, 680-685.

Lakshmanan, P., Danesh, M., Taji, A., 2002. Production of four commercially cultivated *Echinacea* species by different methods of in vitro regeneration. *J. Hort. Sci. Biotech.* 77, 158-163.

Lall, N., Hussein, A.A., Meyer, J.J.M., 2006. Antiviral and antituberculosis activity of *Helichrysum melanacme* constituents. *Fitoterapia* 77, 230-232.

Lall, N., Meyer, J.J.M., 1999. In vitro inhibition of drug-resistant and drug-sensitive strains of *Mycobacterium tuberculosis* by ethnobotanically selected South African plants. *Journal of Ethnopharmacology* 66, 347-354.

Lange, D., 1996. Untersuchungen zum Heilpflanzenhandel in Deutschland. Ein Beitrag zum internationalen Artenschutz. German Federal Agency for Nature Conservation, Bonn-Bad Godesberg.

Lange, D., 1997. The trade in plant material for medicinal and other purposes: a German case study. *TRAFFIC Bulletin*, vol. 17(1), TRAFFIC International, Cambridge.

Lange, D., 1998. Europe's medicinal and aromatic plants: their use, trade and conservation.

Lange, D., 2004. Medicinal and Aromatic Plants: Trade, Production, and Management of Botanical Resources. Based on a lecture presented at the 26th International Horticulture Congress: The Future for Medicinal and Aromatic Plants. Toronto. 3 January 2004.

Lee, M.H., Yoon, E. S., Jeong, J. H., Choi, Y. E., 2004. *Agrobacterium rhizogenes*-mediated transformation of *Taraxacum platycarpum* and changes of morphological characters. *Plant Cell Rep.* 22, 822-827.

Li, C., Cui, C., Cai, B., Han, B., Dou, D., Chen, Y., 2005. Aromatic chemical constituents of *Choerospondias axillaries*. *Zhongguo Yaowu Huaxue Zazhi Bianjibu* 15, 138-141.

Li, J., Ou-Lee, T.A., Raba, R., Amundson, R.G., Last, R.L., 1993. Arabidopsis flavonoid mutants are hypersensitive to UV-B irradiation. *Plant Cell* 5, 171-179.

Lin, L.Z., Mukhopadhyay, S., Robbins, R.J., Harnly, J.M., 2007. Identification and quantification of flavonoids of Mexican oregano (*Lippia graveolens*) by LC-DAD-ESI/MS analysis. *Journal of Food Composition and Analysis.* 20, 361-369.

Lindsey, K. Yeomem, M.M., 1983. The relationship between growth rate, differentiation and alkaloid accumulation in cell culture. *Journal of experimental botany* 34, 1055-1065.

Liu, k., Lee, S.S., 1993. Flavonoidin glucosides isolated from *Viscum liquidambaricolum*. *Zhonghua Yaowu Zazhi* 45, 231-235.

Liu, Y.L., Ho, D.K., Cassady, J.M., Cook, V.M., Baird, W.M., 1992. Isolation of potential cancer chemopreventive agents from *Eriodictyon californicum*. *Journal of natural products* 55, 357-363.

Lois, R., 1994. Accumulation of UV-absorbing flavonoids induced by UV-B radiation in *Arabidopsis thaliana* L. I. Mechanisms of UV resistance in Arabidopsis. *Planta* 194, 498-503.

Mander, M., 1998. Marketing of indigenous medicinal plants in South Africa. A case study in KwaZulu-Natal. Food and Agriculture Organization, Rome.

Mander, M., Le Breton, G., 2005. Plants for therapeutic use. In: Mander, M., McKenzie, M. (Eds.), Southern African Trade Directory of Indigenous Natural Products. Commercial Products from the Wild Group. Stellenbosch University, pp. 3-8.

Mans, B.J., Venter, J.D., Coons, L.B., Louw, A.I., Neitz, A.W.H. (2004). A reassessment of argasid tick salivary gland ultrastructure from an immuno-cytochemical perspective.

Experimental and Applied Acarology 33: 119-129.

Matern, U., Heller, W., Himmelpach, K., 1983. Conformational Changes of Apigenin 7-O-(6-O-malonylglucoside), a Vacuolar Pigment from Parsley, with Solvent Composition and Proton Concentration. European Journal of Biochemistry 133, 439-448.

Mathekga, A.D.M., Meyera, J.J. M., Hornb, M.M., Drewesb, S. E., 2000. An acylated phloroglucinol with antimicrobial properties from *Helichrysum caespitium*. Phytochemistry 53, 93-96.

Mativandlela, S.P.N., Lall, N., Meyer, J.J.M., 2006. Antibacterial, antifungal and antitubercular activity of (the roots of) *Pelargonium reniforme* (CURT) and *Pelargonium sidoides* (DC) (Geraniaceae) root extracts. South African Journal of Botany 72, 232-237.

Matsubara, K., Shigekazu, K., Yoshioka, T., Fujita, Y., Yamada, Y., 1989. High density culture of *Coptis japonica* cells increases berberine production. Journal of Chemical Technology and Biotechnology, 46, 61-69.

Matsunaga, H., Katano, M., Yamamoto, H., Fujito, H., Mori, M., Takata, T., 1990. Cytotoxic activity of polyacetylene compounds in *Panax ginseng* CA Maeyer. Chemical and Pharmaceutical Bulletin 38, 3480-3482.

Matthews, P.D., Wurtzel, E.T., 2000. Metabolic engineering of carotenoid accumulation in *Escherichia coli* by modulation of the isoprenoid precursor pool with expression of deoxyxylulose phosphate synthase. Appl Microbiol Biotechnol 53, 396-400.

Mc Chesney, J.D., 1999. Quality of botanical preparations: environmental issues and methodology for detecting environmental contaminants. In Botanical Medicine: Efficacy, quality assurance and regulation (Eskinazi, D., ed.), Mary Ann Liebert, Inc publishers.

McChesney, J.D., 1999. Quality of botanical preparations: environmental issues and methodology for detecting environmental contaminants. In *Botanical Medicine: Efficacy, quality assurance and regulation* (Eskinazi, D., ed.), Mary Ann Liebert, Inc publishers. pp. 127–131.

Meijer, A. H., Cardoso, M. I. L., Voskuilen, J. T., Waal, A. D., Verpoorte, R. & Hoge, J. H. C., 1993. Isolation and characterisation of a cDNA clone from *Catharanthus roseus* encoding NADPH: cytochrome P-450 reductase, an enzyme essential for reactions catalysed by cytochrome P-450 monooxygenases in plants *Plant Journal* 4, 47-60.

Mendelson, R. , Balick, M.J., 1995. The value of undiscovered pharmaceuticals in tropical forests. *Econ. Bot.* 49, 223-228.

Meyer, J.J.M., Afolaya. A.J., 1995. Antibacterial activity of *Helichrysum aureonitens* (Asteraceae). *Journal of Ethnopharmacology* 47, 109-111.

Meyer, J.J.M., Afolayan, A.J., Taylor, M.B. Erasmus, D., 1997. Antiviral activity of galangin isolated from the aerial parts of *Helichrysum aureonitens*. *Journal of Ethnopharmacology* 56, 165-169.

Meyer, J.J.M., Afolayan, A.J., Taylor, M.B., Engelbrecht, L., 1996. Inhibition of herpes simplex virus type 1 by aqueous extracts from the shoots of *Helichrysum aureonitens*. *Journal of Ethnopharmacology* 52, 41-43.

Meyer, J.J.M., Lall, N., Mathekga, A.D.M., 2002. In vitro inhibition of drug-resistant and drug-sensitive strains of *Mycobacterium tuberculosis* by *Helichrysum caespitium*. *South African Journal of Botany.* 68, 90-93.

Mijts, B.N., Schmidt-Dannert, C., 2003. Engineering of secondary metabolites pathways. *Current Opinion in Biotechnology* 14, 597-602.

- Miyahisa, I., Funa, N., Ohnishi, Y., Martens, S., Moriguchi, T., Horinouchi, S., 2006. Combinatorial biosynthesis of flavones and flavonols in *Escherichia coli*. *Applied Microbiology and Biotechnology* 71, 53-58.
- Miyahisa, I., Kaneko, M., Funa, N., Kawasaki, H., Kojima, H., Ohnishi, Y., Horinouchi, S., 2005. Efficient production of (2S) - flavonones by *Escherichia coli* containing an artificial biosynthetic gene cluster. *Applied Microbiology and Biotechnology* 68, 498-504.
- Mizutami, M., Ohta, D., Sato, R., 1997. Isolation of cDNA and genomic clone encoding cinnamate 4- hydroxylase from *Arabidopsis* and its expression manner in plants. *Plant Physiol* 113, 755-763.
- Mo, Y., Nagel, C., Taylor, L.P., 1992. Biochemical complementation of chalcone synthase mutants defines a role for flavonols in functional pollen. *Proceedings of the National Academy of Sciences USA* 89, 7213-7217.
- Monache, G. D., Scurria, R., Vitali, A., Botta, B., Monacelli, B., Pasqua, G., Palocci, C., Cernia, E., 1994. Two isoflavones and a flavone from the fruits of *Maclura pomifera* *Phytochemistry* 37, 893-898.
- Motulsky, H.J., 2003. Prism 4 Statistics Guide –Statistical analyses for laboratory and clinical researchers. GraphPad Software Inc., San Diego CA, www.graphpad.com.
- Moyano, E., Fornalé, S., Palazón, J., Cusidó, R.M., Bonfill, M., Morales, C., Piñol, M. T., 1999. Effect of *Agrobacterium rhizogenes* T-DNA on alkaloid production in *Solanaceae* plants. *Phytochemistry* 52, 1287-1292.
- Muir, S.R., Collins, G.J., Robinson, S., Hughes, S., Bovy, A., De Vos, C.H. R., van Tunen, A.J., Verhoeyen, M.E., 2001. Overexpression of petunia chalcone isomerase in tomato results in fruits containing increased levels of flavonols. *Nature Biotechnology* 19, 470-474.

Mulabagal, V., Tsay, H., 2004. Plant cell cultures—an alternative and efficient source for the production of biologically important secondary metabolites. *International journal of applied Science, engineering and technology* 2, 29-48.

Murashige, T., Skoog, F., 1962. A revised medium for rapid growth and bioassay with tobacco tissue culture. *Physiol Plant.* 1, 474-497.

Nagarajan, G.R., Parmar, V.S., 1977a. Chemical examination of the heartwood of *Prunus damestica*. *Planta medica* 31, 146-150.

Nagarajan, G.R., Parmar, V.S., 1977b. Flavonoids of *Prunus cerasus*. *Planta medica* 32, 50-153.

Oeda, K., Sakaki, T., Ohkawa, H., 1985. Expression of rat liver cytochrome P-450MC cDNA in *Saccharomyces cerevisiae*. *DNA* 4, 203-210.

Osowski, S., Rostock, M., Bartsch, H.H., Massing, U., 2000. Pharmaceutical comparability of different therapeutic *Echinacea preparations*. *Forsch Komplementarmed Klass Naturheilkd* 7, 294-300.

Paiva, N.L., 2000. An introduction to the biosynthesis of chemical used in plant-microbe communication. *J. Plant Growth Regul.* 19, 131-143.

Paré, P.W., Mischke, C.F., Edwards, R., Dixon, A.R. Norman, H.A., Mabry, T.J., 1992. Induction of phenylpropanoid pathway enzymes in elicitor-treated cultures of *Cephalocereus senilis*. *Phytochemistry* 31, 149-153.

Park, J.M., Giles, K.I., Songstad, D.D., 1990. Industrial production of Sanguinarine from the cell suspension culture of *Papaver somniferum*. *Proc. AP Biotechnology*. Kyungju Publ., Korea. pp. 184-187.

Park, S.U., Chae, Y.A., Facchini, P. J., 2003. Genetic transformation of the figwort, *Scrophularia buergeriana* Miq., an Oriental medicinal plant. *Plant Cell Reports* 21, 1194-1198.

Park, S.U., Facchini, P.J., 2000. *Agrobacterium rhizogenes* mediated transformation of *opium poppy*, *Papaver somniferum* L., and *california poppy*, *Eschscholzia californica* Cham., root cultures. *Journal of Experimental Botany* 51, 1005-1016.

Phillips, E. P., 1917. A contribution to the flora of Leribe Plateau and environ: with a discussion on the relationships of the floras of Basutholand, the Kalahari and the south eastern regions. *Annals of South African Museum* 16, 130-132.

Pooley, E., 1998. *A Field Guide to Wildflowers KwaZulu-Natal and the Eastern Region*, Natal Flora Publications Trust, Durban. 630 pp.

Porter, T.D., Wilson, T.E., Kasper, C.B., 1987. Expression of a functional 78,000 dalton mammalian flavoprotein, NADPH-cytochrome P-450 oxidoreductase, in *Escherichia coli*. *Arch. Biochem. Biophys.* 254, 353-367.

Prinsloo, G., Meyer, J.J.M., 2006. In vitro production of phytoalexins by *Helichrysum kraussii*. *South African Journal of Botany* 72, 482-483.

Purohit, S.D., Dave, A., Kukda, G., 1994. Micropropagation of safed musli (*Chlorophytum borivilianum*), a rare Indian medicinal herb. *Plant Cell, Tissue and Organ Culture* 3, 93-96.

Ralph, J., Lapierre, C., Lu, F., Marita, J.M., Pilate, G., Van Doorselaere, Boerjan, W., Jouanin, L., 2001. NMR evidence for benzodioxane structures resulting from incorporation of 5-hydroxyconiferyl alcohol into lignins of O-methyltransferase-deficient plants. *Journal of Agriculture and Food Chemistry* 49:86-91.

Ramachandra Rao, S., Ravishankar, G.A., 2002. Plant cell cultures: Chemical factories of secondary metabolites. *Biotechnology Advances* 20, 101–153.

Randriaminahy, M., Proksch, P., White, L., Wray, V., 1992. Lipophilic phenolic constituents from *Helichrysum* species endemic to Madagascar. *Naturforschung* 47, 10-16.

Raskin, I., Ribnicky, D.M., Komarnytsky, S., Ilic, N., Poulev, A., Borisjuk, N., Brinker, A., Moreno, D.A., Ripoll, C., Yakoby, N., O'Neal, J.M., Cornwell, T., Pastor, I., Fridlender, B., 2002. Plants and human health in the twenty-first century. *Trends in Biotechnology* 20, 522-531.

Rates, S.M.K., 2001. Plants as sources of drugs. *Toxicon* 39, 603-613.

Ready, J., 2007. *Helichrysum aureonitens* Sch.Bip. <http://www.plantzafrica.com>.

Reuber, S., Bornman, J.F., Weissenböck, G., 1996. A flavonoid mutant of barley (*Hordeum vulgare* L.) exhibits increased sensitivity to UV-B radiation in the primary leaf. *Plant Cell Environ.* 19, 593-601.

Rice-Evans, C.A., Millier, N.J., Paganaga, G., 1996. Structure-antioxidant activity relationships of flavonoids and phenolic acids. *Free radical Biol. Medicine* 20, 933-956.

Rice-Evans, C.A., Millier, N.J., Paganaga, G., 1997. Antioxidant properties of phenolic compounds. *Trends Plant Sci.* 2, 2152-2159.

Robbins, C., 1999. Medicine from U.S. Wildlands: An assessment of native plant species harvested in the United States for medicinal use and trade and evaluation of the conservation and management implications. TRAFFIC North America, unpublished report for The Nature Conservancy.

Rout, G.R., Samantaray, S., Das, P., 2000. In vitro manipulation and propagation of medicinal plants. *Biotechnol. Adv.* 18, 91-120.

Russel, D.W., Conn, E.E., 1967. The cinnamic acid-4-hydrosylase of pea seedlings. *Arch biochem Biophys* 122, 256-258.

Sakaguchi, M., Mihara, K., Sato, R., 1984. Signal recognition particle is required for co-translational insertion of cytochrome P-450 into microsomal membranes. *Proceedings of the National Academy of Sciences* 81, 3361-3364.

Sales, E., Segura, J., Arrillaga, I., 2003. Agrobacterium tumefaciens-mediated genetic transformation of the cardenolide-producing plant *Digitalis minor* L. *Planta Med.* 69, 143-147.

Samanani, N., Park, S.U., Facchini, P.J., 2002. In vitro regeneration and genetic transformation of the berberine-producing plant, *Thalictrum flavum* ssp. *glaucum*. *Physiol. Plant.* 116, 79-86.

Sangwan, R.S., Sangwan, N. S., Jain, D. C., Kumar, Ranade, S. A., 1999. RAPD profile based genetic characterization of chemotypic variants of *Artemisia annua* L. *Biochem. Mol. Biol. Int.* 47, 935-944.

Schalk, M., Cabello-Hurtado, F., Pierrel, M. A., Atanossova, P., Saindrenan, P., Werck-Reichhart, D., 1998. Piperonylic Acid, a Selective, Mechanism-Based Inactivator of the trans-Cinnamate 4-Hydroxylase: A New Tool to Control the Flux of Metabolites in the Phenylpropanoid Pathway. *Plant Physiology* 118, 209-218.

Schijlen, E.G.W.M., Ric de Vos, C.H., Van Tunen, A.J., Bovy, A.G., 2004. Modification of flavonoid pathway in crop plant. *Phytochemistry*. 65, 2631-2648.

Schmelzer, E., Jahnen, W., Hahlbrock, K., 1988. *In situ* localization of light-induced chalcone synthase mRNA, chalcone synthase, and flavonoid end products in epidermal cells of parsley leaves. *Proceedings of the National Academy of Sciences USA* 85, 2989-2993.

Scragg, A.H., Ashton, S., York, A., Bond, P., Stepan-Sarkissian, G., Grey, D., 1990. Growth of *Catharanthus roseus* suspensions for maximum biomass and alkaloid accumulation. *Enzyme Microb Technol* 12, 292-298.

Sevon, N., Oksman-Caldentey, K.M., 2002. Agrobacterium rhizogenes-mediated transformation: root cultures as a source of alkaloids. *Planta Med.* 68, 859-868.

Sewalt, V.J.H., Ni, W., Blount, J.W., Jung, H.G., Masoud, S.A., Howles, P.A., Lamb, C.J., Dixon, A.R., 1997. Reduced lignin content and altered lignin composition in transgenic

tobacco down-regulated in expression of L-phenylalanine ammonia-lyase or cinnamate 4-hydroxylase. Plant

Shevchenko, A., Wilm, M., Mann, M., 1996. Mass Spectrometric Sequencing of Proteins from Silver-Stained Polyacrylamide Gels. *Analytical Chemistry* 68, 850-858.

Sibert, P.D., Chenchik, A., Kollogg, D.E., Lukyanov, K.A., Lukyanov, S.A., 1995. An improved PCR method genomic DNA. *Nucleic Acids Res.* 23, 1087-1088.

Siddiq, A., Dembitsky, V., 2008. Acetylenic Anticancer Agents. *Anti-Cancer Agents in Medicinal Chemistry.* 8, 132-170.

Sinha, N., Ferguson, S.J., 1998. An *Escherichia coli* ccm (cytochrome c maturation) deletion strain substantially expresses *Hydrogenobacter thermophilus* cytochrome c_{552} in the cytoplasm: availability of haem influences cytochrome c_{552} maturation. *FEMS Microbiology Letters* 161, 1-6.

Stevenson, R., 2004. Chemical harvest. *Chemistry & Industry* 6th Sept pp. 16-18.

Stutzer, C., 2008. Molecular characterization of two *Ornithodoros savignyi* enzyme isoforms belonging to the 5'-Nucleotidase family. Msc thesis. Department of Biochemistry, University of Pretoria-South Africa.

Su, D., Song, Y., Li, R., 1990. Comparative clinical study of rheumatoid arthritis treated by triptolide and an ethyl acetate extract of *Tripterygium wilfordii*. *Chin. J. Mod. Dev. Trad. Med.* 10, 144-146.

Swerdlow, J., 2000. *Nature's Medicine. Plants That Heal*, Natural Geographic Society.

Takahashi, D., Fjita, Y., 1991. In: "Plant Cell Culture in Japan". Komamine, A., Misawa, M., and Dicosmo, F., editors. *Cosmetic materials*, 72-78.

Tape, B., Sokmen, M., Akpulat, H. A., Sokmen, A., 2005. In vitro antioxidant activity of the methanol extracts of four *Helichrysum* species from Turkey. *Food Chemistry* 90, 685-689.

Teutsch, H.G., Hasenfrazt, M.P., Lesot, A., Stoltz, C. Garnier, J.M., Jeltsch, J.M., Durst, F., Werck-Reichhart, D., 1993. Isolation and sequence of a cDNA encoding the *Jurusalam artichoke* cinnamate-4-hydroxylase, a major plant cytochrome P450 involved in the general phenylpropanoic pathway. *Proceedings of the National Academy of Sciences* 90, 4102-4107.

Tomas-Barberan, F.A., Msonthi, J.D., Hostettmann, K., 1988. Anti-fungal epicuticular methylated flavonoids from *Helichrysum nitens*, *Phytochemistry* 27, 753-755.

Tomas-Barberan, F., Iniesta-Sanmartin, E., Tomas-Lorente, F., Rumbero, A., 1990. Antimicrobial phenolic compounds from three Spanish *Helichrysum species*. *Phytochemistry* 29, 1093- 1095.

Tomas-Lorente F., Iniesta-Sanmartin, E., Tomas-Barberan, F.A., Trowitzsch-Kienast, W., Wray, V., 1989. Antifungal phloroglucinol derivatives and lipophilic flavonoids from *Helichrysum decumbens*. *Phytochemistry* 28, 1613-1615.

Torres, R., Modak, B., Villarroel, L., Urzua, A., Delle Monache, F., Sanchez-Ferrando, F., 1996. Flavonoids from resinous exudates of *Heliotropium sinuatum*. *Boletin de la Sociedad de Quimica* 41, 195-197.

Torsell, K.B.G., 1997. *Natural product chemistry. A mechanistic, biosynthetic and ecological approach.* Kristianstads Boktryckeri, Apotekarsocieteten. Stockholm (Sweden). 480 p.

Ulbrich, B., Weisner, W., Arens, H., 1985. In primary and secondary metabolism of plant cell cultures, (Neumann, K. H. and Reinhard, E., editors), Springer- Verlag (Berlin), 293-303.

Urban, P., Mignotte, C., Kazmeier, M., Delorme, F. & Pompon, D. (1997) *J. Biol. Chem.* 272, 19176-19186.

Van der Meer, I. M., Stam, M.E., van Tunen, A. J., MOI., J.N.M., Stuitje, A.R., 1992. Antisense inhibition of flavonoid biosynthesis in petunia anthers results in male sterility. *Plant Cell* 4, 253-262.

Van Vuuren, S.F., Viljoen, A.M., Van Zyl, R.L., Van Heerden, F.R., Hüsni, K., Başer, C., 2006. The antimicrobial, antimalarial and toxicity profiles of helihumulone, leaf essential oil and extracts of *Helichrysum cymosum* (L.) D. Don subsp. *Cymosum*. *South African Journal of Botany* 72, 287-290.

Veronese, P., Li, X., Niu, X., Weller, S.C., Bressan, R.A., Hasegawa, P. M., 2001. Bioengineering mint crop improvement. *Plant Cell, Tissue and Organ Culture* 64, 133-144.

Vines, G. (2004) Herbal harvests with a future: towards sustainable sources for medicinal plants, *Plantlife International*; www.plantlife.org.uk.

Vogt, T., Pollak, P., Tarlyn, N., Taylor, L.P., 1994. Pollination or wound induced kaempferol accumulation in petunia stigmas enhances seed production. *Plant Cell* 6, 11-23.

Wang, H.M. , To, K.Y.,2004. Agrobacterium-mediated transformation in the high-value medicinal plant *Echinacea purpurea*. *Plant Sci.* 66, 1087-1096.

Werck-Reichhart, D., Bak, S., Paquette, S. ,2002. Cytochromes P450; in *The Arabidopsis Book*, Somerville, C. R. and Meyerowitz, E. M. (eds.), pp. 1-28, American Society of Plant Biologists, Rockville, USA.

Winkel-Shirley, B., 1999. Evidence for enzyme complexes in the phenylpropanoid and flavonoid pathways. *Physiol. Plant.* 107, 142-149.

Wollenweber, E., 1975. Flavonoidmuster als systematisches Merkmal in der Gattung *Populus*. *Biochemical Systematics and Ecology* 3, 35-45.

Wu, S. C., Hahlbrock, K., 1992. *In situ* localization of phenylpropanoid-related gene expression in different tissues of light and dark-grown parsley seedlings. *Z. Naturforsch.* 47C, 591-600.

Xiao, P., 1991. The Chinese approach to medicinal plants – their utilization and conservation. p. 305-313. In: Akerele, O., Heywood, V. and Synge, H. (eds.). The conservation of medicinal plants. Cambridge University Press, Cambridge.

Yamamura, Y., Ogihara, Y., Mizukami, H., 2001. Cinnamic acid 4-hydroxylase from *Lithospermum erythrorhizon*: cDNA cloning and gene expression. *Plant Cell Rep* 20, 655-662.

Yang, D.C., Choi, K.H., Kim, Y.H., Yoon, E.S., Kang, T.J., Choi, K.T., 1999. The Production of Anti-cancer Substances by in vitro Grown Cultures of *Panax ginseng* C.A. Meyer. *Journal of Medicinal Food* 10, 46-57.

Yani, V.V., Oyedeji, O.A., Grierson, D.S., Aeolian, A.J., 2005. Chemical analysis and antimicrobial activity of essential oil extracted from *Helichrysum aureonitens*. *South African Journal of Botany* 71, 250-252.

Ye, Z., Varner, J.E., 1996. Expression patterns of cinnamic acid 4-hydroxylase gene during lignification in *Zinnia elegans*. *Plant Science* 121, 133-141.

Yu, O., Jung, W., Shi, J., Croes, R.A., Fader, G.M., McGonigle, B., Odell, J.T., 2000. Production of the isoflavones genistein and daidzein in non-legume dicot and monocot tissues. *Plant Physiol* 124, 781-793.

Zhang, L., Lei Zhang, L., Ding†, L., Chai, Y., Bonfill, M., Moyano□, E., Oksman-Caldentey, K.M. Tiefeng Xu, T., Pi, Y., Wang, Z., Zhang†, H., Kai, G., Liao, Z. Sun, X.,

Zhaoa, P., Hamada, C., Inoueb, K., Yamamoto, H., 2003. Efficient production and capture of 8-prenylnaringenin and leachianone G-biosynthetic intermediates of sophoraflavanone G—by the addition of cork tissue to cell suspension cultures of *Sophora flavescens*. *Phytochemistry* 62, 1093-1099.

Zheng, Y.T., Chan, W.L., Hung, H., Tam, S.C., 2001. Enhancement of the anti-herpetic effect of trichosanthin by acyclovir and interferon. *FEBS Letters*. 496, 139-142.