



Bibliography

- [1] L.R. Rabiner and B.H. Juang, *Fundamentals of Speech Recognition*, Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 1993.
- [2] B.L. Pellom and J.H.L. Hansen, "Automatic segmentation of speech recorded in unknown noisy channel characteristics," *Speech Communication*, vol. 25, pp. 97–116, 1998.
- [3] S. Young, D. Kershaw, J. Odell, D. Ollason, V. Valtchev, and P. Woodland, *The HTK book (for HTK Version 3.0)*, Cambridge University, United Kingdom, 2000.
- [4] "The TIMIT database," National Institute of Standards and Technology (NIST), USA, Oct. 1990.
- [5] J.W. Picone, "Signal modeling techniques in speech recognition," *Proceedings of the IEEE*, vol. 81, no. 9, pp. 1214–1247, Sept. 1993.
- [6] R. Vergin, D. O'Shaughnessy, and A. Farhat, "Generalized mel frequency cepstral coefficients for large-vocabulary speaker-independent continuous-speech recognition," *IEEE Transactions on Speech and Audio Processing*, vol. 7, no. 5, pp. 525–532, Sept. 1999.
- [7] G.S. Kang, "Quality improvement of LPC-processed noisy speech by using spectral subtraction," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. 37, no. 6, pp. 939–942, June 1989.



- [8] O. Ghitza, "Auditory nerve representation criteria for speech analysis/synthesis," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-35, no. 6, pp. 736–740, June 1987.
- [9] B.W. Juang, L.R. Rabiner, and J.G. Wilpon, "On the use of bandpass liftering in speech recognition," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-35, no. 7, pp. 947–954, July 1987.
- [10] J. Makhoul, S. Roucos, and H. Gish, "Vector quantization in speech coding," *Proceedings of the IEEE*, vol. 73, no. 11, pp. 1551–1588, Nov. 1985.
- [11] Y. Linde, A. Buzo, and R.M. Gray, "An algorithm for vector quantizer design," *IEEE Transactions on Communications*, vol. COM-28, no. 1, pp. 84–95, Jan. 1980.
- [12] G.S. Jovanović, "A new algorithm for speech fundamental frequency estimation," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-34, no. 3, pp. 626–630, June 1986.
- [13] A. Vorstermans, J.-P. Martens, and B. Van Coile, "Automatic segmentation and labelling of multi-lingual speech data," *Speech Communication*, vol. 19, pp. 271–293, 1996.
- [14] S. Pauws, Y. Kamp, and L. Willems, "A hierarchical method of automatic speech segmentation for synthesis applications," *Speech Communication*, vol. 19, pp. 207–220, 1996.
- [15] A. Bonafonte, A. Nogueiras, and A. Rodriguez-Garrido, "Explicit segmentation of speech using Gaussian models," in *Proceedings of ICSLP 96, Philadelphia, PA*, Oct. 1996.
- [16] J.Ø. Olsen, "A two-stage procedure for phone based speaker verification," *Pattern Recognition Letters*, vol. 18, pp. 889–897, 1997.



- [17] S.C. Lee, "Probabilistic segmentation for segment-based speech recognition," M.S. thesis, Massachusetts Institute of Technology, Cambridge, MA, USA, May 1998.
- [18] B.L. Pellom and J.H.L. Hansen, "Automatic segmentation of speech recorded in unknown noisy channel characteristics," Tech. Rep. RSPL-98-9, Robust Speech Processing Laboratory, Department of Electrical Engineering, Duke University, Box 90291, Durham, North Carolina 27708-0291, USA, 1998.
- [19] C.-G. Jeong and H. Jeong, "Automatic phone segmentation and labeling of continuous speech," *Speech Communication*, vol. 20, pp. 291–311, 1996.
- [20] S. Policker and A.B. Geva, "Nonstationary time series analysis by temporal clustering," *IEEE Transactions on Systems, Man, and Cybernetics - Part B: Cybernetics*, vol. 30, no. 2, pp. 339–343, Apr. 2000.
- [21] P. Cosi, "SLAM: Segmentation and labelling automatic module," in *Proceedings of EUROSPEECH 93, Berlin, Germany*, 1993.
- [22] P. Cosi, "SLAM: a pc-based multi-level segmentation tool," in *Speech Recognition and Coding. New Advances and Trends*, A.J. Rubio Ayuso and J.M. Lopez, Eds., pp. 124–127. Springer-Verlag, 1995, NATO ASI Series, Series F: Computer and Systems Sciences, N. 147.
- [23] P. Cosi, "Auditory modeling and neural networks," in *A Course on Speech Processing, Recognition, and Artificial Neural Networks*. Springer-Verlag, 1998, Lecture Notes in Computer Science.
- [24] L.S. Smith, "Using an onset-based representation for sound segmentation," in *Proceedings of NEURAP 95, Marseilles, France*, Dec. 1995.
- [25] L.S. Smith, "Onset-based sound segmentation," in *Advances in Neural Information Processing Systems*, D.S. Touretzky, M.C. Mozer, and M.E. Haselmo, Eds., vol. 8. MIT press, 1996.

- [26] S. Chang, L. Shastri, and S. Greenberg, "Automatic phonetic transcription of spontaneous speech (American English)," in *Proceedings of ICSLP 2000, Beijing, China*, Oct. 2000.
- [27] P. Regel, "A module for acoustic-phonetic transcription of fluently spoken German speech," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-30, no. 3, pp. 440–450, June 1982.
- [28] T. Fukada, S. Aveline, M. Schuster, and Y. Sagisaka, "Segment boundary estimation using recurrent neural networks," in *Proceedings of the EUROSPEECH 97, Rhodes, Greece*, 1997, pp. 2839–2842.
- [29] R. Andre-Obrecht, "A new statistical approach for the automatic segmentation of continuous speech signals," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. 36, no. 1, pp. 29–40, Jan. 1988.
- [30] M. Basseville and I.V. Nikiforov, *Detection of Abrupt Changes: Theory and Application*, Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 1993.
- [31] R. Èmejla and P. Sovka, "Speech segmentation using Bayesian autoregressive changepoint detector," *Radioengineering*, vol. 7, no. 4, pp. 14–17, Dec. 1998.
- [32] B. Petek, O. Andersen, and P. Dalsgaard, "On the robust automatic segmentation of spontaneous speech," in *Proceedings of ICSLP 96, Philadelphia, PA*, Oct. 1996, vol. 2, pp. 913–916.
- [33] C. Chan and K.W. Ng, "Separation of fricatives from aspirated plosives by means of temporal spectral variation," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-33, no. 4, pp. 1130–1137, Oct. 1985.
- [34] J.K. Ryeu and H.S. Chung, "Chaotic recurrent neural networks and their application to speech recognition," *Neurocomputing*, vol. 13, pp. 281–294, 1996.
- [35] R. De Mori and P. Laface, "Use of fuzzy algorithms for phonetic and phonemic labeling of continuous speech," *IEEE Transactions on Pattern Analysis and Machine Intelligence*, vol. PAMI-2, no. 2, pp. 136–148, Mar. 1980.



- [36] R.-C. Shyu, J.-F. Wang, and J.-Y. Lee, "Improvement in connected Mandarin digit recognition by explicitly modeling coarticulatory information," *Journal of Information Science and Engineering*, vol. 16, pp. 649–660, 2000.
- [37] H.-J. Yu and Y.-H. Oh, "A neural network for 500 word vocabulary word spotting using non-uniform units," *Neural Networks*, vol. 13, pp. 681–688, 2000.
- [38] J.-P. Hosom and R.A. Cole, "A diphone-based digit recognition system using neural networks," in *Proceedings of ICASSP 97, Munich, Germany*, 1997.
- [39] H. Kaeslin, "A systematic approach to the extraction of diphone elements from natural speech," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-34, no. 2, pp. 264–271, Apr. 1986.
- [40] L. Shastri, S. Chang, and S. Greenberg, "Syllable detection and segmentation using temporal flow neural networks," in *Proceedings of the Fourteenth International Congress of Phonetic Sciences, San Francisco*, Aug. 1999.
- [41] C.-T. Hsieh, M.-C. Su, E. Lai, and C.-H. Hsu, "A segmentation method for continuous speech utilizing hybrid neuro-fuzzy network," *Journal of Information Science and Engineering*, vol. 15, pp. 615–628, 1999.
- [42] G.D. Cook and A.J. Robinson, "The 1997 ABBOT system for the transcription of broadcast news," in *Proceedings of the DARPA Broadcast News Transcription and Understanding Workshop, Lansdowne, Virginia*, Feb. 1998.
- [43] L.S. Smith, "A neurally motivated technique for voicing detection and F_0 estimation for speech," Tech. Rep. CCCN-22, Centre for Cognitive and Computational Neuroscience, University of Stirling, Stirling FK9 4LA, Scotland, July 1996.
- [44] R.J. Di Francesco, "Real-time speech segmentation using pitch and convexity jump models: Application to variable rate speech coding," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. 38, no. 5, pp. 741–748, May 1990.



- [45] L.J. Siegel and A.C. Bessey, "Voiced/unvoiced/mixed excitation classification of speech," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-30, no. 3, pp. 451–460, June 1982.
- [46] A.K. Krishnamurthy, "Two-channel speech analysis," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-34, no. 4, pp. 730–743, Aug. 1986.
- [47] C.K. Gan and R.W. Donaldson, "Adaptive silence deletion for speech storage and voice mail applications," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. 36, no. 6, pp. 924–927, June 1988.
- [48] H. Kobatake, "Optimization of voiced/unvoiced decisions in nonstationary noise environments," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-35, no. 1, pp. 9–18, Jan. 1987.
- [49] G. Bruno, M.D. Di Benedetto, M.G. Di Benedetto, A. Gilio, and P. Mandarini, "A Bayesian-adaptive decision method for the V/UV/S classification of segments of a speech signal," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-35, no. 4, pp. 556–559, Apr. 1987.
- [50] M. Lahat, R.J. Niederjohn, and D.A. Krubsack, "A spectral autocorrelation method for measurement of the fundamental frequency of noise-corrupted speech," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-35, no. 6, pp. 741–750, June 1987.
- [51] D.G. Childers, M. Hahn, and J.N. Larar, "Silent and voiced/unvoiced/mixed excitation (four-way) classification of speech," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. 37, no. 11, pp. 1771–1774, Nov. 1989.
- [52] R. Zelinski and F. Class, "A segmentation algorithm for connected word recognition based on estimation principles," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-31, no. 4, pp. 818–827, Aug. 1983.

- [53] M.H. Christiansen and J. Allen, "Coping with variation in speech segmentation," in *Proceedings of GALA 1997: Language Acquisition: Knowledge Representation and Processing*, A. Sorace, C. Heycock, and R. Shillcock, Eds., 1997, pp. 327–332.
- [54] M.H. Christiansen, J. Allen, and M.S. Seidenberg, "Learning to segment speech using multiple cues: A connectionist model," *Language and Cognitive Processes*, vol. 13, no. 2, pp. 221–268, 1998.
- [55] M.A. Siegler, U. Jain, B. Raj, and R.M. Stern, "Automatic segmentation, classification and clustering of broadcast news audio," in *Proceedings of the DARPA Speech Recognition workshop, Chantilly, VA. Feb. 1997*, pp. 97–99, Morgan Kaufmann.
- [56] E. Shriberg, A. Stolcke, D. Hakkani-Tür, and G. Tür, "Prosody-based automatic segmentation of speech into sentences and topics," *Speech Communication*, vol. 32, pp. 127–154, 2000.
- [57] A. Lavie, D. Gates, N. Coccaro, and L. Levin, "Input segmentation of spontaneous speech in janUS: a speech-to-speech translation system," in *Dialogue Processing in Spoken Language Systems*, E. Maier, M. Mast, and S. LuperFoy, Eds., pp. 86–99. Springer-Verlag, 1997.
- [58] K. Ries, "HMM and neural network based speech act detection," in *Proceedings of ICASSP 99, Phoenix, Arizona, USA, Mar. 1999*.
- [59] M. Swerts and M. Ostendorf, "Prosodic and lexical indications of discourse structure in human-machine interactions," *Speech Communication*, vol. 22, pp. 25–41, 1997.
- [60] G. Tzanetakis and P. Cook, "A framework for audio analysis based on classification and temporal segmentation," in *Proceedings of EUROMICRO 99, June 1999*. Saddle River, New Jersey: Prentice-Hall, 1999.
- [71] W. Maass and C.M. Bishop, Eds., *Parallel Neural Networks: The MIT Press*. Cambridge, Massachusetts, 1999.



- [61] G. Tzanetakis and P. Cook, "Multifeature audio segmentation for browsing and annotation," in *Proceedings of the 1999 IEEE Workshop on Applications of Signal Processing to Audio and Acoustics, New Paltz, New York, Oct. 1999*.
- [62] A. Batliner, R. Kompe, A. Kießling, M. Mast, H. Niemann, and E. Nöth, "M = syntax + prosody: A syntactic-prosodic labelling scheme for large spontaneous speech databases," *Speech Communication*, vol. 25, pp. 193–222, 1998.
- [63] S. Renals, D. Abberley, D. Kirby, and T. Robinson, "Indexing and retrieval of broadcast news," *Speech Communication*, vol. 32, pp. 5–20, 2000.
- [64] P. Delacourt and C.J. Wellekens, "DISTBIC: A speaker-based segmentation for audio data indexing," *Speech Communication*, vol. 32, pp. 111–126, 2000.
- [65] K. Bush, A. Ganapathiraju, P. Kornman, J. Trimble III, and L. Webster, "A comparison of energy-based endpoint detectors for speech signal processing," in *Proceedings of the IEEE Southeastcon, Tampa, Florida, USA, Apr. 1996*.
- [66] L.R. Rabiner, "A tutorial on hidden Markov models and selected applications in speech recognition," *Proceedings of the IEEE*, vol. 77, no. 2, pp. 257–286, Feb. 1989.
- [67] L.R. Rabiner and B.H. Juang, "An introduction to hidden Markov models," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, pp. 4–16, Jan. 1986.
- [68] J. Deller, J.H.L. Hansen, and J. Proakis, *Discrete-Time Processing of Speech Signals*, IEEE Press, New York, 2000.
- [69] C.M. Bishop, *Neural Networks for Pattern Recognition*, Clarendon Press, Oxford, 1995.
- [70] S. Haykin, *Neural networks: a comprehensive foundation*, Prentice-Hall, Inc., Upper Saddle River, New Jersey, 2nd edition, 1999.
- [71] W. Maass and C.M. Bishop, Eds., *Pulsed Neural Networks*, The MIT Press, Cambridge, Massachusetts, 1999.

- [72] D. Morgan, *Neural Network based Speech Processing*, Kluwer Academic Publishers, Norwell, Massachusetts, 1991.
- [73] R.P. Lippmann, "An introduction to computing with neural nets," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. 4, no. 2, pp. 4–22, Apr. 1987.
- [74] B. Widrow and M.A. Lehr, "30 years of adaptive neural networks: Perceptron, madaline, and backpropagation," *Proceedings of the IEEE*, vol. 78, no. 9, pp. 1415–1442, Sept. 1990.
- [75] R. Rojas, *Neural Networks: A Systematic Introduction*, Springer-Verlag, Berlin, Germany, 1996.
- [76] J. Hertz, A. Krogh, and R.G. Palmer, *Introduction to the theory of neural computation*, A lecture notes volume in the Santa Fe Institute studies in the sciences of complexity. Addison-Wesley Publishing Company, Redwood City, California, 1991.
- [77] A. Carling, *Introducing Neural Networks*, Sigma Press, Wilmslow, United Kingdom, 1992.
- [78] R.J. Mammone and Y.Y. Zeevi, *Neural networks: theory and applications*, Academic Press, Inc., San Diego, California, 1991.
- [79] I. Pitas, Ed., *Parallel algorithms: for digital image processing, computer vision, and neural networks*, John Wiley and Sons, Inc., New York, 1993.
- [80] R. Hecht-Nielsen, *Neurocomputing*, Addison-Wesley Publishing Company, Reading, Massachusetts, 1990.
- [81] L.A. Zadeh, "Fuzzy sets," *Information and Control*, vol. 8, pp. 338–353, 1965.
- [82] L.A. Zadeh, "Outline of a new approach to the analysis of complex systems and decision processes," *IEEE Transactions on Systems, Man, and Cybernetics*, vol. SMC-3, no. 1, pp. 28–44, Jan. 1973.

- [83] C. Von Altrock, *Fuzzy logic and neurofuzzy applications explained*, Prentice-Hall, Inc., Upper Saddle River, New Jersey, 1995.
- [84] S.J. Russel and P. Norvig, *Artificial intelligence: a modern approach*, Prentice-Hall, Inc., Upper Saddle River, New Jersey, 1995.
- [85] J.H. Mathews, *Numerical methods for mathematics, science, and engineering*, Prentice-Hall, Inc., Englewood Cliffs, New Jersey, 1990.
- [86] W.H. Press, S.A. Teukolsky, W.T. Vetterling, and B.P. Flannery, *Numerical Recipes in C - The Art of Scientific Computing*, Cambridge University Press, New York, 2nd edition, 1992.
- [87] W.T. Vetterling, S.A. Teukolsky, W.H. Press, and B.P. Flannery, *Numerical Recipes - Example Book (C)*, Cambridge University Press, New York, 2nd edition, 1992.
- [88] I. Miller and M. Miller, *John E. Freund's Mathematical Statistics*, Prentice-Hall, Inc., Upper Saddle River, New Jersey, 6th edition, 1999.
- [89] M.R. Spiegel, *Theory and problems of probability and statistics*, Prentice-Hall, Inc., Upper Saddle River, New Jersey, SI (metric) edition, 1999.
- [90] R.O. Duda and P.E. Hart, *Pattern Classification and Scene Analysis*, Wiley, New York, 1973.
- [91] L.R. Rabiner and S.E. Levinson, "A speaker-independent, syntax-directed, connected word recognition system based on hidden Markov models and level building," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-33, no. 3, pp. 561–573, June 1985.
- [92] F. Jelinek, "Continuous speech recognition by statistical methods," *Proceedings of the IEEE*, vol. 64, no. 4, pp. 532–556, Apr. 1976.
- [93] B.H. Juang and L.R. Rabiner, "Mixture autoregressive hidden Markov models for speech signals," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-33, no. 6, pp. 1404–1413, Dec. 1985.

- [94] K.-F. Lee and H.-W. Hon, "Speaker-independent phone recognition using hidden Markov models," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. 37, no. 11, pp. 1641–1648, Nov. 1989.
- [95] C.-H. Lee and L.R. Rabiner, "A frame-synchronous network search algorithm for connected word recognition," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. 37, no. 11, pp. 1649–1658, Nov. 1989.
- [96] L.R. Bahl, P.F. Brown, P.V. De Souza, R.L. Mercer, and M.A. Picheny, "A method for the construction of acoustic Markov models for words," *IEEE Transactions on Speech and Audio Processing*, vol. 1, no. 4, pp. 443–452, Oct. 1993.
- [97] H. Ney, "The use of a one-stage dynamic programming algorithm for connected word recognition," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-32, no. 2, pp. 263–271, Apr. 1984.
- [98] C.S. Myers and S.E. Levinson, "Speaker independent connected word recognition using a syntax-directed dynamic programming procedure," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-30, no. 4, pp. 561–565, Aug. 1982.
- [99] F. Charot, P. Frison, and P. Quinton, "Systolic architectures for connected speech recognition," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-34, no. 4, pp. 765–779, Aug. 1986.
- [100] M.A. Bush and G.E. Kopec, "Network-based connected digit recognition," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-35, no. 10, pp. 1401–1413, Oct. 1987.
- [101] A.E. Rosenberg, L.R. Rabiner, J.G. Wilpon, and D. Kahn, "Demisyllable-based isolated word recognition system," *IEEE Transactions on Acoustics, Speech, and Signal Processing*, vol. ASSP-31, no. 3, pp. 713–726, June 1983.
- [102] S.B. Davis and P. Mermelstein, "Comparison of parametric representations for monosyllabic word recognition in continuously spoken sentences," *IEEE Trans-*



- [111] J.L. Elman, "Generalization, simple recurrent networks, and the emergence of structure," in *Proceedings of the Twentieth Annual Conference of the Cognitive Science Society*, M.A. Gernsbacher and S. Derry, Eds. Lawrence Erlbaum Associates, Mahwah, NJ, 1998.
- [112] J.L. Elman, "Finding structure in time," *Cognitive Science*, vol. 14, pp. 179–211, 1990.
- [113] J.E.W. Holm and E.C. Botha, "Leap-frog is a robust algorithm for training neural networks," *Network: Computation in Neural Systems*, vol. 10, pp. 1–13, 1999.
- [114] T. Burrows and M. Niranjana, "The use of recurrent neural networks for classification," in *IEEE Workshop on Neural Networks for Signal Processing IV*, Piscataway, New Jersey, USA, 1994, pp. 117–125.
- [115] T. Robinson, "Several improvements to a recurrent error propagation network phone recognition system," Tech. Rep. CUED/F-INFENG/TR82, Cambridge University, United Kingdom, Sept. 1991.
- [116] M. Schuster, "Learning out of time series with an extended recurrent neural network," in *Proceedings of the IEEE Neural Network Workshop for Signal Processing, Kyoto, Japan*, 1996, pp. 170–179.
- [117] M. Schuster and K.K. Paliwal, "Bidirectional recurrent neural networks," *IEEE Transactions on Signal Processing*, vol. 45, no. 11, pp. 2673–2681, Nov. 1997.
- [118] M. Schuster, "Neural networks for speech processing," in *Encyclopedia of Electrical and Electronic Engineering*. John Wiley and Sons, 1999.
- [119] Y. Bengio, *Neural Networks for Speech and Sequence Recognition*, International Thomson Computer Press, London, 1996.
- [120] H.A. Bourlard and N. Morgan, *Connectionist speech recognition: a hybrid approach*, Kluwer Academic Publishers, Norwell, Massachusetts, 1994.



- [121] M. Schuster, "Acoustic model building based on non-uniform segments and bi-directional recurrent neural networks," in *Proceedings of ICASSP 97, Munich, Germany*, 1997, pp. 3249–3252.
- [122] S. Haykin, *Communication Systems*, John Wiley and Sons, Inc., New York, third edition, 1994.
- [123] F.H. Liu, *Environmental Adaption for Robust Speech Recognition*, Ph.D. thesis, Department of Electrical and Computer Engineering, Carnegie Mellon University, Pittsburgh, Pennsylvania, June 1994.
- [124] U. Jain, "Connected digit recognition over long distance telephone lines using the SPHINX-II system," M.S. thesis, Department of Electrical and Computer Engineering, Carnegie Mellon University, Pittsburgh, Pennsylvania, May 1996.
- [125] S. Young and N. Russell, "Token passing: a simple conceptual model for connected speech recognition systems," Tech. Rep. 38, Cambridge University Engineering Department, United Kingdom, 1989.
- [126] L.A. Feldkamp and G.V. Puskorius, "A signal processing framework based on dynamic neural networks with application to problems in adaption, filtering, and classification," *Proceedings of the IEEE*, vol. 86, no. 11, pp. 2259–2277, Nov. 1998.
- [127] G.V. Puskorius, L.A. Feldkamp, L.I. Davis, and Jr., "Dynamic neural network methods applied to on-vehicle idle speed control," *Proceedings of the IEEE*, vol. 84, no. 10, pp. 1407–1420, Oct. 1996.
- [128] E. Barnard, "Optimization for training neural nets," *IEEE Transactions on Neural Networks*, vol. 3, no. 2, pp. 232–240, Mar. 1992.
- [129] E. Barnard and E.C. Botha, "Back-propagation uses prior information efficiently," *IEEE Transactions on Neural Networks*, vol. 4, no. 5, pp. 794–802, Sept. 1993.
- [130] O. Nerrand, P. Roussel-Ragot, D. Urbani, L. Personnaz, and G. Dreyfus, "Training recurrent neural networks: why and how? an illustration in dynamical

- process modeling,” *IEEE Transactions on Neural Networks*, vol. 5, no. 2, pp. 178–183, Mar. 1994.
- [131] O. Olurotimi, “Recurrent neural network training with feedforward complexity,” *IEEE Transactions on Neural Networks*, vol. 5, no. 2, pp. 185–196, Mar. 1994.
- [132] B.A. Pearlmutter, “Gradient calculations for dynamic recurrent neural networks: A survey,” *IEEE Transactions on Neural Networks*, vol. 6, no. 5, pp. 1212–1228, Sept. 1995.
- [133] P.J. Werbos, “Backpropagation through time: What it does and how to do it,” *Proceedings of the IEEE*, vol. 78, no. 10, pp. 1550–1560, Oct. 1990.
- [134] P.J. Werbos, “Generalization of backpropagation with application to a recurrent gas market model,” *Neural Networks*, vol. 1, pp. 339–356, 1988.
- [135] R.J. Williams and J. Peng, “An efficient gradient-based algorithm for on-line training of recurrent network trajectories,” *Neural Computation*, vol. 2, pp. 490–501, 1990.