

- ACOCKS, J.P.H. (1953). Veld types of South Africa.  
Mem. Bot. Surv. S. Afr. 28 : 1-192.
- ALCALA, A.C. & BROWN, W.C. (1967). Population Ecology of the tropical scincoid lizard Emoia atrocostata in the Phillipines.  
Copeia 1967 : 596-604.
- AL-HAMID, MAHMOND IBRAHIM (1954). The use of dyes for marking fish.  
Prog. Fish-Cult. 16 : 25-29.
- BARBAULT, R. (1971). Les peuplement d'Ophidiens des Savanes de Lamto (Côte d'Ivoire).  
Ann. Univ. Abidjan, E. 4 : 133-193.
- BARBAULT, R. (1973). Structure et Dynamique d'un peuplement de Lezards: Les Scincides de la Savanna de Lamto (Côte d'Ivoire).  
 These de Doctorat es Sciences-Naturelles. A L'Université Paris VI.
- BARBAULT, R. (1974 (a)). Dynamique des Populations Naturelles du Lezars Panaspis nimbaensis dans les Savanes de Lamto (Côte d'Ivoire)  
Bull. Soc. zool. Fr. 99 : 345-361.
- BARBAULT, R. (1974 (b)). Le regime alimentaire des Amphibiens de la Savane de Lamto (Côte d'Ivoire).  
Bull. Inst. fr. Afr. noire 36 : 952-972.
- BARBAULT, R. (1975) Analyse d'un écosysteme tropical humide : la Savane de Lamto (Côte d'Ivoire). IV Les Vertebres.  
 Les peuplements d'Amphibiens et de Reptiles de la Savane de Lamto. Bulletin d'Liaison des Chercheurs d'Lamto, Programme Biologique Internationale, pp. 2-37.
- BARBAULT, R. (1976 a). Population dynamics and reproductive patterns of three African skinks.  
Copeia 1976 : 483-490.
- BARBAULT, R. (1976 b). Notes sur la composition et la diversite specifiques d'un herpetocenose tropicale (Bouake, Côte d'Ivoire).  
Bull. Inst. fr. Afr. noire 38 : 445-456.
- BARBAULT, R. (1976 c). Structure et Dynamique d'un peuplement d'Amphibiens en Savane protegee du Feu (Lamto, Côte d'Ivoire).  
Rev. Ecol.(Terre Vie) 50 : 246-263.

- BARBAULT, R. (1976 d). Contribution a la theorie des strategies demographiques Recherches sur leur Déterminisme Ecologique chez les Lézards.  
Bull. Soc. zool. Fr. 101 : 671-693.
- BAUERLE, BRUCE (1971). Snakes and lizards of the Pawnee Site.  
 Grassland Biome. U.S. International Biological Program  
 Technical Report No. 120 : 1-45.
- BAUERLE, BRUCE (1972). Biological productivity of snakes of the Pawnee Site, 1970-1971.  
 Grassland Biome U.S. International Biological Program  
 Technical Report No. 207 : 1-72.
- BLANCHARD, FRANK N and FINSTER, ETHEL, B. (1933). A method of marking living snakes for future recognition, with a discussion of some problems and results.  
Ecology, 14 : 334-347.
- BRANCH, WILLIAM R. and PATTERSON, ROD W. (1976). Notes on eggs and hatchlings of Xenocalamus bicolor lineatus Roux from South Africa.  
Herpet. Rev. 7 : 116-117.
- BROADLEY, D.G. (1967). The life cycles of two sympatric species of Ichnotropis (Sauria : Lacertidae).  
Zool. Afr. 3 : 1-2.
- BROADLEY, D.G. (1976). The status of herpetology in Southern Africa.  
Zool. Afr. 11 : 233-240.
- BROADLEY, D.G. (1979). A field study of two sympatric 'Annual' lizards (genus Ichnotropis) in Rhodesia.  
S. Afr. J. Zool. 14 : 113-138.
- BROADLEY, D.G. & COCK, E.V. (1975). Snakes of Rhodesia.  
 Bundu Series Longman Rhodesia.
- CARRUTHERS, V. (1982). Frogs pp. 83-90 in: The Sandton Field Book - A Guide to the Natural History of the Witwatersrand (ed.) V. Carruthers. The Sandton Nature Conservation Society.
- CHAPMAN, D.G. (1954). The estimation of biological populations.  
Ann. math. Statist. 25 (1) : 1-15.
- CHAPMAN, D.G. & OVERTON, W.S. (1966). Estimating and testing differences between population levels by the Schnabel Estimation Method.  
J. Wildl. Mgmt 30 (1) : 173-180.

- CLOUDSLEY-THOMPSON, J.L. (1967). Diurnal rhythm, temperature and water relations of the African Toad, Bufo regularis.  
J. Zool., Lond. 152 : 43-54.
- COETZEE, B.J., VAN DER MEULEN, F., ZWANZIGER, S., GONSALVES, P. and WEISSER, P.J. (1977). A phytosociological classification of the Nylsvley Nature Reserve.  
South Afr. Natl Sci. Programmes Rep. 20 : 1-31.
- COWLES, RAYMOND BRIDGMAN (1930). The life history of Varanus niloticus (Linnaeus) as observed in Natal, South Africa.  
J. Ent. Zool. (1930) : 3 - 31.
- DARGAN, LUCAS M. and STICKEL, WILLIAM H. (1949). An experiment with snake trapping.  
Copeia 1949 : 264-268.
- DEGENHARDT, WILLIAM G. (1966). A method of counting some diurnal ground lizards of the Genera Holbrookia and Cnemidophorus with results from the Big Bend National Park.  
Am. Midl. Nat. 75 : 61-100.
- DeLURY, D.B. (1951). On the planning of experiments for the estimation of fish populations.  
J. Fish. Res. Bd Can. 8 : 281-307.
- DUNN & COKER (1951). Notes on marking live fish with biological stains.  
Copeia 1951 (1) : 28-31.
- EBERHARDT, L.L. (1969). Population estimation from recapture frequencies.  
J. Wildl. Mgmt 33 : 28-39.
- EBERHARDT, L.L. (1978). Transect methods for population studies.  
J. Wildl. Mgmt 42 : 1-31.
- FITCH, HENRY S. (1970). Reproductive cycles in lizards and snakes. Museum of National History. The University of Kansas.
- FITCH, HENRY S. and SHIRER, HAMPTON W. (1971). A radiotelemetric study of spatial relationships in some common snakes.  
Copeia 1971 : 118-128.
- FITZSIMONS, V.F.M. (1962). Snakes of Southern Africa.  
 Purnell & Sons, Cape Town : Johannesburg.
- GOIN, COLEMAN J, GOIN, OLIVE B. and ZUG, GEORGE, R. (1978).  
 Introduction to Herpetology.  
 W.H. Freeman and Company, San Francisco.
- GREER, ALLEN E (1967). The ecology and behaviour of two sympatric Lygodactylus geckos.  
Breviora 268 : 1-19.

- HARMSE, H.J. VON M. (1977). Grondsoorte van die Nylsvleynatuurreservaat.  
South Afr. Natl Sci. Programmes Rep. 16 : 1-64.
- HEATWOLE, HAROLD (1977). A review of structuring in Herpetofaunal Assemblages.  
 In : Herpetological Communities - A Symposium of the Society for the Study of Amphibians and Reptiles and the Herpetologists League, August 1977. Ed: Norman J. Scott Jr.  
 Wildl. Res. Rep. (US). 13 : 1-19.
- HENDERSON, ROBERT W., and BINDER, MARY H. (1981). The ecology and behaviour of vine snakes (Ahaetulla, Oxybelis, Thelotornis, Uromacer): A Review.  
Publs. Biol. Geol. Milwaukee publ. Mus. pp. 1-38.
- HIRST, S.M. (1975). Savanna Ecosystem Project - Progress Report 1974/75  
South Afr. Natl Sci. Programmes Rep. 3 : 1-27.
- HUNTLEY, B.J. (1977). Savanna Ecosystem Project : Progress Report 1975/76.  
South Afr. Natl Sci. Programmes Rep. 12 : 1-41.
- HUNTLEY, B.J. (1978). Nylsvley - A South African Savanna Ecosystem Project : Objectives, Organization and Research Programme.  
South Afr. Natl Sci. Programmes Rep. 27 : 1-35.
- INGER, ROBERT F., and COLWELL, ROBERT K. (1977). Organization of contiguous communities of amphibians and reptiles in Thailand.  
Ecol. Monogr. 47 : 229-253.
- JACOBSEN, N.H.G. (1977). An annotated checklist of the amphibians, reptiles and mammals of the Nylsvley Nature Reserve.  
South Afr. Natl Sci. Programmes Rep. 21 : 1-65.
- JOLLY, G.M. (1963). Estimates of population parameters from multiple recapture data with both death and dilution deterministic model.  
Biometrika 50 (1 & 2) : 113-128.
- KELLY, W.H. (1967). Marking freshwater and marine fish by injected dyes.  
Trans. Amer. Fish. Soc. 96 (2) : 163-175.
- LOVERIDGE, J.P. (1976). Strategies of water conservation in Southern African frogs.  
Zool. Afr. 11 : 319-333.
- LUBKE, R.A. CLINNING, C.F., and SMITH, F.R. (1975).  
 A quantitative ecological survey of the woody vegetation of the Nylsvley Study Area.  
 A report submitted to the National Committee for Environmental Sciences on the Nylsvley Ecosystem Project  
 pp. 1-23. Typescript.

- ODUM, EUGENE P. (1971). Fundamentals of Ecology : Third Edition.  
 W.B. Saunders Company, Philadelphia, London, Toronto.
- PARRY, C.R., and CAVILL, R. (1978). A note on cocoon formation and structure in Pyxicephalus adspersus Tschudi (ANURA: RANIDAE).  
Proc. Trans. Rhod. Scient. Ass. 58 (9) : 55-58.
- PIANKA, E.R. (1969). Habitat specificity, speciation and species density in Australian desert lizards.  
Ecology 50 : 498-502.
- PIANKA, E.R. (1977). Reptilian species diversity pp. 1-34.  
 in: Biology of the Reptilia (ed.) Carl Gans. Vol. 7. Ecology and Behaviour A (Coed. for this volume) Donald W. Tinkle.  
 Academic Press, London, New York, San Francisco.
- POYNTON, J.C., and PRITCHARD, S. (1976). Notes on the biology of Breviceps (ANURA : MICROHYLIDAE).  
Zool. Afr. 11 : 313-318.
- SCHAEFER, MILNER B. (1951). Estimation of size of animal populations by marking experiments.  
Fishery Bull. Fish Wildl. Serv. U.S. 52 : 191-203.
- SPELLENBERG, I.F. (1977). Marking live snakes for identification of individuals in population studies.  
J. appl. Ecol. 14 : 137-138.
- STAMPS, J.A. (1977). Social behaviour and spacing patterns in lizards pp. 265-334. In: Biology of the Reptiles (ed.) Carl Gans, Vol. 7, Ecology and Behaviour A (Coed. for this volume) Donald, W. Tinkle.  
 Academic Press, London, New York, San Francisco.
- SWEENEY, R.C.H. (1961). Snakes of Nyasaland.  
 The Nyasaland Society and The Nyasaland Government.
- SZIDAT, HORST (1968). Eine Methode zur Erkennung des Geschlechtes bei Squamaten.  
Der Zool. Garten, Bd 35 : 282-289.
- TARBOTON, W.R. (1980). Avian populations in Transvaal Savanna.  
Proc. IV. Pan. Afr. Orn. Congr. 113-124.

- TAYLOR, P. (1982). Notes on the ecology and life history of the light-nosed toad Bufo garmani Meek in the Lowveld.  
The Zimbabwe Science News 16 : 60-62.
- TEMBY, IAN D. (1977). The non-ungulate mammals at Nylsvley.  
Report to the South African Scientific Programmes  
Committee pp. 1-54 Typescript.
- VAN DIJK, D.E. (1971). Anuran ecology in relation particularly to oviposition and development out of water.  
Zool. Afr. 6 : 119-132.
- WAGER, V.A. (1965). The frogs of South Africa.  
Purnell & Sons, Cape Town : Johannesburg.
- WEARY, G.C. (1969). An improved method of marking snakes.  
Copeia 1969 : 854-855.
- WESTERN, DAVID (1974). The distribution, density and biomass density of lizards in the semi-arid environment of northern Kenya.  
E. Afr. Wildl. J. 12 : 49-62
- WILSON, V.J. (1965). The snakes of the eastern province of Zambia.  
Puku. Occasional Papers of the Department of Game and Fisheries (Zambia) 3 : 149-170.
- WOODBURY, ANGUS M. (1948). Marking reptiles with an electric tattooing outfit.  
Copeia 1948 : 127-128.
- WOODBURY, ANGUS M. (1956). Uses of marking animals in ecological studies : Marking amphibians and reptiles.  
Ecology 37 : 670-674.
- WOODWARD, S.F. (1933). A few notes on the persistence of active spermatozoa in the African night adder Causus rhombeatus.  
Proc. zool. Soc. Lond. 1933 : 189-190.