

## References



Abraham, G. and Banerjee, A.K. 1976. Sequential transcription of the genes of vesicular stomatitis virus. *Proc. Natl. Acad. Sci. USA.* **73**, 1504-1508.

Anzai, J., Takamatsu, F., Takeuchi, K., Kohno, T., Morimoto, K., Goto, H., Minamoto, N. and Kawai, A. 1997. Identification of a phosphatase-sensitive epitope of rabies virus nucleoprotein which is recognized by a monoclonal antibody 5-2-26. *Microbiol.Immunol.* **41**, 229-240.

Ball, L.A., White, C.N. 1976. Order of transcription of genes of vesicular stomatitis virus. *Proc. Natl. Acad. Sci. USA.* **73**, 442-6.

Baltimore, D., Huang, A.S. and Stampfer, M. 1970. Ribonucleic acid synthesis of vesicular stomatitis virus. II An RNA polymerase in the virion. *Proc. Natl. Acad. Sci. USA.* **66**, 572-576.

Banerjee, A.K. 1987. Transcription and replication of Rhabdoviruses. *Microbiol.Rev.* **51**, 66-87.

Banerjee, A.K., Abraham, G. and Colonno, R.J. 1977. Vesicular stomatitis virus: mode of transcription. *J. Gen. Virol.* **34**, 1-8.

Banerjee, A.K. and Barik, S. 1992. Gene expression of vesicular stomatitis virus genome RNA. *Virology*, **188**: 417-428.

Barge, A., Gagnon, J., Chaffotte, A., Timmins, P., Langowski, J., Ruigrok, R.W.H. and Gaudin, Y. 1996 Rod-like shape of vesicular stomatitis virus matrix protein. *Virology*, **219**, 465-470.

Barik, S. and Banerjee, A.K. 1991. Cloning and expression of the vesicular stomatitis virus phosphoprotein gene in *Escherichia coli*: analysis of phosphorylation status versus transcriptional activity. *J. Virol.* **65**, 1719-1726.

Barik, S. and Banerjee, A.K. 1992a. Phosphorylation by cellular casein kinase II is essential for transcriptional activity of vesicular stomatitis virus phosphoprotein P. *Proc. Natl. Acad. Sci. USA.* **89**, 6570-6574.

Barik, S. and Banerjee, A.K. 1992b. Sequential phosphorylation of the phosphoprotein of vesicular stomatitis virus by cellular and viral protein kinases is essential for transcription activation. *J. Virol.* **66**, 1109-1118.

Barr, J.N., Whelan, S.P.J. and Wertz, G.W. 1997a. *cis*-Acting signals involved in termination of vesicular stomatitis virus mRNA synthesis include the conserved AUAC and the U7 signal for polyadenylation. *J. Virol.* **71**, 8718-8725.

Barr, J.N., Whelan, S.P.J. and Wertz, G.W. 1997b. Role of the intergenic dinucleotide in vesicular stomatitis virus RNA transcription. *J.Virol.* **71**, 1794-1801.

Bell, J.C., Brown, E.J., Takayesu, D. and Prevec, L. 1984. Protein kinase activity associated with immunoprecipitate of the vesicular stomatitis virus phosphoprotein NS. *Virology.* **132**, 220-238.



Berg, M., Ehrenborg, C., Blumberg, J., Pipkorn, R. and Berg, A. 1998. Two domains of the borna disease virus p40 protein are required for interaction with the p23 protein. *J.Gen.Virol.* **79**, 2957-2963.

Birnboim, H.C. and Doly, J. 1979. A rapid alkaline extraction procedure for screening recombinant plasmid DNA. *Nucleic Acids Research*, **7**, 1513-1523.

Blumberg, B.M., Giorgi, C. and Kolakofsky, D. 1983. N protein of vesicular stomatitis virus selectively encapsidates leader RNA in vitro. *Cell.* **32**, 559-567.

Blumberg, B.M., Giorgi, C., Rose, K. and Kolakofsky, D. 1984. Preparation and analysis of the nucleocapsid proteins of vesicular stomatitis virus and Sendai virus, and analysis of the sendai virus leader-NP gene region. *J. Gen. Virol.* **65**, 769-779.

Blumberg, B.M. and Leppert, M. and Kolakofsky, D. 1981. Interaction of VSV leader RNA and Nucleocapsid protein may control VSV genome replication. *Cell.* **23**, 837-845.

Bourhy, H., Kissi, B. and Tordo, N. 1993. Molecular diversity of the *Lyssavirus* genus. *Virology*, **194**, 70-81.

Bourhy, H., Tordo, N., Lafon, M. and Sureau, P. 1989. Complete cloning and molecular organization of a rabies-related virus, mokola virus. *J.Gen.Virol.*, **70**, 2063-2074.

Brown, N. and Faulkner, P. 1977. A plaque assay for nuclear polyhedrosis virus using a solid overlay. *J. Gen. Virol.*, **36**, 361-364.

Chattopadhyay, D. and Banerjee, A.K. 1987b. Phosphorylation within a specific domain of the phosphoprotein of vesicular stomatitis virus regulates transcription *in vitro*. *Cell*, **49**, 407-414.

Chattopadhyay, D. and Banerjee, A.K. 1988. NH<sub>2</sub>-terminal acidic region of the phosphoprotein of vesicular stomatitis virus can be functionally replaced by tubulin. *Proc. Natl. Acad. Sci. USA.* **85**, 7977-7981.

Chen, J., Tapas, D. and Banerjee, A.K. 1997. Phosphorylated states of vesicular stomatitis virus P protein *in vitro* and *in vivo*. *Virology.* **228**, 200-212.

Chenik, M., Chebli, K. and Blondel, D. 1995. Translation initiation at alternate in-frame AUG codons in the rabies virus phosphoprotein mRNA is mediated by ribosomal leaky scanning mechanism. *J.Virol.* **69**, 707-712.

Chenik, M., Chebli, K., Gaudin, Y. and Blondel, D. 1994. *In vivo* interaction of rabies virus phosphoprotein (P) and nucleoprotein (N): existence of two N-binding sites on P protein. *J. Gen. Virol.* **75**, 2889-2896.

Chenik, M., Schnell, M., Conzelmann, K.K. and Blondel, D. 1998. Mapping the interacting

- domains between the rabies virus polymerase and phosphoprotein. *J. Virol.* **72**, 1925-1930.
- Conzelmann, K., Cox, J.H., Schneider, L.G. and Thiel, H. 1990. Molecular cloning and complete nucleotide sequence of the attenuated rabies virus SAD B19. *Virology.* **175**, 485-499.
- Coslett, D.G., Holloway, B.P. and Obijeski, J.F. 1980. The structural proteins of rabies virus and evidence for their synthesis from separate monocistronic RNA species. *J. Gen. Virol.* **49**, 161-180.
- Coulon, P., Lafay, F. and Flamand, A. 1993. Rabies virus antigenicity: an overview. *Onderstepoort J. Vet. Res.* **60**, 271-275.
- Das, T. and Banerjee, A.K. 1993. Expression of the vesicular stomatitis virus nucleocapsid protein gene in *Escherichia coli*: analysis of its biological activity *in vitro*. *Virology.* **193**, 340-347.
- Davis, N.L., Arnheiter, H. and Wertz, G.W. 1986. Vesicular stomatitis virus N and NS proteins form multiple complexes. *J. Virol.* **59**, 751-754.
- De, B.P. and Banerjee, A.K. 1985. Requirements and functions of vesicular stomatitis virus L and NS proteins in the transcription process *in vitro*. *Biochem. Biophys. Res. Commun.* **126**, 40-49.
- De, B.P., Das, T. and Banerjee, A.K. 1997. Role of cellular kinases in the gene expression of nonsegmented negative strand RNA viruses. *Biol. Chem.* **378**, 489-493.
- Emerson, S.U. 1982. Reconstitution studies detect a single polymerase entry site on the vesicular stomatitis virus genome. *Cell*, **31**, 635-642.
- Emerson, S.U. 1987. *The rhabdoviruses*. New York: Plenum.
- Emerson, S.U. and Schubert, M. 1987. Location of the binding domains for the RNA polymerase L and the ribonucleocapsid template within different halves of the NS phosphoprotein of vesicular stomatitis virus. *Proc. Natl. Acad. Sci. USA.* **84**, 5655-5659.
- Emerson, S.U. and Yu, Y.H. 1975. Both NS and L proteins are required for *in vitro* RNA synthesis by vesicular stomatitis virus. *J. Virol.* **15**, 1348-1356.
- Erlich, H.A., Gelfand, D. and Sninsky, J.J. 1991. Recent advances in the polymerase chain reaction. *Science*, **252**, 1643-1651.
- Finke, S., Cox, J.H. and Conzelmann, K. 2000. Differential transcription attenuation of rabies virus genes by intergenic regions: Generation of recombinant viruses overexpressing the polymerase gene. *J. Virol.* **74**, 7261-7269.
- Flamand, A., and Delagneau, J.F. 1978. Transcriptional mapping of rabies virus *in vivo*. *J. Virol.* **28**, 518-523.



- Frangioni, J.V. and Neel, B.G. 1993. Solubilization and purification of enzymatically active glutathione S-transferase (pGEX) fusion proteins. *Anal. Biochem.* **210**, 179-187.
- Fraenkel-Conrat, H., Kimball, P.C., Levy, J.A. 1988. *Virology*, 2<sup>nd</sup> Ed., New Jersey, Prentice Hall, Inc.
- Follett, E.A.C., Pringle, C.R., Wunner, W.H. and Skehel, J.J. 1974. Virus replication in enucleated cells: vesicular stomatitis virus and influenza virus. *J. Virol.* **13**, 394-399.
- Fu, Z.F., Dietzschold, B., Schumacher, C.L., Wunner, W.H., Ertl, H.C.J. and Koprowski, H. 1991. Rabies virus nucleoprotein expressed in and purified from insect cells is efficacious as a vaccine. *Proc. Natl. Acad. Sci. USA.* **88**, 2001-2005.
- Fu, Z.F., Zheng, Y., Wunner, W.H., Koprowski, H. and Dietzschold, B. 1994. Both the N- and the C-terminal domains of the nominal phosphoprotein of rabies virus are involved in binding to the nucleoprotein. *Virology.* **200**, 590-597.
- Galarza, J.M., Sowa, A., Hill, V.M., Skorko, R. and Summers D.F. 1992. Influenza A virus NP protein expressed in insect cells by a recombinant baculovirus is associated with a protein kinase activity and possesses single-stranded RNA binding activity. *Virus Res.* **24**, 91-106.
- Gao, Y. and Lenard, J. 1995. Multimerization and transcriptional activation of the phosphoprotein (P) of vesicular stomatitis virus by casein kinase-II. *EMBO J.*, **14**, 1240-1247.
- Gigant, B., Iseni, F., Gaudin, Y., Knossow, M. and Blondel, D. 2000. Neither phosphorylation nor the amino-terminal part of rabies virus phosphorylation is required for its oligomerization. *J.Gen.Virol.* **81**, 1757-1761.
- Gill, D.S., Chattopadhyay, D., and Banerjee, A.K. 1986. Identification of a domain within the phosphoprotein of vesicular stomatitis virus that is essential for transcription *in vitro*. *Proc. Natl. Acad. Sci. USA.* **83**, 8873-8877.
- Gill, D.S. and Banerjee, A.K. 1985. Vesicular stomatitis virus NS proteins: structural similarity without extensive sequence homology. *J. Virol.* **55**, 60-66.
- Giorgi, C., Blumberg, B. and Kolakofsky, D. 1983. Sequence determination of the (+) leader RNA regions of the vesicular stomatitis virus Chandipura, Cocal, and Piry serotype genomes. *J. Virol.* **46**, 125-130.
- Gupta, A.K. and Banerjee, A.K. 1997. Expression and purification of vesicular stomatitis virus N-P complex from *Escherichia coli*: role in genome RNA transcription and replication *in vitro*. *J. Virol.* **71**, 4264-4271.
- Gupta, A.K., Blondel, D., Choudhary, S. and Banerjee, A.K. 2000. The phosphoprotein of rabies virus is phosphorylated by a unique cellular protein kinase and specific isomers of Protein Kinase C.

*J. Virol.* **74**, 91-98.

Gupta, A.K., Das, T. and Banerjee, A.K. 1995. Casein kinase II is the P protein phosphorylating cellular kinase associated with the ribonucleoprotein complex of purified vesicular stomatitis virus. *J. Gen. Virol.* **76**, 365-372.

Gupta, A.K., Drazba, J.A., Banerjee, A.K. 1998. Specific interaction of heterogeneous nuclear ribonucleoprotein particle U with the leader RNA sequence of vesicular stomatitis virus. *J. Virol.* **72**, 8532-40

Goto, H., Minamoto, N., Ito, H., Luo, T.R., Sugiyama, M., Kinjo, T. and Kawai, A. 1995. Expression of the nucleoprotein of rabies virus in *Escherichia coli* and mapping of antigenic sites. *Arch. Virol.* **140**, 1061-1074.

Hercyk, N., Horikami, S.M. and Moyer, S.A. 1988. The vesicular stomatitis virus L protein possesses the m RNA methyltransferase activities. *Virology*, **163**, 222-225.

Holloway, B.P., and Obijeski, J.F. 1980. Rabies virus-induced RNA synthesis in BHK-21 cells. *J. Gen. Virol.* **49**, 181-195.

Hudson, L.D., Condra, C., and Lazzarini, R.A. 1986. Cloning and expression of a viral phosphoprotein: Structure suggests vesicular stomatitis virus NS may function by mimicking an RNA template. *J. Gen. Virol.* **67**, 1571-1579.

Huisman, H., van Dijk, A.A. and Bauskin, A.R. 1987. In vitro phosphorylation and purification of a nonstructural protein of bluetongue virus with affinity for single-stranded RNA. *J. Virol.* **61**, 3589-3595.

Hummeler, K., Koprowski, H. and Wiktor, T.J. 1967. Structure and development of rabies virus in tissue culture. *J. Virol.* **1**, 152-170.

Hunt, D.M., Smith, E.G. and Buckley, D.W. 1984. Aberrant polyadenylation by a vesicular stomatitis mutant is due to an altered L protein. *J. Virol.* **52**, 515-521.

Hwang, L.N., Englund, N. and Pattnaik, A.K. 1998. Polyadenylation of vesicular stomatitis virus mRNA dictates efficient transcription termination at the intercistronic gene junction. *J. Virol.* **72**, 1805-1813

Isaac, C.L. and Keene, J.D. 1982. RNA polymerase-associated interactions near template promoter sequences of defective interfering particles of vesicular stomatitis virus. *J. Virol.* **43**, 241-249.

Iseni, F., Baudin, F., Blondel, D. and Ruigrok, R.W.H. 2000. Structure of the RNA inside the vesicular stomatitis virus nucleocapsid. *RNA*. **6**, 270-281.

Iseni, F., Barge, A., Baudin, F., Blondel, D. and Ruigrok, R.W.H. 1998. Characterization of rabies



- virus nucleocapsids and recombinant nucleocapsid-like structures. *J.Gen.Virol.* **79**, 2909-2919.
- Iverson, L.E. and Rose, J.K. 1981. Localized attenuation and discontinuous synthesis during vesicular stomatitis virus transcription. *Cell.* **23**, 477-484.
- Kawai, A. 1977. Transcriptase activity associated with rabies virion. *J. Virol.*, **24**, 826-835.
- Kawai, A., Toriumi, H., Tochikura, T.S., Takahashi, T., Honda, Y. and Morimoto, K. 1999. Nucleocapsid formation and/or subsequent conformational change of rabies virus nucleoprotein (N) is a prerequisite step for acquiring the phosphatase-sensitive epitope of monoclonal antibody 5-2-26. *Virol.* **263**, 395-407.
- Keene, J.D., Schubert, M., Lazzarini, R.A. and Rosenberg, M. 1978. Nucleotide sequence homology at the 3' termini of RNA from vesicular stomatitis virus and its defective interfering particles. *Proc. Natl. Acad. Sci. USA.* **75**, 3225-3229.
- Keen, J.D., Thornton, B.J. and Emerson, S.U. 1981. Sequence specific contacts between the RNA polymerase of vesicular stomatitis virus and the leader RNA gene. *Proc. Natl. Acad. Sci. USA.* **78**, 6191-6195.
- Kikkawa, U., Takai, Y., Minakuchi, R., Inohara, S. and Nishizuka, Y. 1982. Calcium-activated, phospholipid-dependent protein kinase from rat brain. *J. Boil. Chem.* **257**, 13341-13348.
- King, A.A. and Crick, J. 1988. *Rabies*. Boston :Kluwer Academic.
- King, A., Meredith, C. and Thompson, G. 1993. Canid and viverrid rabies viruses in South Africa. *Onderstepoort J. Vet. Res.*, **60**, 295-299.
- Kitts, P.A., Ayres, M.D. and Possee, R.D. 1990. Linearization of baculovirus DNA enhances the recovery of recombinant virus expression vectors. *Nucleic Acid Res.*, **18**, 5667-5672
- Klumpp, K., Ruigrok, R.W.H. and Baudin, F. 1997. Roles of the influenza virus polymerase and nucleoprotein in forming a functional RNP structure. *EMBO J.* **16**, 1248-1257.
- Krebs, J.W., Wilson, M.L. and Childs, J.E. 1995. Rabies - epidemiology, prevention and future research. *J.Mammalogy*, **76**, 681-694.
- Kurilla, M.G., Cabradilla, C.D., Holloway, B.P. and Keene, J.D. 1984. Nucleotide sequence and host La protein interactions of rabies virus leader RNA. *J.Virol.* **50**, 773-778.
- Kouznetzoff, A., Buckle, M. and Tordo, N. 1998. Identification of a region of the rabies virus N protein involved in direct binding to the viral RNA. *J.Gen.Virol.* **79**, 1005-1013.
- Kolakofsky, D., Vidal, S. and Curran, J. 1991. *The Paramyxoviruses*. New York/London: Plenum.

- Kozak, M. 1986. The scanning model of translation: an update. *J. Cell Biol.* **108**, 229-241.
- Kurilla, M. and Keene, J.D. 1983. The leader RNA of vesicular stomatitis virus is bound by a cellular protein reactive with anti-La lupus antibodies. *Cell.* **34**, 837-845.
- Kurilla, M.G., Piwnica-Worms, H. and Keene, J. 1982. Rapid and transient localization of the leader RNA of vesicular stomatitis virus in the nuclei of infected cells. *Proc. Natl. Acad. Sci. USA.* **79**, 5240-5244.
- Laemmli, U.K. 1970. Cleaving of the structural proteins during the assembly of the head of bacteriophage T4. *Nature*, **227**, 680-685.
- Lamb, R.A. and Kolakofsky, D. 1996. *Virology*. Philadelphia: Lippincott-Raven Publishers.
- Larson, J.K. and Wunner, W.H. 1990. Nucleotide and deduced amino acid sequences of the nominal nonstructural phosphoprotein of the ERA, PM and CVS-11 strains of rabies virus. *Nucleic Acids Res.* **18**, 7172.
- Leppert, M., Rittenhouse, L., Perrault, J., Summers, D.F. and Kolakofsky, D. 1979. Plus and minus strand leader RNAs in negative strand virus-infected cells. *Cell.* **18**, 735-747.
- Li, T. and Pattnaik, A.K. 1999. Overlapping signals for transcription and replication at the 3' terminus of the vesicular stomatitis virus genome. *J. Virol.* **73**, 444-452.
- Luckow, V.A., Lee, S.C., Barry, G.F. and Olins, P.O. 1993. Efficient generation of infectious recombinant baculoviruses by site-specific transposon-mediated insertion of foreign genes into a baculovirus genome propagated in *Escherichia coli*. *J. Virol.*, **67**, 4566.
- Marcus, P.I. and Sekellick, M.J. 1975. Cell killing by viruses. II. Cell killing by VSV: a requirement for virion derived transcription. *Virology*, **63**, 176-190.
- Marcus, P.I., Sekellick, M.J., Johnson, L.D. and Lazzarini, R.A. 1977. Cell killing by viruses, V. Transcribing defective interfering particles of VSV function as cell-killing particles. *Virology*, **82**, 242-246.
- Maree, F.F. 2001. Multimeric protein structures of African horsesickness virus and their use as antigen delivery systems. Ph.D. thesis, University of Pretoria, Pretoria.
- Marston, F.A.O. 1988. The purification of eukaryotic polypeptides synthesized in *Escherichia coli*. *Biochem. J.* **240**, 1-12.
- Matsumoto, S. 1974. Morphology of rabies virion and cytopathology of virus infected cells. *Symp. Ser. Immunobiol. Handb.* **21**, 25-34.
- McGowan, J.J., and Wagner, 1981. Inhibition of cellular DNA synthesis by vesicular stomatitis



virus. *J. Virol.* **38**, 356-367.

McGowan, J.J., Emerson, S.U. and Wagner, R.R. 1982. The plus-strand leader RNA of VSV inhibits DNA-dependent transcription of adenovirus and SV40 genes in a soluble whole cell extract. *Cell*, **28**, 325-333.

Mebatsion, T., Weiland, F. and Conzelmann, K.K. 1999. Matrix protein of rabies virus is responsible for the assembly and budding of bullet-shaped particles and interacts with the transmembrane spike glycoprotein G. *J. Virol.* **73**, 242-250.

Morimoto, K., Akamine, T., Takamatsu, F. and Kawai, A. 1998. Studies on rabies virus RNA polymerase: I. cDNA cloning of the catalytic subunit (L protein) of avirulent HEP-Flury strain and its expression in animal cells. *Microbiol. Immunol.* **42**, 485-496.

Nadin-Davis, S.A., Huang, W. and Wandeler, A.I. 1997. Polymorphism of rabies viruses within the phosphoprotein and matrix protein genes. *Arch. Virol.* **142**, 979-992.

Naito, S. and Ishihama, A. 1976. Function and structure of RNA polymerase from vesicular stomatitis virus. *J. Biol. Chem.* **251**, 4307-4314

Nel, L., Jacobs, J., Jaftha, J., Meredith, C. 1997. Natural spillover of a distinctly Canidae-associated biotype of rabies virus into an expanded wildlife host range in southern Africa. *Virus Genes.* **15**, 79-82.

Ogita, K., Ono, Y., Kikkawa, U. and Nishizuka, Y. 1991. Expression, separation, and assay of protein kinase C subspecies. *Methods in Enzymology.*, **200**, 228-234.

Olivier, M. 1997. Rabies associated with wildlife in the family *Viverridae* in South Africa: Molecular analysis of the virus nucleoprotein and glycoprotein encoding genes. M.Sc(Agric) thesis, University of Pretoria, Pretoria.

Pattnaik, A.K., Hwang, L., Li, T., Englund, N., Mathur, M., Das, T. and Banerjee, A.K. 1997. Phosphorylation within the amino-terminal acidic domain I of the phosphoprotein of vesicular stomatitis virus is required for transcription but not for replication. *J. Virol.* **71**, 8167-8175.

Patton, J.T., Davis, N.L. and Wertz, G.W. 1984. N protein alone satisfies the requirement for protein synthesis during RNA replication of vesicular stomatitis virus. *J. Virol.* **49**, 303-309.

Peluso, R.W. and Moyer, S.A. 1988. Viral proteins required for the *in vitro* replication of vesicular stomatitis virus defective interfering particle genome RNA. *Virology.* **162**, 369-376

Possee, R.D. and Howard, S.C. 1987. Analysis of the polyhedrin gene promoter of the *Autographa californica* nuclear polyhedrosis virus. *Nucleic Acids Res.* **15**, 10233-48.

Préhaud, C., Harris, R.D., Fulop, V., Koh, C., Wong, J., Flamand, A. and Bishop, D.H.L. 1990.



Expression, characterization, and purification of a phosphorylated rabies nucleoprotein synthesized in insect cells by Baculovirus vectors. *Virology*, **178**, 486-497.

Préhaud, C., Nel, K. and Bishop, D.K. 1992. Baculovirus expressed rabies virus M1 protein is not phosphorylated: it forms multiple complexes with expressed rabies N protein. *Virology*, **189**, 766-770.

Reid-Sanden, F.L., Sumner, J.W., Smith, J.S., Fekadu, M., Shaddock, J.H. and Bellini, W.J. 1990. Rabies diagnostic reagents prepared from a rabies N gene recombinant expressed in Baculovirus. *J. Clin. Microbiol.*, **28**, 858-863.

Rose, J.K. 1980. Complete intergenic and flanking gene sequences from the genome of vesicular stomatitis virus. *Cell*, **19**, 415-421.

Sacramento, D., Bourhy, H., and Tordo, N. 1991. PCR technique as an alternative method for diagnosis and molecular epidemiology of rabies virus. *Mol. Cell. Probes*. **5**, 229-240.

Sambrook, J., Fritsch, E.F. and Maniatis, T. 1989. Molecular cloning: A laboratory manual. Second edition. Cold Spring Harbor Laboratory, Cold Spring Harbor, New York.

Schuber, M., Harmison, G.G., Richardson, C.D. and Meier, E. 1985. Expression of a cDNA encoding a functional 241-kilodalton vesicular stomatitis virus RNA polymerase. *Proc. Natl. Acad. Sci. USA*. **82**, 7984-7988.

Schubert, M., Keene, J.D., Herman, R.C. and Lazzarini, R.A. 1980. Site of the vesicular stomatitis virus genome specifying polyadenylation and the end of the L gene mRNA. *J. Virol.* **34**, 550-559.

Schnell, M.J., Buonocore L., Whitt, M.A. and Rose, J.K. 1996. The minimal conserved transcription stop/start signal promotes stable expression of a foreign gene in vesicular stoatitis virus. *J. Virol.* **70**, 2318-2323.

Schoehn, G., Iseni, F., Mavrakis, M., Blondel, D. and Ruigrok, R.W.H. 2001. Structure of recombinant rabies virus nucleoprotein-RNA complex and identification of the phosphoprotein binding site. *J. Virol.* **75**, 490-498.

Simonsen, C.C., Batt-Humphries, S. and Summers, D.F. 1979. RNA synthesis of vesicular stomatitis viurs-infected cells: in vivo regulation of replication. *J. Virol.* **31**, 124-132.

Smith, D.B. and Johnson, K.S. 1989. Single-step purification of polypeptides expressed in *Escherichia coli* as fusions with glutathione S-transferase. *Gene*, **67**, 31-39.

Sokol, F. and Clark, H.F. 1973. Phosphoproteins, structural components of Rhabdoviruses. *Virology*. **52**, 246-263.

Spadafora, D., Canter, D.M., Jackson, R.L. and Perrault, J. 1996. Constitutive phosphorylation of



the vesicular stomatitis virus protein modulates polymerase complex formation but is not essential for transcription or replication. *J. Virol.* **70**, 4538-4548.

Sprague, J., Condra, J.H., Arnheiter, H. and Lazzarini, R.A. 1983. Expression of a recombinant DNA gene coding for the vesicular stomatitis virus nucleocapsid protein. *J. Virol.* **45**, 773-781.

Stillman, E.A. and Whitt, M.A. 1997. Mutational analysis of the intergenic dinucleotide and the transcriptional start sequence of vesicular stomatitis virus (VSV) define sequences required for efficient termination and initiation of VSV transcripts. *J. Virol.* **71**, 2127-2137.

Swanepoel, R., Barnard, B.J.H., Meredith, C.D., Bishop, G.C., Brückner, G.K., Foggin, C.M. and Hübschle, O.J.B. 1993. Rabies in southern Africa. *Onderstepoort J. Vet. Res.* **60**, 325-346.

Takacs, A.M. and Banerjee, A.K. 1995. Efficient interaction of the vesicular stomatitis virus P protein with the L protein or the N protein in cells expressing the recombinant proteins. *Virology.* **208**, 821-826.

Takacs, A.M., Barik, S., Das, T. and Banerjee, A.K. 1992. Phosphorylation of specific serine residues within the acidic domain of the phosphoprotein of vesicular stomatitis virus regulates transcription *in vitro*. *J. Virol.* **66**, 5842-5848.

Takacs, A.M., Das, T. and Banerjee, A.K. 1993. Mapping of interacting domains between the nucleocapsid protein and the phosphoprotein of vesicular stomatitis virus by using a two-hybrid system. *Proc. Natl. Acad. Sci. USA.* **90**, 10375-10379.

Takamatsu, F., Asakawa, N., Morimoto, K., Takeuchi, K., Eriguchi, Y., Toriumi, H. and Kawai, A. 1998. Studies on the rabies virus RNA polymerase: 2. Possible relationships between the two forms of the non-catalytic subunit (P protein). *Microbiol. Immunol.* **42**, 761-771.

Theron, J., Uitenweerde, J.M., Huismans, H. and Nel, L.H. 1994. Comparison of the expression and phosphorylation of the non-structural protein NS2 of three different orbiviruses: evidence for the involvement of an ubiquitous cellular kinase. *J. Gen. Virol.* **75**, 3401-3411.

Theron, J., Huismans, H. and Nel, L.H. 1996. Site-specific mutations in the NS2 protein of epizootic haemorrhagic disease virus markedly affect the formation of cytoplasmic inclusion bodies. *Arch. Virol.*, **141**, 1143-1151.

Thompson, J.D., Gibson, T.J., Plewniak, F., Jeanmougin, F. and Higgins, D.G. 1997. The CLUSTAL\_X windows interface: flexible strategies for multiple sequence alignment aided by quality analysis tools. *Nucleic Acids Res.*, **25**, 4876-4882.

Tordo, N. and Kouknetzoff, A. 1993. The rabies virus genome: an overview. *Onderstepoort J. Vet. Res.* **60**, 263-269.

Tordo, N. and Poch, O. 1988. Structure of rabies virus. In: *Rabies*. J.B. Campbell, and K.M.

Charlton, Eds, Kluwer Academic, Boston, pp 25-45.

Tordo, N., Poch, O., Ermine, A. and Keith, G. 1986a. Primary structure of leader RNA and nucleoprotein genes of the rabies genome: segmented homology with VSV. *Nucleic Acids Res.* **14**, 2671-2683.

Tordo, N., Poch, O., Ermine, A., Keith, G. and Rougeon, F. 1986b. Walking along the rabies genome: is the large G-L intergenic region a remnant gene? *Proc. Natl. Acad. Sci. USA.* **83**, 3914-3918.

Tuffereau, C., Fischer, S. and Flamand, A. 1985. Phosphorylation of the N and M<sub>1</sub> proteins of rabies virus. *J. Gen. Virol.* **66**, 2285-2289.

Vidal, S. and Kolakofsky, D. 1989. Modified model for the switch from Sendai virus transcription to replication. *J. Virol.* **63**, 1951-1958.

Von Teichman, B.F., Thompson, G.R., Meredith, C.D. and Nel, L.H. 1995. Molecular epidemiology of rabies in South Africa: evidence for two distinct virus groups. *J. Gen. Virol.* **76**, 73-82.

Wang, Y. and Zhang, X. 1999. The nucleocapsid protein of coronavirus mouse hepatitis virus interacts with the cellular heterogeneous nuclear ribonucleoprotein A1 *in vitro* and *in vivo*. *Virology.* **265**, 96-109.

Weck, P.K. and Wagner, R.R. 1978. Inhibition of RNA synthesis in mouse myeloma cells infected with vesicular stomatitis virus. *J. Virol.* **25**, 770-780.

Weck, P.K. and Wagner, R.R. 1979. Transcription of VSV is required to shut off cellular RNA synthesis. *J. Virol.* **30**, 410-413.

Wertz, G.W., Davies, N.L. and Patton, J. 1987. *The rhabdoviruses*. New York: Plenum.

Wertz, G.W. and Youngner, R.R. 1972. Transcription of VSV is required to shut off cellular RNA synthesis. *J. Virol.* **25**, 770-780.

Whelan, S.P.J. and Wertz, G.W. 1999a. Regulation of RNA synthesis by the genomic termini of vesicular stomatitis virus: identification of distinct sequences essential for transcription but not replication. *J. Virol.* **73**, 297-306.

Wiktor, T.J. and Koprowski, H. 1974. Rhabdovirus replication in encucleated host cells. *J. Virol.* **14**, 300-306.

Wilusz, J., Kurilla, M. and Keene, J.D. 1983. A host protein (La) binds to a unique species of minus-sense leader RNA during replication of vesicular stomatitis virus. *Proc. Natl. Acad. Sci. USA.* **80**, 5827-5831.





Wunner, W.H. 1991. *The natural history of rabies*. 2<sup>nd</sup> ed. Boston: CRC press.

Yan, J.X., Packer, N.H., Gooley, A.A. and Williams, K.L. 1998. Protein phosphorylation: technologies for the identification of phosphoamio acids. *J.Chromatography A*. **808**, 23-41.

Yang, J., Hooper, D.C., Wunner, W.H., Koprowski, H. Dietzschold, B. and Fu, Z.F. 1998. The specificity of rabies virus RNA encapsidation by nucleoprotein. *Virology*. **242**, 107-117.

Yang, J., Koprowski, H., Dietzschold, B. and Fu, Z.F. 1999. Phosphorylation of rabies virus nucleoprotein regulates viral RNA transcription and replication by modulating leader RNA encapsidation. *J.Virology*. **73**, 1661-1664.