

REFERENCES

1. Chemical, Toxicity, Safety and Environmental Analysis Information for Formaldehyde. Internet: <http://www.instantref.com/formald.htm>. Access: 27 Aug 1999.
2. Occupational Safety and Health Administration U.S. Department of Labor, *OSHA Regulations - Formaldehyde. 1910.1048*. Internet: <http://www.osha-slc.gov>. Access: 2 Nov 2000.
3. Method 2016,1998. Formaldehyde by HPLC-UV. *NIOSH Manual of Analytical Methods*, 4th Edition.
4. CRUMP, D.R., 1995. Volatile organic Compounds in Indoor air in "Volatile Organic Compounds in the Atmosphere", editors Hester, R.E., Harrison, R.M. Issues in Environmental Science and Technology, vol 4, The Royal Society of Chemistry, U.K.
5. Occupational Safety and Health Administration U.S.Department of Labor, "OSHA Fact Sheets - 01/01/1995 - Occupational Exposure to formaldehyde." Internet: <http://www.osha-slc.gov>. Access: 2 Nov 2000.
6. BRABEC, M.J., 1981. Aldehydes and acetals in *Patty's Industrial Hygiene and Toxicology*, editors Clayton, G.D, Clayton, F.E. 3rd revised edition, John Wiley&Sons. Vol 2A, 2692-2669.
7. WALKER, M., 2000. Something in the air. *New Scientist*, vol. 2221, 5.
8. NISHIKAWA, H., Sakai, T.,1995. REVIEW: Derivatization and chromatographic determination of aldehydes in gaseous and air samples. *J. Chromatogr. A*, 710(1), 25-Aug, 159-165.
9. VON KEYSERLINGK, C., 1999. Sasol bereik ooreenkoms oor alkohol in petrol. *Beeld, Sake Beeld - Johannesburg Finaal*. Thurs, 22 July.
10. OTSON, R., Fellin, P., Tran, Q., Stoyanoff, R., 1993. Examination of sampling methods for assessment of personal exposures to airborne aldehydes. *Analyst*,118, Oct, 1253-1259.
11. OTSON, R., Fellin, P.,1988. Review: A review of techniques for measurement of airborne aldehydes. *Science of the Total Environment*, 77, 95-131.
12. DE GOEDE, S., 1997. Monitoring van die emissies van vonkontstekingsenjins onder verskillende rykondisies en met verskillende brandstofferformulerings. *MSc thesis, University of Stellenbosch, Stellenbosch*.
13. BAKER, H., 1997. Chemical warfare at work. Internet: <http://www.newscientist.com/ns/970621/features.html>. Access: 14 Jun 2001
14. NORBACK, D., Wieslander, G., Edling, C., 1995. Occupational exposure to volatile organic compounds (VOCs), and other air pollutants from the indoor application of water-based paints. *Ann. Occup. Hyg.*, 39, 6, 783-794.

15. REUSS, G., Disteldorf, W., Grundler, O., Hilt, A., 1998. Formaldehyde in *Ullmann's Encyclopedia of Industrial Chemistry*, VCH, executive editor Gerhartz W., vol A11, 619-651.
16. LUONG, J., Sieben, L., Fairhurst, M., 1996. Determination of low levels of formaldehyde and acetaldehyde by gas chromatography/flame ionization detection with a nickel catalyst. *J. High Resolut. Chromatogr.* 19, Oct, 591-594.
17. OJALA, M., Kotiaho, T., Siirila, J., Sihvonen, M., 1994. Analysis of aldehydes and ketones from beer as O-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine derivatives. *Talanta*, 41, 1297-1309.
18. BALTUSSEN, H.A., 2000. New Concepts in Sorption Based Sample Preparation for Chromatography. *D.Phil. Thesis, Technical University Eindhoven, Eindhoven*.
19. BEREZKIN, V.G., Drugov, Y.S., 1991. Gas chromatography in air pollution analysis. *Journal of Chromatography Library*, Elsevier, Germany, vol. 49, 35-119.
20. DALENE, M., Persson, P., Skarping, G., 1992. Determination of formaldehyde in air by chemisorption on glass filters impregnated with 2,4-dinitrophenylhydrazine using gas chromatography with thermionic specific detection. *J.Chromatogr. A*, 626, 284-288.
21. KENNEDY, E.R., Teass, A.W., Gagnon, Y.T., 1985. Industrial Hygiene Sampling and analytical methods for formaldehyde - past and present in *Formaldehyde - Analytical chemistry and toxicology*, editor Turoski, V. *Advances in chemistry and toxicology series*, 210, 1-11.
22. MARTOS, P.A., Pawliszyn, J., 1998. Sampling and determination of formaldehyde using solid phase microextraction with on-fibre derivatization. *Anal.chem.*, 70, 2311-2320.
23. THOMAS, P., McGill, C.L., Towill, C.D., 1997. Determination of formaldehyde by conversion to hexahydroxazolo[3,4-a]pyridine in a denuder tube with recovery by thermal desorption and analysis by GC-MS. *Analyst*, 122, 1471-1476.
24. ORTNER, E.K., Rohwer, E.R., 1996. Trace analysis of semi-volatile organic air pollutants using thick film silicone rubber traps with capillary gas chromatography. *J. High Resolut. Chromatogr.*, 19, June, 339-344.
25. ORTNER, E.K., Rohwer, E.R., 1999. Trapping efficiency of aqueous pollutants using multichannel thick film silicone rubber traps with capillary gas chromatography. *J. Chromatogr.A*, 863, 57-68.
26. ORTNER, E.K., 1994. Alternative concentration techniques for the trace analysis of semi-volatile organic air pollutants by capillary gas chromatography. *MSc thesis, University of Pretoria, Pretoria*.
27. ORTNER, E.K., 1999. Analysis of aqueous samples with the multichannel silicone rubber trap and capillary gas chromatography. *D.Phil. Thesis, University of Pretoria, Pretoria*.

28. DILLON, H.K., Gao, P., 1994. Laboratory evaluation of a novel reactive passive sampler for the quantitative determination of formaldehyde in air. *Am. Ind. Hyg. Assoc. J.*, 55, Nov, 1061-1068.
29. HOPPS, H.B., 2000. Purpald®: A reagent that turns aldehydes purple! *Aldrichchimica Acta*, 33, 28-30.
30. AGUIN, M.L., Vindevogel, J., Sandra, P., 1993. Utilisation of the bisulfite addition reaction for the separation of neutral aldehydes by capillary electrophoresis. *Chromatographia*, 37, Oct, 451-454.
31. OLLETT, D.G., Morgan, E.D., 1987. Identification and determination of parts-per-million formaldehyde and lower carbonyl homologs by gas chromatography. *Microchemical Journal*, 35, 296-304.
32. ANDRAWES, F.F., 1984. Detection of traces of formaldehyde in pure air by gas chromatography and helium ionisation detection. *J. Chromatogr. Sci*, 22, Nov, 506-508.
33. FELIX, U., Dettmer, K., Engewald, W., Mohnke, M., 2000. Application of a unique selective PLOT capillary column for the analysis of oxygenated compounds in ambient air. *Riva Del Garda Chromatography Conference Poster*.
34. WU, N., Shen, Y., Lee, M.L., 1999. Fast solvating GC of environmentally important compounds using polymer-encapsulated silica particles. *J. High Resolut. Chromatogr.*, 22, 541-546.
35. HOSHIKA, Y., Muto, G., 1991. Capillary Gas Chromatography of lower aliphatic C2-C5 aldehydes in the free form as a group of pungent odorants in Air. *J. High Resolut. Chromatogr.*, 14, May, 330-334.
36. McGUIRE, J.M., Nahm, S.H., 1991. Determination, by GC-MS using deuterated internal standards of Formaldehyde and Methanol evolved during curing of coatings. *J.High Resolut.Chromatogr.*, 14, Apr, 241-244.
37. SCHLITT, H., 1997. Impinger sampling coupled to HPLC by a modified autoinjector interface. *J.Chromatogr. A.*, 762, 187-192.
38. RUTTEN, G.A., Burtner, C.W.J., Rijks, J.A., Visser, H., 1988. The determination of aldehydes in exhaust gases of LPG fuelled engines. *Chromatographia.*, 26, 274-280.
39. BEASLEY, R.K., Hoffmann, C.E., Rueppel, M.L., Worley, J.W., 1980. Sampling of formaldehyde in air with coated solid sorbent and determination by High Performance Liquid Chromatography. *Anal.chem.*, 52, 1110-1114.
40. GUENIER, J.P., Simon, P., Delcourt, J., Didierjean, M.F., Lefevre, C., Muller, J., 1984. Air Sampling of aldehydes - application to chromatographic determination of formaldehyde and acetaldehyde. *Chromatographia.*, 18, Mar, 137-144.
41. SAKURAGAWA, A., Yoneno, T., Inoue, K., Okutani, T., 1999. Trace analysis of carbonyl compounds by liquid chromatography-mass spectrometry after

- collection as 2,4-dinitrophenylhydrazine derivatives. *J. Chromatogr. A.*, 844, 403-408.
42. SESANA, G., Nano, G., Baj, A., Balestreri, S., 1991. New sampling tool for airborne volatile aldehydes. *Fresenius J. Anal. Chem.*, 339(7), Mar, 485-487.
 43. MARSEL, J., Velikonja Bolta, S., Zupancic Kralji, L., 1998. Gas chromatographic determination of formaldehyde in air using SPME sampling. *Chromatographia.*, 48, 95-99.
 44. GROSJEAN, E., Green, P.G., Grosjean, D., 1999. Liquid chromatography analysis of carbonyl (2,4-Dinitrophenyl)hydrazones with detection by diode array Ultraviolet spectroscopy and by atmospheric pressure negative chemical ionization mass spectrometry. *Anal.chem.*, 71, 1851-1861.
 45. DYE, C., Oehme, M., 1992. Comments concerning the HPLC separation of Acrolein from other C3 carbonyl compounds as 2,4-Dinitrophenylhydrazones : A proposal for improvement. *J. High Resolut. Chromatogr.*, 15, Jan, 5-8.
 46. SCHMIED, W., Przewosnik, M., Bachmann, K., 1989. Determination of traces of aldehydes and ketones in the troposphere via solid phase derivatisation with DNSH. *Fresenius J. Anal. Chem.*, 335, 464-468.
 47. STASHENKO, E.E., Ferreira, M.C., Sequeda, L.G., Martinez, J.R.; Wong, J.W., 1997. Comparison of extraction methods and detection systems in the gas chromatographic analysis of volatile carbonyl compounds. *J. Chromatogr. A.*, 779, 360-369.
 48. STASHENKO, E.E., Puertas, M.A., Salgar, W., Delgado, W., Martinez, J.R., 2000. Solid-Phase Microextraction with on-fibre derivatization applied to the analysis of volatile carbonyl compounds. *Riva Del Garda Chromatography Conference Poster CD-ROM*.
 49. LEMPUHL, D.W., Birks, J.W., 1996. New gas chromatographic-electron-capture detection method for the determination of atmospheric aldehydes and ketones based on cartridge sampling and derivatization with 2,4,6-trichlorophenylhydrazine. *J.Chromatogr. A.*, 740, 71-81.
 50. CANCELLA, D.A., Chou, C., Barthel, R., Que Hee, S.S., 1992. Characterization of the O-(2,3,4,5,6-pentafluorobenzyl)-hydroxylamine hydrochloride (PFBOA) derivatives of some aliphatic mono- and dialdehydes and quantitative water analysis of these aldehydes. *J.AOAC International*, 75, 842-854.
 51. NAWROCKI, J., Kalkowska, I., Dabrowska, A., 1996. Optimisation of solid phase extraction method for analysis of low ppb amounts of aldehydes-ozonation by-products. *J.Chromatogr. A.*, 749, 157-163.
 52. VIDAL, J.P., Estreguil, S., Cantagrel, R., 1993. Quantitative analysis of Cognac carbonyl compounds at the ppb level by GC-MS of their O - (pentafluorobenzyl amine) derivatives. *Chromatographia*, 36, 183-186.
 53. STRASSNIG, S., Wenzl, T., Lankmayr, E.P., 2000. Microwave-assisted derivatization of volatile carbonyl compounds with O-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine. *J. Chromatogr. A.*, 891, 267-273.

54. LAHANIATI, M., Calogirou, A., Duane, M., Larsen, B., Kotzias, D., 1998. Identification of biogenic carbonyls in air with O-(2,3,4,5,6-pentafluorobenzyl)hydroxylamine hydrochloride (PFBHA) coated C18-silica gel cartridges. *Fresenius. Environ. Bull.*, 7, 302-307.
55. WUE, L.J., Que Hee, S.S., 1995. A solid sorbent personal air sampling method for aldehydes. *Am. Ind. Hyg. Assoc. J.*, 56, Apr, 362-367.
56. TSAI, S.W., Que Hee, S.S., 1999. A new passive sampler for aldehydes. *Am. Ind. Hyg. Assoc. J.*, 60, 463-473.
57. MARTOS, P.A., Pawliszyn, J., 1999. Time - weighted average sampling with solid-phase microextraction device: Implications for enhanced personal exposure monitoring to airborne pollutants. *Anal. chem.*, 71, 1513-1520.
58. KENNEDY, E.R., O'Connor, P.F., Gagnon, Y.T., 1984. Determination of Acrolein in air as an oxazolidine derivative by gas chromatography. *Anal. chem.*, 56, 2120-2123.
59. Method 2541, 1994. Formaldehyde by GC. *NIOSH Manual of Analytical Methods*, 4th edition.
60. Method 2539, 1994. Aldehydes, screening. *NIOSH Manual of Analytical Methods*, 4th edition.
61. MIYAKE, T., Shibamoto, T., 1995. Quantitative analysis by GC of volatile carbonyl compounds in cigarette smoke. *J. Chromatogr. A.*, 693, 376-381.
62. YASUHARA, A., Shibamoto, T., 1994. Gas chromatographic determination of trace amounts of aldehydes in automobile exhaust by a cysteamine derivatization methods. *J. Chromatogr. A.*, 672, 261-266.
63. KARTSOVA, L.A., Makarova, Y.L., Stolyarov, B.V., 1997. Selective gas chromatographic determination of formaldehyde in air. *J. Anal. Chem.*, 52(4), 337-340.
64. PELTONEN, K., Pfaffli, P., Itkonen, A., 1984. Determination of aldehydes in air as dimethone derivatives by gas chromatography with electron capture detection. *J. Chromatogr. A.*, 315, 412-416.
65. RECHE, F., Garrigos, M.C., Sanchez, A., Jimenez, A., 2000. Simultaneous supercritical fluid derivatization and extraction of formaldehyde by the Hantzsch reaction. *J. Chromatogr. A.*, 896, 51-59.
66. ZUREK, G., Karst, U., 1999. Liquid Chromatography - Mass Spectrometry method for the determination of aldehydes derivatized by the Hantzsch reaction. *J. Chromatogr. A.*, 864, 191-197.
67. POOLE, C.F., Poole, S.K., 1991. *Chromatography Today*. Elsevier, Amsterdam, 824-831.
68. DROZD, J., Novak, J., 1979. Headspace gas analysis by gas chromatography. *J. Chromatogr. A.*, 165, 141-165.

69. VITENBERG, A.G., Ioffe, B.V., 1989. Basic equations in continuous gas extraction and their application to headspace analysis. *J. Chromatogr. A.*, 471, 55-60.
70. CURVERS, J., Noy, Th., Cramers, C., Rijks, J., 1984. Possibilities and limitations of dynamic headspace sampling as a pre-concentration technique for trace analysis of organics by capillary gas chromatography. *J. Chromatogr. A.*, 289, 171-182.
71. HARPER, M., 2000. Review: Sorbent trapping of volatile organic compounds from air. *J. Chromatogr. A.*, 885, 129-151.
72. POOLE, C.F., Schuette, S.A., 1983. Isolation and concentration techniques for Capillary column GC analysis. *J. High Resolut. Chromatogr.*, 6, Oct, 526-549.
73. NAMIESNIK, J., 1988. Preconcentration of gaseous organic pollutants in the atmosphere. *Talanta*, 35, 567-587.
74. GRIMALT, J.O., Flesca, N.G., Castellnou, A., 1997. Refrigerated multibed adsorption in sampling and analysis of atmospheric light hydrocarbons at ppb(v/v) and sub ppb(v/v) concentrations. *J. Chromatogr. A.*, 778, 269-277.
75. MASTROGIACOMO, A.R., Pierini, E., Sampaulo, L., 1995. A comparison of the critical parameters of some adsorbents employed in trapping and thermal desorption of organic pollutants. *Chromatographia*, 41, Nov, 599-604.
76. SUPELCO Chromatography products for analysis and purification, 1999. *Supelco Chromatography Products*, 266.
77. HUCK, C.W., Bonn, G.K., 2000. Review: Recent developments in polymer - based sorbents for solid phase extraction. *J. Chromatogr. A.*, 885, 51-72.
78. DUNEMANN, L., Begerow, J., Bucholski, A., 1994. Sample preparation for trace analysis in *Ullmann's Encyclopedia of Industrial Chemistry*, volume editor Gunzler, H., VCH. Vol. B5, 84-89.
79. RAYMOND, A., Guiochon, G., 1975. The use of graphitized carbon black as a trapping material for organic compounds in light gases before GC-analysis. *J. Chromatogr. Sci.*, 13, 173-177.
80. LOVKVIST, P., Jonsson, J.A., 1987. Capacity of sampling and preconcentration columns with a low number of theoretical plates. *Anal. Chem.*, 59, March 15, 818-821.
81. BALTUSSEN, E., David, F., Sandra, P., Janssen, H.G., Cramers, C.A., 1997. A new method for sorptive enrichment of gaseous samples: Application in air analysis and natural gas characterization. *J. High Resolut. Chromatogr.*, 20, July, 385-393.
82. POOLE, C.F., Poole, S.K., 1991. *Chromatography Today*. Elsevier, Amsterdam, 735-840.
83. MOL, H.G.J., Janssen, H.G., Cramers, C.A., 1993. Use of open tubular trapping columns for on-line extraction-capillary gas chromatography of aqueous samples. *J. High Resolut. Chromatogr.*, 16, 413-418.

84. MORETTO, H.H., Schulze, M., Wagner, G., 1993. Silicones in *Ullmann's Encyclopedia of Industrial Chemistry*, editors Elvers, B., et al, VCH. Vol. A24, 64-69.
85. WELSCH, T., Teichmann, U., 1991. The Thermal immobilization of hydroxy-terminated Silicone phases in high-temperature-Silylated glass capillaries. A study of reaction mechanisms. *J. High Resolut. Chromatogr.*, 14, Mar, 153-159.
86. BALTUSSEN, E., David, F., Sandra, P., Janssen, H.G., Cramers, C.A., 1998. Capillary GC determination of amines in aqueous samples using sorptive preconcentration on polydimethylsiloxane and polyacrylate phases. *J. High Resolut. Chromatogr.*, 21, 645-648.
87. PAWLISZYN, J., 1997. *Solid Phase Microextraction - Theory and Practice*, Wiley-VCH, Canada.
88. LORD, H., Pawliszyn, J., 2000. Review: Evolution of Solid Phase Microextraction technology. *J. Chromatogr. A.*, 885, 153-193.
89. GROB, K., Habich, A., 1985. Headspace gas analysis: the role and design of concentration traps specifically suitable for capillary GC. *J. Chromatogr. A.*, 321, 45-58.
90. BURGER, B.V., Munroe, Z., 1986. Headspace gas analysis: Quantitative trapping and thermal desorption of volatiles using fused silica open tubular capillary traps. *J. Chromatogr. A.*, 370, 449-464.
91. BURGER, B.V., le Roux, M., Munroe, Z.M., Wilken, M.E., 1991. Production and use of capillary traps for headspace gas chromatography of airborne volatile organic compounds. *J. Chromatogr. A.*, 552, 137-151.
92. BURGER, B.V., le Roux, M., 1992. Headspace gas analysis: Comparison of the efficiency of thick film, ultra thick film, and activated charcoal Open tubular capillary traps for the concentration of volatile, airborne, organic compounds. *J. High Resolut. Chromatogr.*, 15, June, 373-376.
93. BLOMBERG, S., Roeraade, J., 1987. Preparative capillary gas chromatography II. Fraction collection on traps coated with a very thick film of immobilized stationary phase. *J. Chromatogr. A.*, 394, 443-453.
94. BLOMBERG, S., Roeraade, J., 1988. A technique for coating capillary columns with a very thick film cross-linked stationary phase. *J. High Resolut. Chromatogr.*, 11, June, 457-461.
95. BURGER, B.V., le Roux, M., Burger, W.J.G., 1990. Headspace analysis: A novel method for the production of capillary traps with ultra-thick stationary phase layers. *J. High Resolut. Chromatogr.*, 13, Nov, 777-779.
96. BALTUSSEN, E., David, F., Sandra, P., Janssen, H.G., Cramers, C.A., 1998. Sorption Tubes packed with polydimethylsiloxane: A new and promising technique for the preconcentration of volatiles and semi-volatiles from air and gaseous samples. *J. High Resolut. Chromatogr.*, 21, June, 332-340.

97. BALTUSSEN, E., David, F., Sandra, P., Janssen, H.G., Cramers, C.A., 1998. Retention model for sorptive extraction-thermal desorption of aqueous samples: application to the automated analysis of pesticides and polyaromatic hydrocarbons in water samples. *J. Chromatogr. A.*, 805, 237-247.
98. BALTUSSEN, E., den Boer, A., Sandra, P., Janssen, H.G., Cramers, C.A., 1999. Monitoring of nicotine in air using sorptive enrichment on polydimethylsiloxane and TD-CGC-NPD. *Chromatographia*, 49, 520-524.
99. Supelco Bulletin 923 - Solid Phase Microextraction: Theory and Optimization of Conditions, 1998. Sigma-Aldrich Co.1-8.
100. TIENPONT, B., David, F., Bicchi, C., Sandra, P., 2000. Headspace Sorptive extraction. *Riva Del Garda Chromatography Conference Proceedings CD-ROM*, 1-11.
101. HO, M.H., 1985. Generation of standard gaseous formaldehyde in test atmospheres in *Formaldehyde - Analytical chemistry and toxicology*, editor Turoski, V. Advances in chemistry and toxicology series, 210, 193-214.
102. GEISLING, K.L., Miksch, R.R., 1982. Generation of dry formaldehyde at trace levels by the vapour-phase depolymerisation of trioxane. *Anal.chem.*, 54, 140-142.
103. GODIN, J., Bouley, G., Boudene, Cl., 1978. Controlled formaldehyde atmospheres. *Analytical letters*, A11, 319-326.
104. DUMAS, T., 1982. Determination of formaldehyde in air by gas chromatography. *J.Chromatogr. A.*, 247, 289-295.
105. POOLE, C.F., Poole, S.K., 1991. *Chromatography Today*. Elsevier, Amsterdam, 844-848.
106. BEREZKIN, V.G., Drugov, Y.S., 1991. Gas chromatography in air pollution analysis. *Journal of Chromatography Library* -Elsevier, Germany. Vol. 49, 150-163.
107. NAMIESNIK, J., 1984. Generation of standard gaseous mixtures. *J. Chromatogr. A.*, 300, 79-108.
108. NISHIKAWA, H., Hayakawa, T., Sakai, T., 1986. Determination of micro amounts of acrolein in air by gas chromatography. *J. Chromatogr. A.*, 370, 327-332.
109. SCARANGELLI, F.P., O'Keefe, A.E., Rosenberg, E., Bell, J.P., 1970. Preparation of known concentrations of gases and vapours with permeation devices calibrated gravimetrically. *Anal. Chem.*, 42, 8 July, 871-876.
110. LUCERO, D.P., 1971. Performance characteristics of permeation tubes. *Anal. Chem.*, 43, 13 Nov, 1744-1749.
111. O' KEEFE, A.E., Ortman, G.C., 1966. Primary standards for trace gas analysis. *Anal. Chem.*, 38, May, 760-763.

112. DAVOLI, E., Rossi, O., Fanelli, R., 1993. Stable isotope permeation tubes for GC-MS analysis of VOC's in air. *J. High Resolut. Chromatogr.*, 16, 626-628.
113. STELLMACK, M.L., Street-Jnr, K.W., 1983. Permeation devices for high pressure gases. *Analytical letters*, 16(A2), 77-100.
114. McKELVEY, J.M., Hoelscher, H.E., 1957. Apparatus for preparation of very dilute gas mixture. *Anal. Chem.*, 29, 123.
115. ALTSHULLER, A.P., Cohen, I.R., 1960. Application of diffusion cells to the production of known concentrations of gaseous hydrocarbons. *Anal. Chem.*, 32, 802-810.
116. CHROMPACK - CP-4010 PTI/TCT User Manual, CHROMPACK, The Netherlands.
117. HP 5890 A Gas Chromatograph, 1986. *HP Reference Manual*. Vol. 1, section 10-5.
118. SANDRA, P.J.F., 1994. Gas Chromatography in *Ullmann's Encyclopedia of Industrial Chemistry*, executive editor Gerhartz, W., VCH. Vol. B5, 181-236.
119. SKOOG, D.A., Leary, J.J., 1992. An introduction to chromatographic separations in *Principles of Instrumental Analysis*. 4th Edition, Saunders College Publishing, Florida, U.S.A. 579-625.
120. POOLE, C.F., Poole, S.K., 1991. *Chromatography Today*. Elsevier, Amsterdam, 260-264.
121. BEREZKIN, V.G., Drugov, Y.S., 1991. Gas chromatography in air pollution analysis. *Journal of Chromatography Library* -Elsevier, Germany. Vol. 49, 28-29.
122. SCANLON, J.T., Willis, D.E., 1985. Calculation of flame ionization detector relative response factors using the effective carbon number concept. *J. Chromatogr. Sci.*, 23, 333-340.
123. TONG, H.Y., Karasek, F.W., 1984. Flame Ionisation Detector response factors for compound classes in quantitative analysis of complex organic mixtures. *Anal.chem.*, 56, 2124-2128.
124. YIERU, H., Qingyu, Q., Weile, Y., 1990. Characteristics of Flame Ionisation Detection for the quantitative analysis of complex organic mixtures. *Anal.chem.*, 62, 2063-2064.
125. SILVERSTEIN, R.M., Webster, F.X., 1998. Mass Spectrometry in *Spectrometric Identification of Organic Compounds*. 6th Edition, John Wiley & Sons, Inc, New York, U.S.A. 2-69.
126. SKOOG, D.A., Leary, J.J., 1992. Mass Spectrometry in *Principles of Instrumental Analysis*. 4th Edition, Saunders College Publishing, Florida, U.S.A. 420-459.

127. POOLE, C.F., Poole, S.K., 1991. *Chromatography Today*. Elsevier, Amsterdam, 848-850.
128. CANCELLA, D.A., Que-Hee, S.S., 1992. Review: O-(2,3,4,5,6-Pentafluorophenyl) methylhydroxylamine hydrochloride: a versatile reagent for the determination of carbonyl-containing compounds. *J. Chromatogr. A.*, 627, 1-16.
129. MUNCH, J.W., Munch, D.J., Winslow, S.D., 1998. A User's guide to aldehyde analysis using PFBHA derivatisation and GC-ECD detection : Avoiding the pitfalls. *Proc-Water Qual. Technol. Conf. [computer optical disk]*, 898-913.
130. SPITELLER, G., Kern, W., Spitteller, P., 1999. Review: Investigation of aldehydic lipid peroxidation products by gas chromatography-mass spectrometry. *J. Chromatogr. A.*, 843, 29-98.