



# **MUSIC PERFORMANCE LAB**

## **ARCHITECTURE AS A SENSORY CONDUCTOR**

**MUSIC IS A SAFE KIND OF FIX** JIMI HENDRIX

Submitted in Fulfillment of part of the requirements for  
the degree of Masters of Architecture (Professional) in the  
Faculty of Engineering, the Built environment and Information  
Technology.

University of Pretoria, South Africa

# T able of content

**CHAPTER 1** \_\_\_\_\_


**CHAPTER 2** \_\_\_\_\_

**CHAPTER 3** \_\_\_\_\_

**CHAPTER 4** \_\_\_\_\_

**CHAPTER 5** \_\_\_\_\_

**CHAPTER 6** \_\_\_\_\_



13	Introduction
27	Urban & Context Analysis
69	Design Development
121	Theoretical premise
139	Technical Investigation
173	Technical Documentation

# List of figures

## CHAPTER ONE IMAGES

FIG 1.1\_ Location map of chosen study area by Servaas de Kock photo from GIS dept. UP

FIG 1.2\_ View from Rissik Station towards chosen site by Servaas de Kock

FIG 1.3\_ Location map indication the seven proposed interventions by Servaas de Kock photo from GIS dept. UP

FIG 1.4\_ Property ownership involved framework implementation by Servaas de Kock photo from GIS dept. UP

FIG 1.5\_ Photo of Author by Lara Roux 2005

## CHAPTER TWO IMAGES

FIG 2.1\_ Transportation map by Servaas de Kock photo from GIS dept. UP

FIG 2.2\_ Land use distribution by Servaas de Kock photo from GIS dept. UP

FIG 2.3\_ Urban activity nodes by Servaas de Kock photo from GIS dept. UP

FIG 2.4\_ Schematic scale diagram by Servaas de Kock

FIG 2.5\_ Portion one: site character by Servaas de Kock

FIG 2.6\_ Portion two: site character by Servaas de Kock

FIG 2.7\_ Portion three: chosen site character as seen from Festival Street by Servaas de Kock

FIG 2.8\_ Portion four: site character as seen from Rissik station by Servaas de Kock

FIG 2.9\_ Group framework indicated on Pretoria metro scale by Servaas de Kock

FIG 2.10\_ Group framework implementation map by Servaas de Kock photo from GIS dept. UP

FIG 2.11\_ Framework implementation on chosen site by Servaas de Kock

FIG 2.12\_ Photographic orientation diagram by Servaas de Kock photo from GIS dept. UP

FIG 2.13\_ Historical site occupancy map photo from Africana collection UP

FIG 2.14\_ Site panorama taken from City Property development by Servaas de Kock

FIG 2.15\_ Site panorama taken from Festival Bridge by Servaas de Kock

FIG 2.16\_ Site panorama taken from Damlin by Servaas de Kock

FIG 2.17\_ Site used as construction worker informal residency by Servaas de Kock

FIG 2.18\_ Current state of site by Servaas de Kock

FIG 2.19\_ Panoramic view from site towards gym by Servaas de Kock

FIG 2.20\_ Surrounding building use distribution by Servaas de Kock photo from GIS dept. UP

FIG 2.21\_ Photographic orientation diagram by Servaas de Kock photo from GIS dept. UP

FIG 2.22\_ Current development on Burnett Street by Servaas de Kock

FIG 2.23\_ Surrounding building materiality by Servaas de Kock

- FIG 2.24 \_Current state of Mozambique café by Servaas de Kock  
 FIG 2.25 \_Surrounding materiality by Servaas de Kock  
 FIG 2.26 \_Historical important landmark by Servaas de Kock  
 FIG 2.27 \_Surrounding building materiality by Servaas de Kock  
 FIG 2.28 \_Scale of recently completed residential block by Servaas de Kock  
 FIG 2.29 \_Traditional face brick tectonics by Servaas de Kock  
 FIG 2.30 \_Surrounding building use by Servaas de Kock  
 FIG 2.31 \_Building forms backdrop to our site, basement parking entrance by Servaas de Kock

## CHAPTER THREE IMAGES

- FIG 3.1 \_Touch stone project collectively designed to indicate interdependencies of the arts within an urban context by Servaas de Kock, Rian Kotze and Curine Stegman  
 FIG 3.2 \_Laptop plug-in incorporated in furniture (Gaventa, S.2006:pg.191)  
 FIG 3.3 \_Urban performance space, Federation Square Melbourne, Australia by LAB Architecture Studio (Gaventa, S.2006:pg.25)  
 FIG 3.4 \_Urban activity friendly design, Chasse Terrein, Breda, The Netherlands by West 8 landscape Architects (Gaventa, S.2006:pg.34)  
 FIG 3.5 \_Appropriately scaled street furniture relates to space scale (Gaventa, S.2006:pg.23)  
 FIG 3.6 \_Sense of place enhanced by digital media (Gaventa, S.2006:pg.59)  
 FIG 3.7 \_Urban identity enhanced by digital clock, the roppongi Hills Project (Gaventa, S.2006:pg.59)  
 FIG 3.8 \_Fabric stitched together by articulation of in-between spaces (Gaventa, S.2006:pg.133)  
 FIG 3.9 \_Urban activity encourages in controlled environment (Gaventa, S.2006:pg.133)  
 FIG 3.10 \_Innitial response to train track grid by Servaas de Kock photo from GIS dept. UP  
 FIG 3.11 \_Innitial design sketches done for site by Servaas de Kock , Rian Kotze and Curine Stegman photo from GIS dept. UP  
 FIG 3.12 \_Spatial design of larger framework by Servaas de Kock , Rian Kotze and Curine Stegman photo from GIS dept. UP  
 FIG 3.13 \_Second design implementation responds to both grids by Servaas de Kock photo from GIS dept. UP  
 FIG 3.14 \_Spatial design development sketch by Servaas de Kock , Rian Kotze and Curine Stegman photo from GIS dept. UP  
 FIG 3.15 \_Elementary building massing diagram by Servaas de Kock , Rian Kotze and Curine Stegman photo from GIS dept. UP  
 FIG 3.16 \_ Urban green pocket across the bridge connecting to proposed urban space at Rissik station intervention model by Servaas de Kock , Rian Kotze photo by Author  
 FIG 3.17 \_ First point of orientation when vertical site circulations are used by Servaas de Kock , Rian Kotze photo by Author  
 FIG 3.18 \_ Elementary urban design model I by Servaas de Kock , Rian Kotze photo by Author  
 FIG 3.19 \_ Urban green pocket in front of fashion school by Servaas de Kock , Rian Kotze photo by Author  
 FIG 3.20 \_ Public transition space between urban activity zone and community engagement intervention by Servaas de Kock , Rian Kotze photo by Author  
 FIG 3.21 \_ Urban activity square with climbing wall as vertical focal point by Servaas de Kock , Rian Kotze photo by Author  
 FIG 3.22 \_ Photo of author by Lara Roux 2005  
 FIG 3.23 \_Layout diagram highlighting the skin articulation on plan by Servaas de Kock  
 FIG 3.24 \_Conceptual realization indicated on plan by Servaas de Kock  
 FIG 3.25 \_Innitial design concept drawings exploring spatial arrangement drawing by Servaas de Kock  
 FIG 3.26 \_Elementary programmatic layout drawing by Servaas de Kock  
 FIG 3.27 \_Spatial sketch exploring public circulation route drawing by Servaas de Kock  
 FIG 3.28 \_Innitial sectional exploration enquiring into how the permeable skin can create the visual experiences onto the urban

space drawing by Servaas de Kock

FIG 3.29\_Initial programmatic sketch illustrating the music related experience the building needs to portray to provide insight into the processes involved within the performance industry drawing by Servaas de Kock

FIG 3.30\_First conceptual sketch illustrating the skin as the sensory guiding element folding around the public interface drawing by Servaas de Kock

FIG 3.31\_Conceptual development diagram drawing by Servaas de Kock

FIG 3.32\_Design diagram exploring the corner articulation which needs to draw people in between buildings drawing by Servaas de Kock

FIG 3.33\_Circulation exploration on first floor drawing by Servaas de Kock

FIG 3.34\_Concept model 1 model by Servaas de Kock

FIG 3.35\_Elementary 3 Dimensional model 1 exploring skin articulation model by Servaas de Kock

FIG 3.36\_Conceptual diagram exploring building entrance and circulation network drawing by Servaas de Kock

FIG 3.37\_Concept development on section, idea of the skin forming the roof was explored drawing by Servaas de Kock

FIG 3.38\_Sectional exploration indicating the external visual experience in contrast to the internal multi sensory experience drawing by Servaas de Kock

FIG 3.39\_Conceptual model 2 in relation to Art workshop model by Servaas de Kock

FIG 3.40\_Diagram indicating circulation network drawing by Servaas de Kock

FIG 3.41\_Concept model 2 model by Servaas de Kock

FIG 3.42\_Diagram illustrating primary programmatic components of building drawing by Servaas de Kock

FIG 3.43\_Roof articulation as a collection of smaller separated roofs drawing by Servaas de Kock

FIG 3.44\_Concept model 3: MK live room prominent interactive facade experience model by Servaas de Kock

FIG 3.45\_3 dimensional model exploring roof articulation and massing model by Servaas de Kock

FIG 3.46\_Concept model 3: Spatial relationship between existing parking explored model by Servaas de Kock

FIG 3.47\_Concept model 4: Roof orientation changes model by Servaas de Kock

FIG 3.48\_Concept model 4: Music related experiences refined model by Servaas de Kock

FIG 3.49\_3 dimensional exploration of primary roof as binding canopy model by Servaas de Kock

FIG 3.50\_Initial spatial orientation of roof drawing by Servaas de Kock

FIG 3.51\_New orientation, primary roof structure separated from wall drawing by Servaas de Kock

FIG 3.52\_Diagram indicating the spatial divide between outside and inside experience articulated by the wall indicated in blue drawing by Servaas de Kock

FIG 3.53\_Concept model 5: Symbolic progression articulated in formal language of front façade model by Servaas de Kock

FIG 3.54\_Concept model 5: Skin folds up and becomes the roof plane model by Servaas de Kock

FIG 3.55\_Concept model 5: Roof reaches its highest point over theatre and film production studio conceptually reflecting the highest point reached within the industry provided at this facility model by Servaas de Kock

FIG 3.56\_Circulation diagram articulating primary and secondary space orientation, circulation begins to separate from building drawing by Servaas de Kock

FIG 3.57\_Elementary design section illustrating the skin, wall and detached circulation network drawing by Servaas de Kock

FIG 3.58\_Circulation termination points articulated by means of vertical circulation network drawing by Servaas de Kock

FIG 3.59\_spatial diagram enquiring into programmatic articulation of wall drawing by Servaas de Kock

FIG 3.60\_Ground floor plan, June 2008 drawing by Servaas de Kock

FIG 3.61\_First floor plan, June 2008 drawing by Servaas de Kock

FIG 3.62\_Second floor plan, June 2008 drawing by Servaas de Kock

FIG 3.63\_Ground floor layout diagram, June 2008 drawing by Servaas de Kock

FIG 3.64\_First floor layout diagram, June 2008 drawing by Servaas de Kock

FIG 3.65\_Second floor layout diagram, June 2008 drawing by Servaas de Kock

FIG 3.66\_Southern Facade, June 2008 drawing by Servaas de Kock

FIG 3.67\_Northern Facade, June 2008 drawing by Servaas de Kock

FIG 3.68\_Western Facade, June 2008 drawing by Servaas de Kock

FIG 3.69\_Eastern Facade, June 2008 drawing by Servaas de Kock

FIG 3.70\_Perspective view from activity space, June 2008 model by Servaas de Kock



- FIG 3.71\_Artist progression through intervention model by Servaas de Kock  
 FIG 3.72\_Primary entrance articulation by means of vertical massed element model by Servaas de Kock  
 FIG 3.73\_Tectonic section, June 2008 drawing by Servaas de Kock  
 FIG 3.74\_Tectonic section indication user activities in urban space, June 2008 drawing by Servaas de Kock  
 FIG 3.75\_Tectonic diagram, June 2008 drawing by Servaas de Kock  
 FIG 3.76\_Outside public orientated experience compared to internal working aspect of performance industry drawing by Servaas de Kock
- FIG 3.77\_Urban model 2 : Indicating the visual art workshop, Music Performance Lab and Fashion school in relation to the designed urban activity space by Servaas de Kock, Rian Kotze and Curine Stegman photo by Author  
 FIG 3.78\_Urban model 2 :View from Risski station design towards our site by Servaas de Kock, Rian Kotze and Curine Stegman photo by Author  
 FIG 3.79\_Urban model 2 : Connection to other schemes which forms part of the designed framework by Servaas de Kock, Rian Kotze and Curine Stegman photo by Author  
 FIG 3.80\_Transition space between visual art workshop and Music Performance lab  
 FIG 3.80\_Transition space between visual art workshop and Music Performance lab  
 FIG 3.80\_Transition space between visual art workshop and Music Performance lab by Servaas de Kock, Rian Kotze and Curine Stegman photo by Author  
 FIG 3.81\_View of spatial arrangement between buildings by Servaas de Kock, Rian Kotze and Curine Stegman photo by Author  
 FIG 3.82\_Transition space between Music Performance lab and Fashion school by Servaas de Kock, Rian Kotze and Curine Stegman photo by Author  
 FIG 3.83\_three projects in relation to each other by Servaas de Kock, Rian Kotze and Curine Stegman photo by Author  
 FIG 3.84\_Central activity space catering for urban performances from MK LIVE room by Servaas de Kock, Rian Kotze and Curine Stegman photo by Author  
 FIG 3.85\_Urban activity space in relation to train track by Servaas de Kock, Rian Kotze and Curine Stegman photo by Author

## CHAPTER FOUR IMAGES

- FIG 4.1\_Mesh transparency when not activated (ag\_Mediamash\_Illumesh\_en.PDF: pg 2)  
 FIG 4.2\_Mesh transparency when activated (ag\_Mediamash\_Illumesh\_en.PDF: pg 6)  
 FIG 4.3\_Mesh creates multimedia experience on building façade (ag\_Mediamash\_Illumesh\_en.PDF: pg 2)  
 FIG 4.4\_Mesh spacing determines visible distance of media (ag\_Mediamash\_Illumesh\_en.PDF: pg 10)  
 FIG 4.5\_GKD Media mesh effects (ag\_Mediamash\_Illumesh\_en.PDF: pg 6)  
 FIG 4.6\_GKD Media mesh on building façade (ag\_Mediamash\_Illumesh\_en.PDF: pg 11)  
 FIG 4.7\_Density of space enhanced through shadow articulation by Servaas de Kock  
 FIG 4.8\_Materiality enhances shadow (Deckler,T, Graupner,A, Rasmuss, H. 2006: pg 134)  
 FIG 4.9\_Colour panels creates colorful shade spectrum (Phaidon, 10x10. 2000: pg 95)  
 FIG 4.10\_Filtered light quality by Servaas de kock  
 FIG 4.11\_Shadow adds to the layered depth of planer elements by Servaas de kock  
 FIG 4.12\_Soft light filtering into space interior by Servaas de kock  
 FIG 4.13\_Dramatic play of shadows onto textured wall (Jodidio, P. 2002: pg31)  
 FIG 4.14\_Layered materiality (LeCuyer,A. 2001: pg 109)  
 FIG 4.15\_Shadows reveals true textured materiality on wall by Servaas de kock  
 FIG 4.16\_Colourfull palette of brickwork by Servaas de kock  
 FIG 4.17\_Nutral surface brought to life through shadow articulation by Servaas de kock  
 FIG 4.18\_Textured depth enhanced trough light (Deckler,T, Graupner,A, Rasmuss, H. 2006: pg 134)  
 FIG 4.19\_Tranquil roof space (Digest of South African Architecture, 2005/2006 volume 10: pg 110)  
 FIG 4.20\_Spatial relationship between external and internal space (Deckler,T, Graupner,A, Rasmuss, H. 2006: pg 136)  
 FIG 4.21\_Focussed view onto courtyard space by Servaas de kock

FIG 4.22\_Spatiality enhanced by color (Phaidon, 10x10. 2000: pg 95)  
FIG 4.23\_Spatial connection between internal and external environment (Phaidon, 10x10. 2000: pg 376)  
FIG 4.24\_Light shaft provides spatial continuity with external environment (Phaidon, 10x10. 2000: pg 283)  
FIG 4.25\_Tranquility enhanced through material choice (Digest of South African Architecture, 2005/2006 volume 10: pg 134)  
FIG 4.26\_Natural connection by Servaas de Kock  
FIG 4.27\_Internal courtyard by Servaas de Kock  
FIG 4.28\_Opening placement enhances mass articulation by Servaas de Kock  
FIG 4.29\_Window placement enhances wall depth experience by Servaas de Kock  
FIG 4.30\_Light enhances the formal language of the masses by Servaas de Kock  
FIG 4.31\_Mass to void relationship by Servaas de Kock

## CHAPTER FIVE IMAGES

FIG 5.1\_Tectonic section illustrating the essence of the structural logic drawing by Servaas de Kock  
FIG 5.2\_Tectonic language illustrated on diagrammatic section drawing by Servaas de Kock  
FIG 5.3\_Section through MK Live room drawing by Servaas de Kock  
FIG 5.4\_Structural system explored in relation to sun angles drawing by Servaas de Kock  
FIG 5.5\_Spatial section through Resource library drawing by Servaas de Kock  
FIG 5.6\_Section taken through recording booths and MK live room drawing by Servaas de Kock  
FIG 5.7\_three dimensional model indicating primary and secondary support systems render by Servaas de Kock  
FIG 5.8\_three dimensional model indicating circulation and brick infill render by Servaas de Kock  
FIG 5.9\_three dimensional model indicating spatial relationship to circulation network render by Servaas de Kock  
FIG 5.10\_Protected truss sketch exploring roof orientating responding to perpendicular grid logic drawing by Servaas de Kock  
FIG 5.11\_Roof development sketch logic drawing by Servaas de Kock  
FIG 5.12\_Roof plan diagram logic drawing by Servaas de Kock  
FIG 5.13\_Roof plan diagram indicating initial roof shape responding to both grids logic drawing by Servaas de Kock  
FIG 5.14\_Truss construction explored logic drawing by Servaas de Kock  
FIG 5.15\_Diagrammatic roof plan of intended truss spacing with resulting roof form drawing by Servaas de Kock  
FIG 5.16\_Three dimensional model indicating the primary and secondary roof support layout render by Servaas de Kock  
FIG 5.17\_Three dimensional roof construction model render by Servaas de Kock  
FIG 5.18\_Structural truss layout with horizontal lattice truss render by Servaas de Kock  
FIG 5.19\_Three dimensional roof construction detail render by Servaas de Kock  
FIG 5.20\_Three dimensional suspended timber and steel ceiling detail render by Servaas de Kock  
FIG 5.21\_Integrated services illustration drawing by Servaas de Kock  
FIG 5.22\_Integrated services shown on plan drawing by Servaas de Kock  
FIG 5.23\_Ventilation distribution render by Servaas de Kock  
FIG 5.24\_Ground floor plan of Law Faculty (Deckler, T, Graupner, A, Rasmuss, H. 2006: pg 105)  
FIG 5.25\_Internal spatiality of courtyards by Servaas de Kock  
FIG 5.26\_Detached construction detail of circulation network by Servaas de Kock  
FIG 5.27\_Detached external circulation by Servaas de Kock  
FIG 5.28\_Wall articulation by Servaas de Kock  
FIG 5.29\_Wall massing shown in relation to context by Servaas de Kock  
FIG 5.30\_Pilkington structural glazing system with moveable shutters by Servaas de Kock  
FIG 5.31\_Facade definition accentuates curved geometry by Servaas de Kock  
FIG 5.32\_Glazing clamp detail by Servaas de Kock  
FIG 5.33\_Mechanical movement system by Servaas de Kock  
FIG 5.34\_Mechanical movement system on façade by Servaas de Kock  
FIG 5.35\_External appearance by Servaas de Kock  
FIG 5.36\_Ground floor plan (Deckler, T, Graupner, A, Rasmuss, H. 2006: pg 103)

- FIG 5.37\_Materiality used by Servaas de Kock  
FIG 5.38\_Wall provides textured canvas for shadows to drape upon by Servaas de Kock  
FIG 5.39\_Flush jointed brickwork used by Servaas de Kock  
FIG 5.40\_Weathered materiality of brickwork by Servaas de Kock  
FIG 5.41\_Combination of materials provides a rich material palette by Servaas de Kock  
FIG 5.42\_Concrete and brickwork provides stereo tonic language by Servaas de Kock  
FIG 5.43\_Gutter edge condition (Deckler, T, Graupner, A, Rasmuss, H. 2006: pg 143)  
FIG 5.44\_Roof and gutter forms uniformly articulated roof edge condition (Deckler, T, Graupner, A, Rasmuss, H. 2006: pg 146)  
FIG 5.45\_Industrial tectonic of exposed steel lattice trusses (Deckler, T, Graupner, A, Rasmuss, H. 2006: pg 126)  
FIG 5.46\_Cross section trough roof construction (Deckler, T, Graupner, A, Rasmuss, H. 2006: pg 127)  
FIG 5.47\_Unsupported span achieved by lattice truss construction (Deckler, T, Graupner, A, Rasmuss, H. 2006: pg 200)  
FIG 5.48\_Roof underside (Deckler, T, Graupner, A, Rasmuss, H. 2006: pg 202)  
FIG 5.49\_Cross section through restaurant roof (Deckler, T, Graupner, A, Rasmuss, H. 2006: pg 203)

## CHAPTER SIX IMAGES

- FIG 6.1\_Ground floor plan technical drawing by Servaas de Kock  
FIG 6.2\_First floor plan technical drawing by Servaas de Kock  
FIG 6.3\_Second floor plan technical drawing by Servaas de Kock  
FIG 6.4\_Basement parking layout plan technical drawing by Servaas de Kock and Rian Kotze  
FIG 6.5\_Site plan technical drawing by Servaas de Kock and Rian Kotze  
FIG 6.6\_Section a-a technical drawing by Servaas de Kock  
FIG 6.7\_Section b-b technical drawing by Servaas de Kock  
FIG 6.8\_Section c-c technical drawing by Servaas de Kock  
FIG 6.9\_Section d-d technical drawing by Servaas de Kock  
FIG 6.10\_Section e-e technical drawing by Servaas de Kock  
FIG 6.11\_Sight line diagram technical drawing by Servaas de Kock  
FIG 6.12\_Section f-f technical drawing by Servaas de Kock  
FIG 6.13\_Roof detail technical drawing by Servaas de Kock  
FIG 6.14\_Flat Roof and circulation detail technical drawing by Servaas de Kock  
FIG 6.15\_Floor slab and facade junction technical drawing by Servaas de Kock  
FIG 6.16\_Floor slab and facade junction location drawing technical drawing by Servaas de Kock  
FIG 6.17\_Drum booth acoustic detail technical drawing by Servaas de Kock  
FIG 6.18\_Sodded roof detail technical drawing by Servaas de Kock  
FIG 6.19\_Drum booth acoustic floor and wall junction technical drawing by Servaas de Kock  
FIG 6.20\_Main roof suspended timber roof underside detail technical drawing by Servaas de Kock  
FIG 6.21\_Circulation connection detail technical drawing by Servaas de Kock  
FIG 6.22\_Main roof office facade detail technical drawing by Servaas de Kock  
FIG 6.23\_Resource library GKD Mesh detail technical drawing by Servaas de Kock  
FIG 6.24\_Resource library facade and gutter detail technical drawing by Servaas de Kock  
FIG 6.25\_Resource library shutter and glazing interface technical drawing by Servaas de Kock  
FIG 6.26\_Roof support column detail technical drawing by Servaas de Kock  
FIG 6.27\_Resource library Polycarbonate roof support detail technical drawing by Servaas de Kock  
FIG 6.28\_Proposed South Elevation technical drawing by Servaas de Kock  
FIG 6.29\_Proposed North Elevation technical drawing by Servaas de Kock  
FIG 6.30\_Proposed East Elevation technical drawing by Servaas de Kock  
FIG 6.31\_Proposed West Elevation technical drawing by Servaas de Kock  
FIG 6.32\_Perspective view of building as seen from urban activity space by Servaas de Kock  
FIG 6.33\_Perspective view of building as seen from urban activity space by Servaas de Kock