



08

References

8.1 List of Figures

Fig. 1-1	Indeterminate space adjacent to project site. (Photograph by author).	2
Fig. 1-2	The site currently functions as a parking lot that services the surrounding buildings. (Photograph by Author).	5
Fig. 1-3	Mapping the invisible on the visible: The Tramshed historical facade onto The Tramshed parkade wall. (Photograph by author).	6
Fig. 1-4	Mapping the invisible on the visible: The Tramshed trusses onto The Tramshed parkade wall. (Photograph by author).	6
Fig. 1-5	Mapping the invisible on the visible: The Momentum atrium space beyond onto the front wall of the same building. (Photograph by Author).	6
Fig. 1-6	Swings installed into an indeterminate facade at the Cascoland Public Arts Festival in 2007. (Photograph courtesy of Jan Koerbes).	7
Fig. 1-7	Lina Bo Bardi's Teatro Officiena was the site of many forum-based and applied theatre events. (Photo by Anne Graupner).	7
Fig. 2-8	The Capitol Theatre in its current state of disrepair. (Image source: http://www.cinemasouvenirs.net/CapitolPta01.html).	10
Fig. 2-9	The Capitol theatre in its former glory. (Image source: http://www.cinemasouvenirs.net/CapitolPta01.html).	10
Fig. 2-8	State Theatre: a thick-skinned building with anti-social skin. (Source unknown).	12
Fig. 2-9	Boal's forum theatre is able to take place in informal environments. (Image source: http://en.wikipedia.org/wiki/File:Augusto_Boal_nyc5.jpg).	14
Fig. 2-10	Shadow theatre as a participatory tool. (Photograph by author).	16
Fig. 2-11	Historical Rand Infantry Drill Hall, the host site of the Cascoland Arts Festival. (Photograph by Michael Hart).	17
Fig. 2-12	Children on swings newly inserted into a dysfunctional arcade on the Drill Hall site: small-scale regeneration. (Photo courtesy of Jan Korbes).	18
Fig. 3-11	Roof truss system of The Tramshed. (Photograph by Author).	19
Fig. 3-12	Map of the Pretoria CBD: the proposed area to be developed by the group framework. (Image by Leon Grobbelaar).	20
Fig. 3-13	The objective of the physical framework is connect diverse programmes, spaces and activities together into a single design framework. (Image by Grant Prestedge).	22
Fig. 3-14	Framework proposed by the design group. (Image by author).	23
Fig. 3-15	Colour palette for possible future application. (Image by author).	24
Fig. 3-16	Texture paradigms that can applied to create a contextually referenced building language. (Image by author).	25
Fig. 3-22	Figure-ground of project area (Sammy Marks precinct). (Image by author).	26
Fig. 3-17	(1) Clock tower on Sammy Marks Square. (Photo by author).	27
Fig. 3-18	(2) View of Lillian Ngoyi Square from roof of State Theatre administration block. (Photo by author).	27
Fig. 3-19	(3) View of State Theatre from glass elevator of ABSA building. (Photo by author).	27
Fig. 3-20	(4) View of ABSA building from entrance plaza of State Theatre admin tower. (Photo by author).	27
Fig. 3-21	(5) Looking eastwards down the Pretorius Street Urban canyon. (Photo by author).	27
Fig. 3-23	Project site in the Sammy Marks precinct. (Source unknown).	28
Fig. 3-24	The Tramshed barrier wall at southern edge of site. (Photo by author).	29
Fig. 3-25	The site chosen for the project intervention. (Photo by author).	31
Fig. 3-26	Brutalist aesthetic on the facade of the Govpret building. (Photo by author).	32
Fig. 3-27	Cross pattern created in brick and concrete on southern wing of Govpret. (Photo by author).	32
Fig. 3-28	Tramshed Parkade: rear wall with light through the cracks. (Photo by author).	34
Fig. 3-29	Tramshed Parkade rear wall forming natural backdrop. (Photo by author).	34
Fig. 3-30	Brick infill between concrete core structure of Momentum Centre, forming a barrier	34

	to pedestrian movement. (Photo by author).	
Fig. 3-31	Concrete scarring on Momentum facade facing site. (Photo by author).	35
Fig. 3-32	Govpret building, currently rentable office space. Precast concrete balconies. (Photograph by author).	35
Fig. 3-33	Focus areas in the project context. (Image by author).	36
Fig. 3-34	Figure-ground diagram of zoomed in project area. (Image by author).	37
Fig. 3-35	The western State Theatre wall should be activated to contribute to life on the square. (Image by author).	38
Fig. 3-36	The western edge of the State Theatre creates creates a social barrier between the square and the theatre, resulting in a dead zone. (Photograph by author).	39
Fig. 3-37	Lillian Ngoyi Square flanked by the State Theatre and Sammy Marks Square with Church Street. (Photograph by author).	40
Fig. 3-38	Focus areas. (Image by author).	41
Fig. 3-39	The kinds of items that are prevalent in trader stalls, are generally imported from foreign lands. (Photo by author).	42
Fig. 3-40	Little variety of locally manufactured goods. (Photo by author).	42
Fig. 3-41	Informal trading along Church Street pedestrian boulevard indicates vibrant urban life, yet serves to hide the latent cultural homogeneity. (Photo by author).	42
Fig. 3-42	Platforms for buskers and traders: informal activitators. (Image by author).	42
Fig. 3-42	Photograph taken by author from State Theatre roof, looking westwards towards Pretoria centre. (Photo by author).	44
Fig. 3-43	Bridge between Standard Bank plaza, and neighbouring mall. (Photo by author).	44
Fig. 3-44	Bridge linking northern and southern sections of the Munitoria council. (Google Earth Streetview Image, accessed 22/09/2011).	44
Fig. 3-45	Small bridge connection between Momentum Centre and neighbouring office tower. (Photo by author).	44
Fig. 3-46	Isometric diagram highlighting the edges of the Pretorius Street “urban canyon”. (Image by author).	45
Fig. 3-47	Bridging concept: site to State Theatre. (Image by author).	45
Fig. 3-48	Bridging parti sketch: a continuous building that plugs into the city fabric across block barriers. (Photo by author).	45
Fig. 3-49	Sketch of old map, showing original structure of block, with western plaza of Momentum Building. (Image by author).	46
Fig. 3-50	Project site. (Image by author).	46
Fig. 3-51	The scarred concrete surface probably is an indication of a rapid casting job to finish off the building. (Photo by author.)	46
Fig. 3-52	Brick in-fill between existing concrete structure with square windows which allow a view into the Momentum forum space. (Photo by author).	46
Fig. 3-53	Diagram juxtaposing intended footprint against realised footprint. (Image by author).	47
Fig. 3-54	The height dissonances between two opposing structures (Govpret and Momentum buildings) could pose a problem to movement between the buildings. (Image by author).	47
Fig. 3-55	Shadow studies demonstrating differences in amount of sunlight entering site. (Image by author).	48
Fig. 3-56	Sanlam Centre. (Photo by author).	49
Fig. 3-58	Translucent polycarbonate roof sheeting of The Tramshed. (Photo by author).	49
Fig. 3-59	Standard Bank Plaza. (Photo by author).	49
Fig. 3-57	Fedhealth Forum skylight and central lift shaft. (Photo by author).	49
Fig. 3-60	Momentum Centre forum space lit by overhead skylight. (Photos by author).	49
Fig. 3-61	Basement Plan. (Image source: http://europaconcorsi.com/projects/121023-Pratt-Institute-Higgins-Hall-Insertion/images/1785557 , accessed 08/06/2011).	50
Fig. 3-62	View from across the street. (Image source: http://europaconcorsi.com/projects/121023-Pratt-Institute-Higgins-Hall-Insertion/images/1746137 , accessed 08/06/2011).	50
Fig. 3-63	Front facade – light penetrating polycarbonate sheet cladding detail. (Image source: http://europaconcorsi.com/projects/121023-Pratt-Institute-Higgins-Hall-Insertion , accessed 08/06/2011).	50
Fig. 3-64	First Floor Plan.	

	(Image source: http://europaconcorsi.com/projects/121023-Pratt-Institute-Higgins-Hall-Insertion/images/ , accessed 08/06/2011).	50
Fig. 3-66	Second Floor Plan (Image source: http://europaconcorsi.com/projects/121023-Pratt-Institute-Higgins-Hall-Insertion/images/ , accessed 08/06/2011).	51
Fig. 3-65	Section illustrating level dissonances between opposing historical wings. (Image source: http://europaconcorsi.com/projects/121023-Pratt-Institute-Higgins-Hall-Insertion/images/1785610 , accessed 08/06/2011).	51
Fig. 3-69	Section illustrating skylight and seasonal sun entry angles. (Image source: http://europaconcorsi.com/projects/121023-Pratt-Institute-Higgins-Hall-Insertion/images/1785620 , accessed 08/06/2011).	51
Fig. 3-67	Third Floor Plan. (Image source: http://europaconcorsi.com/projects/121023-Pratt-Institute-Higgins-Hall-Insertion/images/ , accessed 08/06/2011).	51
Fig. 3-70	Skylight and ramp accentuate the structural fault line and level dissonances. (Image source: http://radaris.com/p/Steven/Pratt/ , accessed 08/06/2011).	51
Fig. 3-68	Fourth Floor Plan. (Image source: http://europaconcorsi.com/projects/121023-Pratt-Institute-Higgins-Hall-Insertion/images/ , accessed 08/06/2011).	51
Fig. 3-71	1. Alley, 2. Parkade, 3. Mall. (Photo by author).	52
Fig. 3-72	Alley between historical facade and Fedhealth Forum. (Photo by author).	52
Fig. 3-73	The Tramshed mall: central forum. (Photo by author).	53
Fig. 3-74	Tramshed-Govpret service alley. (Photo by author).	53
Fig. 3-75	View down volumetric light well depicting clearly the planar linearity of the space. (Image source: http://abduzeedo.com/architect-day-sir-norman-foster , accessed 09/06/2011).	54
Fig. 3-76	View illustrating the use of translucent glass planes that allow for the subtle use of natural light to articulate the gallery volume, and illuminate the objects on display. (Image source: http://modernarchitecturelondon.com/pages/sackler-galleries.php , accessed 09/06/2011).	54
Fig. 3-77	Contemporary stair details are contrasted against the historical facade of the Burlington House, creating an awareness of coexisting time-frames. (Image source: http://www.fosterandpartners.com/Projects/0356/Default.aspx , accessed 09/06/2011).	55
Fig. 3-78	Figure-ground existing. (Image by author).	58
Fig. 3-79	Figure-ground proposed. (Image by author).	59
Fig. 4-80	The initial sketch for a forum-based theatre space in the project site. (Image by author).	66
Fig. 5-81	Connectivity and diversity. (Image by author).	70
Fig. 5-82	Use of theatre for staging informal events such as markets. (Image by author).	70
Fig. 5-83	The stage or platform that separates the actor from the spectator. (Image by author).	71
Fig. 5-84	Site before intervention. (Image by author).	73
Fig. 5-85	Site with new intervention inserted, with new pedestrian arcade and theatre separated by ordering structure. (Image by author).	73
Fig. 5-86	Site model with intervention inserted and connected into a continuous pedestrian block. (Image by author).	74
Fig. 5-87	Site model: bird's eye view from the south. (Image by author).	75
Fig. 5-88	The Parti Diagram attempts to describe the following important aspects of the design. (Image by author).	76
Fig. 5-90	Pedestrian arcade and The Tramshed Gallery intersect forming a social (theatre) space. (Photo by author).	78
Fig. 5-89	Photo taken on Friday 14 October (late spring). (Photo by author).	78
Fig. 5-87	Figure ground model with new intervention. (Photo by author).	78
Fig. 5-91	A building that provides an interface between opposing structures. (Photo by author).	78
Fig. 5-92	A Glazed roof spans across the site, providing protection against the elements, while allowing natural light. (Photo by author).	78
Fig. 5-91	Bird's eye view of interface displaying roof, arcade and volumes, juxtaposed against surrounding structures (rendered black). (Photo by author).	79

Fig. 5-92	Position of pedestrian arcade to be developed as a new retail corridor. (Image by author).	80
Fig. 5-93	Block connectivity diagram. (Image by author).	80
Fig. 5-99	Site in current state: Momentum Building as a barrier to movement. (Image by author).	81
Fig. 5-98	Remove brick in-fill and existing corrugated steel roof. (Image by author).	81
Fig. 5-97	Demolish the outer layer of Momentum facade, leaving volumes exposed. Store rubble on site. Utilise existing elevator shaft to provide future vertical circulation. (Image by author).	81
Fig. 5-94	Brick in-fill blocking connectivity between site and Momentum Building/The Tramshed (Photograph by author).	81
Fig. 5-95	Demolish brick in-fill. (Image by author).	81
Fig. 5-96	Momentum Building retail arcade, approaching the brick in-fill barrier. In future, pedestrians will be able to access the site through this space. (Photograph by author.)	81
Fig. 5-100	Area designated for theatre forum separated from pedestrian arcade by dashed line. (Image by author).	82
Fig. 5-102	Early spatial exploration of forum space. (Image by author).	83
Fig. 5-101	Theatre excavation concept: the dashed line indicates the area excavated for the new theatre arena. (Image by author).	83
Fig. 5-103	Early spatial exploration of forum space. (Image by author).	83
Fig. 5-104	Area designated for theatre forum separated from pedestrian arcade by dashed line. (Image by author).	84
Fig. 5-105	Govpret in its current state. (Image by author).	85
Fig. 5-107	Demolish sections of brick. (Image by author).	85
Fig. 5-106	Remove precast concrete balconies that are falling into disrepair and store on site. (Image by author).	85
Fig. 5-108	Openings created in southern wing. (Image by author).	85
Fig. 5-109	Openings created in northern wing. (Image by author).	85
Fig. 5-110	Brick in-fill sections on southern wing of Govpret. (Image by author).	85
Fig. 5-111	EAST-WEST SECTION (A-A). (Image by author).	86
Fig. 5-112	NORTH-SOUTH SECTION (B-B). (Image by author).	86
Fig. 5-113	Perspective of front facade and textured shading screen, as viewed from roof of State Theatre. (Image by author).	87
Fig. 5-114	Perspective of front facade as viewed from entrance plaza between State Theatre and ABSA building. (Image by author).	87
Fig. 5-115	GROUND FLOOR PLAN. (Image by author).	88
Fig. 5-116	FIRST FLOOR PLAN (GALLERY LEVEL). (Image by author).	89
Fig. 5-117	Sketch inspired by Augusto Boal's concept of the "aesthetic space". (Image by author).	90
Fig. 5-118	Conceptual perspective illustrating the use of texture screens to create a varied facade pattern. (Image by author).	90
Fig. 5-116	General effect of a performing aesthetic on the facade of the Govpret building. (Image by author).	91
Fig. 5-117	A wide variety and diversity of patterns and forms can be generated using only 3 panel profiles in different orientations. (Image by author).	91
Fig. 5-118	Exploring negative-positive space with juxtapositions of light and dark. (Image by author).	91
Fig. 5-119	Stephen Holl's shop front for an architecture and arts school in New York. Panels in closed positions. (Image: http://inhabitat.com/files/storefront1.jpg , accessed 19/10/2011).	91
Fig. 5-119	Same project, with panels in closed position. (Image: http://inhabitat.com/files/storefront1.jpg , accessed 19/10/2011).	91
Fig. 5-119	Model explorations of moving panels and how they can be used to manipulate light, negative-positive contrasts, tone and shadow. (Image by author).	91
Fig. 5-119	Progress Sketches. (Image by author).	92
Fig. 5-120	SKETCH PLAN - GROUND LEVEL. (Image by author).	94
Fig. 5-121	SKETCH PLAN - FIRST LEVEL. (Image by author).	95
Fig. 5-122	SKETCH PLAN - SECOND LEVEL. (Image by author).	96

Fig. 5-123	SKETCH PLAN - 7TH LEVEL (RESIDENTIAL). (Image by author).	97
Fig. 5-124	SKETCH PLAN - 8TH LEVEL (RESIDENTIAL). (Image by author).	98
Fig. 5-125	SKETCH PLAN - 9TH LEVEL (RESIDENTIAL). (Image by author).	99
Fig. 5-126	Ground Floor (Level with street). (Image by author).	100
Fig. 5-127	First Floor. (Image by author).	100
Fig. 5-128	Second Floor. (Image by author).	101
Fig. 5-129	Third Floor. (Image by author).	101
Fig. 5-131	Fifth Floor. (Image by author).	102
Fig. 5-130	Sixth Floor. (Image by author).	102
Fig. 5-132	Overall Axonometric. (Image by author).	103
Fig. 5-133	Butterfly roof structure and shading panels, viewed from top of theatre school roof. (Image by author).	104
Fig. 5-134	View of theatre atrium space from entrance lobby. (Image by author).	104
Fig. 5-135	View into student theatre. (Image by author).	105
Fig. 5-136	LONG SECTION through forum theatre. (Image by author).	106
Fig. 5-137	LONG SECTION through pedestrian corridor. (Image by author).	107
Fig. 6-138	SECTION A-A through forum theatre looking north. (Image by author).	109
Fig. 6-139	GROUND FLOOR PLAN. (Image by author).	110
Fig. 6-140	GROUND FLOOR PLAN (more developed). (Image by author).	111
Fig. 6-141	The main support system for the roof. (Image by author).	112
Fig. 6-142	Position of primary structure on parti diagram. (Image by author).	112
Fig. 6-143	Spatial concept sketch: two large permanent separations with a central flexible threshold that can either be opened to allow for public access, or closed to provide access control for private productions. (Image by author).	112
Fig. 6-144	Hangar doors serve to control public access but can be fitted with windows to allow passing pedestrians brief views into the theatre. (Image source: http://www.jacorinc.com/installation/ , accessed 23/10/2011).	112
Fig. 6-145	Threshold with hangar doors in open position (top), and in closed position (bottom). (Image by author).	112
Fig. 6-146	Polycarbonate panels attached to primary steel structure. (Image by author).	113
Fig. 6-147	Steel cage at Apartheid museum by Mashabane Rose Architects. The primary structure uses the same basic construction method. (Image source: http://www.mashabanerose.co.za/projects/heritage/apartheid.htm , accessed 23/10/2011).	113
Fig. 6-148	Controlling views through the steel framework. (Image by author).	113
Fig. 6-149	Position of structure on parti diagram. (Image by author).	114
Fig. 6-151	Forum circulation galleries. (Image by author).	114
Fig. 6-152	Translucent flooring is used in the forum galleries at Merck Serono Headquarters and Research Centre designed by Murphy/Jahn Architects. (Image source: http://aiachicago.org/special_features/2007dea/gallery.asp?imgID=730 , accessed 23/10/2011).	114
Fig. 6-150	Structural support system for floor and circulation systems. (Image by author).	114
Fig. 6-153	Stanley Seitowitz's residence utilises trusses on the galleries around its central atrium space. (Image source: unknown.)	115
Fig. 6-155	A simple truss constructed from steel rods threaded between bolted timber sections. A slender round steel section supports offers mid-span support. (Photo by author).	115
Fig. 6-154	The concept for the forum structure is to optimise the viewing capabilities of the spectator public. (Image by author).	115
Fig. 6-156	Primary structure: vertical steel columns stiffened by horizontal channels. (Image by author).	116
Fig. 6-157	Secondary structure plus floors: horizontal trusses tie the primary structure to the columns of the existing Govpret building. (Image by author).	116
Fig. 6-158	Overhead acoustic panels suspended from steel trusses. (Image by author).	116
Fig. 6-159	Roof structure: the primary structure supports the roof truss structure. (Image by author).	117
Fig. 6-160	Water tanks inserted into the northern and southern end sections of the primary structure. (Image by author).	117
Fig. 6-161	The Europhalle has an adaptable layout which allows it to transform from a	118

proscenium theatre into a banquet hall with a thrust stage. (Image source: http://events-forum.de/category/europahalle/hallenplaene_europahalle/, accessed 23/10/2011).

Fig. 6-162	Forum theatre in the Teatro Oficina in São Paulo. (Source unknown.)	118
Fig. 6-163	End-stage. (Image by author).	119
Fig. 6-164	Theatre-in-the-round. (Image by author).	119
		119
Fig. 6-165	Thrust Stage. (Image by author).	119
Fig. 6-166	Transverse Stage. (Image by author).	119
Fig. 6-167	Lina Bo Bardi's Teatro Oficina, is a forum-based theatre in Sau Paulo that occupies an old service pit. (Photo courtesy of Anne Graupner).	119
Fig. 6-168	Cavity batt sound insulation installed behind plywood screens to absorb low- to medium frequency sounds during amplified performances. (Image source: http://autospec.co.za/thumb/browse/property/productmedia/isover/insulationtowalls/cavitybatt.jpg , accessed 23/10/2011).	120
Fig. 6-169	Slotted plywood panels used on the hangar doors, end screens and swiveling panels. (Image source: http://www.batimat.com/site/GB/Moteurs_et_Zooms/Product_search/Product_zoom_i2205.Zoom-0feb02a20ee22a80a482ec3fa87f53f5.htm , accessed 23/10/2011).	120
Fig. 6-170	Perforated plywood screens in a variety of warm hues. (Image source: http://esvc000603.wic055u.server-web.com/plywood-detail.html , accessed 23/10/2011).	120
Fig. 6-171	View of structure supporting the adjustable acoustic reflector panels suspended above the theatre volume. (Image by author).	121
Fig. 6-172	Example of an adjustable acoustic reflector panel in different positions. (Image source: stills from animation - http://www.kineticsnoise.com/interiors/ovation.html , accessed 23/10/2011).	121
Fig. 6-173	Reflection pattern off overhead reflector panels. (Image source: http://www.kineticsnoise.com/interiors/ovation.html , accessed 23/10/2011).	121
Fig. 6-174	Sprung floor: timber construction supported on neoprene pads. (Image source: http://www.sportsflooring.co.uk/sports-floor-systems/sprung-floors/ , accessed 23/10/2011).	121
Fig. 6-175	Sprung floor detail sketch. (Image by Vanessa Ruhlig).	121
Fig. 6-176	Cross section perspective of forum theatre. (Image by author).	122
Fig. 6-177	Shadow cast by ceiling panels during winter solstice. (Image by author).	124
Fig. 6-178	Shadow cast by ceiling panels during summer solstice. (Image by author).	124
Fig. 6-179	Perspective of typical detail of a segment of the roof. (Image by author).	124
Fig. 6-180	Light filtering ceiling panels highlighted in dark. (Image by author).	124
Fig. 6-181	Position of roof on parti diagram. (Image by author).	124
Fig. 6-182	Detail design sketch experimenting with seasonal light angles and profile shapes. (Image by author).	125
Fig. 6-183	Skylights in Peter Stutchbury's Outcrop House, Sydney, Australia. (Photo by Jané Pretorius).	125
Fig. 6-184	Detail sketches of roof panel design. (Images by author).	125
Fig. 6-185	Panel design sketch indicating sun angles and directions. (Image by author).	125
Fig. 6-186	Clear corrugated polycarbonate sheeting. (Image source: http://www.made-in-china.com/showroom/wessteven/product-detailAeNJcdfoXlkr/China-Polycarbonate-PC-Corrugated-Roof-Sheet.html , accessed 23/10/2011).	125
Fig. 6-187	Lighting the face of the actor. (Image source: Pilbrow, R. 1992. Stage Lighting. Nick Hern Books: London).	126
Fig. 6-188	Lighting the actor on a thrust stage using low-level lighting. (Image source: Pilbrow, R. 1992. Stage Lighting. Nick Hern Books: London).	126
Fig. 6-189	Different attachment options. (Image source: Pilbrow, R. 1992. Stage Lighting. Nick Hern Books: London).	127
Fig. 6-190	Egg crate lighting grid. (Image source: Pilbrow, R. 1992. Stage Lighting. Nick Hern Books: London).	127
Fig. 6-191	Arena stage lighting. (Image source: Pilbrow, R. 1992. Stage Lighting. Nick Hern Books: London).	127

Fig. 6-192	Stage lighting of acting areas. (Image source: Pilbrow, R. 1992. Stage Lighting. Nick Hern Books: London).	127
Fig. 6-193	The forum theatre utilises a similar concept for overhead access to lighting setups.	127
Fig. 6-194	The diagram illustrates how the method defined by Pilbrow has been used to position spotlights (1) to appropriately light the acting area (2). (Image by author).	128
Fig. 6-195	Philips Selecon "Arena" 4.5° – 60° PC spotlight. (Image source: http://www.seleconlight.com//index.php?option=com_virtuemart&page=shop.product_details&flypage=flypage.p1&category_id=17&product_id=47 , accessed 23/10/2011).	129
Fig. 6-196	Philips Selecon PL1 LED Luminaire. (Image source: http://www.seleconlight.com//index.php?option=com_virtuemart&page=shop.product_details&flypage=flypage.p1&category_id=150&product_id=10331 , accessed 23/10/2011).	129
Fig. 6-197	Philips Selecon Pacific 7.5° – 19° Followspot. (Image source: http://www.seleconlight.com/index.php?option=com_content&view=article&id=599&category_id=124 , accessed 23/10/2011).	129
Fig. 6-198	Philips Selecon PL RGB Floodlight. (Image source: http://www.seleconlight.com//index.php?option=com_virtuemart&page=shop.product_details&flypage=flypage.p1&category_id=146&product_id=10297 , accessed 23/10/2011).	129
Fig. 6-199	VENTILATION CONCEPT SKETCH. (Image by author).	130
Fig. 6-200	Typical construction of a sealed posi-lock plenum floor that provides a static air highway between the theatre school light shaft and exterior interface. (Source unknown).	131
Fig. 6-201	Detail sketch of the portion of the theatre school/theatre interface showing elements of the proposed ventilation strategy. (Image by author).	131
Fig. 6-202	Helix distribution pattern of fresh cool air from plenum floor outlet. (Image by author).	131
Fig. 6-203	Position of detail on parti diagram. (Image by author).	131
Fig. 6-204	Jojo Slimline tank. (Image source: http://www.jojotanks.co.za/components/com_virtuemart/shop_image/product/Slimline_4bd1bdf7817ba.png , accessed 23/10/2011).	132
Fig. 6-205	Rainwater harvesting flow pattern. (Image by author).	132
Fig. 6-206	Box gutter detail design sketches. (Image by author).	133
Fig. 6-207	Position of box gutter detail. (Image by author).	133
Fig. 7-208	SECTION A-A SCALE 1:200 (Final) (Image by author).	135
Fig. 7-209	Custom-made steel gutter and uPVC downpipe	136
Fig. 7-210	View of Jojo slimline water tank	136
Fig. 7-211	Detail of box gutter to truss connection	136
Fig. 7-212	Steel angle truss connection	136
Fig. 7-213	View showing uPVC downpipe	136
Fig. 7-214	View of transparent sheeting	136
Fig. 7-215	View of laminated and steel round truss from below	136
Fig. 7-216	Detail of truss connection to existing concrete column	137
Fig. 7-217	Detail of light panels through roof perpendicular to slope	138
Fig. 7-218	Rotating acoustic panel in vertical orientation	138
Fig. 7-219	Detail of adapted hangar door	139
Fig. 7-220	Detail of retractable seating in two positions	140
Fig. 7-221	Detail through ventilated floor system	140
Fig. 7-222	Ventilation concept sketch: movement of fresh air through floors surrounding theatre	140
Fig. 7-223	Detail floor plan of rotating acoustic facade panels	141
Fig. 7-224	Detail of glass floor installation	141
Fig. 7-225	GROUND FLOOR PLAN (Revised)	142

8.2 References

- Amabile, T.M. 1998. How to Kill Creativity. *Harvard Business Review*. 76(5):76-87.
- Angelo, C. 2008. *Possible Potential*. [Online] Available at <http://www.candalepas.com.au> [Downloaded 02/09/2011]
- Bladel, R. 2004. Sectoral and Community Involvement. *Report of the Fourth Pillar Conference of the Cultural Development Network*. 92-93. Melbourne, Australia. November .
- Boal, A. 1995. *The Rainbow of Desire*. New York: Routledge
- Chodikoff, I. 2008. Fringe Benefits – Cosmopolitan dynamics of a multi-cultural city. Opening remarks at his Exhibition. Toronto, Canada. July. [Online] Available at <http://www.kpmb.com/index.asp?navid=31&fid2=16> [Downloaded on 05/09/2011]
- Cloete, L. 2009. *The 4th Wall: breaking the boundaries of an existing public space in Pretoria*. Unpublished Masters thesis for M(Arch). Pretoria: University of Pretoria.
- Deleuze, G. & Guattari, F. 1980. *A Thousand Plateaus*. London: Minuit
- Duxbury & Murray. 2010. In Anheier, H & Rjaisar, Y (eds). *Cultural Expression, Creativity & Innovation*. London:Sage.
- Enyedi, G. 2004. *Public Participation in Socially Sustainable Urban Development*. France: UNESCO.
- Eskamp, K. P. 1989. “Theatre in Search of Social Change – the relative significance of different theatrical approaches”. The Hague: CESO.
- Evans & Shaw. 2006. Culture Clusters. In Anheier, H & Rjaisar, Y (eds). *Cultural Expression, Creativity & Innovation*. Sage: London
- Foucault, M., & Smith, A. M. S. 2002. *The Archaeology of knowledge*. London: Routledge.
- Foucault, M. 1984. Des Spaces Autres. Hétérotopies [Of Other Spaces]. *Proceedings of the conference – Circle d’études architecturales.Tunisia 1967*. In Architecture, Mouvement, Continuité (5):46-49.
- Frampton, K. 1983. *Towards a Critical Regionalism: Six Points for an Architecture of Resistance*. In, Foster, H. (ed). *Postmodern Culture*. London: Pluto Press. pp.16-30.
- Hospers, G., & Van Dalm,R. 2005. *How to create a creative city?: The viewpoints of Richard Florida and Jane Jacobs*. Unpublished interviews with Richard Florida held by Van Dalm in Amsterdam (2003), Helsinki (2005), and with Jane Jacobs held by Hospers in Toronto (2004).
- Hughes, R. 2010. *Culture*. London: Fiell.
- Jacobs, J. 1961. *The death and life of great American cities*. New York: Random House.

Jund, D. (ed). *Transient Spaces; Habitat of the Outcast. Spaces of Indeterminacy*. [Online] Available at <http://shef.ac.uk/architecture/main/gallery/gal/diploma/theoryforum07/transientSpaces.html>. [Downloaded 22 /09/2010]

Lord, P. & Templeton, D. 1986. *The Architecture of Sound*. Architectural Press: Michigan.

Pilbrow, R. 1992. *Stage Lighting*. Nick Hern Books: London

Solberg, R. 2003. "South African Theatre in the Melting Pot". Grahamstown: Rhodes University.

South African State Theatre. 2010. *SAST Annual Report 2010*. [Online] Available at <http://www.statetheatre.co.za/Portals/0/Docs/SASTAnnualReport2010.pdf> [Downloaded 26 /09/2011].

The Market Theatre. n.d. *About the Lab and Drama School*. [Online] Available at <http://www.markettheatre.co.za/view/laboratory/about-the-lab-and-drama-school>. [Downloaded on 09/09/2011].

Thomson, P. & Salgādo, G. 1985. *The everyman companion to the theatre*. London: J.M. Dent.

Trancik, R. 1986. *Finding lost space: theories of urban design*. New York : Van Nostrand Reinhold.

Tschumi, B. 1994. *Event Cities 2*. Cambridge, Massachusetts: MIT Press.

Weafer, R. 2010. Places: Indicators for Six Cities. In Anheier, H & Rjaisar, Y (eds). *Cultural Expression, Creativity & Innovation*. London: Sage.

Williams, E. [S.A]. *Spaces of Indeterminacy: University of Sheffield*. [Online] Available at http://www.shef.ac.uk/architecture/main/gallery/gal/diploma/theoryforum07/essays/emma_williams.pdf. [Downloaded 05/03/ 2011].

Thornton, G .2007. *Growth and Development Study for the City of Tshwane*. [Online] Available on http://www.tshwane.gov.za/documents/tourism/RTO_FeasibilityStudy.pdf. [Downloaded 14/04/2010].

Trancik, R. 1986. *Finding lost space: theories of urban design*. New York, Van Nostrand Reinhold.

Tshwane Smart City Project 2008. [Online] Available on <http://www.theinnovationhub.com/newsbitsvol7no07>. [Downloaded 20/04/2010].

Weafer, R. 2010. *Places: Indicators for Six Cities*. In Anheier, H & Rjaisar, Y (eds). *Cultural Expression, Creativity & Innovation*. Sage: London. 366-369.

Williams, E. [S.a]. *Spaces of Indeterminacy: University of Sheffield*. Internet: http://www.shef.ac.uk/architecture/main/gallery/gal/diploma/theoryforum07/essays/emma_williams.pdf. Access: 5 March 2011.

Wilson, M. 1990. Creativity and the Artistic Act: Relationships and Parallels. *Creativity and Aesthetic Experience*. Ottawa: University of Ottawa: 1-20.