

10. REFERENCES

- ACOCKS, J.P.H. 1988. Veld types of South Africa with accompanying veld type map. *Memoirs of the Botanical Survey of South Africa*, No. 57.
- ALLSOPP, R. 1998. Geographic Information System (GIS) and remote sensing aid tsetse control in Botswana. *Pesticide Outlook*, August issue: 9-12.
- ALSOP, N.J. 1993. A review of recent approaches to sustainable control and analysis of the potential of modern techniques for large scale use. *FAO panel of Experts*, Rome. December 1993. 18pp.
- ASHCROFT, M.T. 1959. The importance of African wild animals as reservoirs of trypanosomes. *East African Medical Journal*, 36:289.
- BAGNALL, R.J. 1993. Trypanosomosis in Zululand. *Proceedings of the twenty-fourth meeting of the SARCCUS standing committee for Animal Health, Mbabane, Swaziland*, 1993:41-49.
- BAGNALL, R.J. 1994. *Country Report – Republic of South Africa*. Prepared for a seminar on Tsetse and Trypanosomosis Control, Nairobi, December 1994.
- BAILEY, N.T.J. 1951. On estimating the size of mobile populations from recapture data. *Biometrika*, 38: 293-306.
- BAYLIS, M., MEISWINKEL, R. & VENTER, G.J. 1999. A preliminary attempt to use climate data and satellite imagery to model the abundance and distribution of *Culicoides imicola* (Diptera: Ceratopogonidae) in southern Africa. *Tydskrif van die Suid-Afrikaanse veteriniere Vereniging*, 70: 80-89.
- BAUER, B., AMSLER-DELAFOSSÉ, S., CLAUSEN, P.-H., KABORE, I. & PETRICH-BAUER, J. 1995. Successful application of deltamethrin pour-on to cattle in a campaign against tsetse flies (*Glossina* spp.) in the pastoral zone of Samorogouan, Burkina Faso. *Tropical Medicine and Parasitology*, 46: 183-189.
- BAUER, B., KABORE, I., LEFRANCOIS, T. & SOLANO, P. 1999. Impact of the Chitin synthesis inhibitor – Triflumeron on two tsetse species in the sub-humid zone of Burkina Faso. In: OAU/STRC, 1999. *Twenty-fourth Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC), Maputo, Mozambique, [29 September – 3 October] 1997*. Nairobi: OAU/STRC. OAU/STRC publication no. 119: 348.

- BOURN, D., REID, R., ROGERS, D., SNOW, B. & WINT, W. 2001. *Environmental change and the autonomous control of tsetse and trypanosomiasis in Sub-Saharan Africa*. Oxford: Environmental Research Group Oxford Limited. [ISBN: 1-898028-05-2]. 248 pp.
- BRADY, J. 1991. Seeing flies from space. *Nature*, 351: 695.
- BRADY, J. & GRIFFITHS, N. 1993. Upwind flight responses of tsetse flies (*Glossina* spp.) (Diptera: Glossinidae) to acetone, octenol and phenols in nature: a video study. *Bulletin of Entomological Research*, 83: 329-333.
- BRIGHTWELL, R., DRANSFIELD, R.D., KYORKU, C., GOLDBER, T.K., TARIMO, S.A. & MUNGAI, D. 1987. A new trap for *Glossina pallidipes*. *Tropical Pest Management*, 33: 151-159.
- BRIGHTWELL, R., DRANSFIELD, R.D. & KYORKU, C. 1991. Development of a low-cost tsetse trap and odour baits for *Glossina pallidipes* and *G. longipennis* in Kenya. *Medical and Veterinary Entomology*, 5:153-164.
- BRUCE, D. 1895. *Preliminary report of the tsetse fly disease or nagana in Zululand*. Ubombo, Zululand. Durban: Bennett and Davis.
- BUDD, L.T. 1999. *DFID-Funded tsetse and trypanosome research and development since 1980, Volume 2 – Economic Analysis*. Department for International Development, United Kingdom.
- BURSELL, E. 1970. Theoretical aspects of the control of *Glossina morsitans* by game destruction. *Zoologica Africana*, 5: 135-141.
- BURSELL, E. & TAYLOR, P. 1980. An energy budget for *Glossina*. *Bulletin of Entomological Research*, 70: 187-196.
- BURSELL, E., GOUGH, A.J.E., BEEVOR, P.S., CORK, A., HALL, D.R. & VALE, G.A. 1988. Identification of components of cattle urine attractive to tsetse flies, *Glossina*. *Bulletin of Entomological Research*, 78: 281-291.
- BUXTON, P.A. 1955. *The natural history of tsetse flies - an account of the biology of the genus Glossina (Diptera)*. London School of Hygiene and Tropical Medicine, Memoir No. 10: 816 pp.
- CARTER, R. 1993. Mbedlana Region. *Annual report of the Department of Agriculture and Forestry, Veterinary Services, KwaZulu Government Service, South Africa, for 1992/93*.

- CARTER, R. 1994. Mbedlana Region. *Annual report of the Department of Agriculture and Forestry, Veterinary Services, KwaZulu Government Service, South Africa, for 1993/94.*
- CATTS, E.P. 1970. A canopy trap for collecting Tabanidae. *Mosquito News*: 30: 472-474.
- CLARKE, K.C., McLAFFERTY, S.L. & TEMPALSKI, B.J. 1996. On epidemiology and Geographic Information Systems: A review and discussion of future directions. *Emerging Infectious Diseases*, 2: 85-92.
- COCKBILL, G.F. 1960. The control of tsetse and trypanosomiasis in Southern Africa. *Proceedings and Transactions. Rhodesia Scientific Association*, 47: 1.
- COCKBILL, G.F., LOVEMORE, D.F. & PHELPS, R.J. 1963. The control of tsetse flies (*Glossina*: Diptera, Muscidae) in a heavily infested area of southern Rhodesia by means of insecticide discharged from aircraft, followed by settlement of indigenous people. *Bulletin of Entomological Research*, 54: 93-106.
- CONNOR, R.J. 1994. African animal trypanosomiasis, In: *Infectious diseases of livestock with special reference to Southern Africa*, edited by J.A.W. Coetzer, G.R. Thomson & R.C. Tustin. Cape Town: Oxford University Press, 1: 167-205.
- DAME, D.A. & JORDAN, A.M. 1981. Control of tsetse flies, *Glossina* spp. *Advances in Veterinary Science and Comparative Medicine*, 25: 101-119.
- DAVIES, J.E. 1981. Insecticide drift and reinvasion of spray blocks in aerial spraying experiments against *Glossina morsitans centralis* Machado (Diptera: Glossinidae). *Bulletin of Entomological Research*, 71: 499-508.
- DE WAAL, D.T., CARTER, R.C., MATTHEE, O. & BAGNALL, R.J. 1998. Importance of antigen-detection ELISA in monitoring and implementing control strategies for trypanosome infection in Kwazulu-Natal, in *Antigen ELISAs for Trypanosomes. Evaluation of the Performance. Proceedings of a workshop held at ILRI, Nairobi, Kenya, 9-11 December 1996*, edited by S. Morzaria, R. Masake, J. Rowlands and T. Musoke. ILRI (International Livestock Research Institute), Nairobi, Kenya. 135 pp.

- DRANSFIELD, R.D., BRIGHTWELL, R., KYORKU, C. & WILLIAMS, B. 1990. Control of tsetse fly (Diptera: Glossinidae) populations using traps at Nguruman, south-west Kenya. *Bulletin of Entomological Research*, 80: 265-276.
- DU TOIT, R. 1954. Trypanosomiasis in Zululand and the control of tsetse flies by chemical means. *Onderstepoort Journal of Veterinary Research*, 26: 317-387.
- DU TOIT, R. 1956. Presence de *Glossina brevipalpis* Newst. autour du Lac Ste Lucie, au Zouloulouland. *International Scientific Committee for Trypanosomiasis Research (ISCTR), 6th Meeting, Salisbury, Rhodesia, 1956*. Published under the Commission for Technical Co-operation in Africa South of the Sahara (C.C.T.A.).
- DYCK, V.A., VREYSEN, M.J.B., MRAMBA, F., PARKER, A.G., MKONYI, P.A.A., SHAMBWANA, I.A. MSANGI, A. & FELDMANN, U. 1999. Eradication of *Glossina austeni* Newstead on Unguja Island (Zanzibar) by the Sterile Insect Technique. 1. Development and strategy of the project 'Tsetse fly eradication on Zanzibar', In: *Animal trypanosomosis: Vector and disease control using nuclear techniques. Proceedings of the 2nd FAO/IAEA Seminar for Africa, 27 November – 1 December 1995, Zanzibar, Tanzania*. Leiden: Bachhuys Publishers: 215-218.
- ERKELENS, A.M., DWINGER, R.H., BEDANE, B., SLINGENBERGH, J.H.W. & WINT, W. 2000. Selection of priority areas for tsetse control in Africa: A decision tool using GIS in Didessa Valley, Ethiopia, as a pilot study. In: *Animal Trypanosomosis: Diagnosis and epidemiology*. Vienna, Austria: International Atomic Energy Agency. [ISBN 90-5782-065-X]
- FAIRBANKS, D.H.K. & THOMPSON, M. 1996. Assessing land-cover map accuracy for the South African land-cover database. *South African Journal of Science*, 92: 465-470.
- FAIRBANKS, D.H.K., THOMPSON, M., VINK, D.E., NEWBY, T.S., VAN DER BERG, H.M. & EVERARD, D.A. 2000. Land-cover characteristics of South Africa. *South African Journal of Science*, 96: 69-85.
- FAO. 1982. *Training manual for tsetse control personnel, Volume 1*, edited by J.N. Pollock. Rome: Food and Agriculture Organization of the United Nations.

- FAO. 1992. *Training manual for tsetse control personnel, Volume 4*, edited by B.S. Hursey & J.H.W. Slingenbergh. Rome: Food and Agriculture Organization of the United Nations.
- FAO/IAEA. 2000. *Insect and pest control Newsletter, No. 55, July 2000*. Vienna, Austria: International Atomic Energy Agency.
- FAO/IAEA. 2001. *Insect and pest control Newsletter, No. 56, January 2001*. Vienna, Austria: International Atomic Energy Agency.
- FINELLE, P. 1974. African animal trypanosomiasis. Part IV. Economic problems. *World Animal Review*, 10: 15-18.
- FLINT, S. 1985. A comparison of various traps for *Glossina* spp. (Glossinidae) and other Diptera. *Bulletin of Entomological Research*, 75: 529-534.
- FORD, J. 1970. The geographical distribution of *Glossina*. In: *The African Trypanosomiasis*, edited by H.W. Mulligan. London: George Allen and Unwin Ltd: 274-297.
- FORD, J. (Ed.). 1971. *The role of trypanosomiasis in African ecology. A study of the tsetse fly problem*. London: Oxford University Press. 568 pp.
- FORD, J. & KATONDO, K.M. 1977. Maps of tsetse flies (*Glossina*) distribution in Africa, 1973, according to sub-generic groups on scale 1:5,000,000. *Bulletin of Animal Health and Production in Africa*, 2: 187-193.
- FOX, R.G.R., MMBANDO, S.O., FOX, M.S. & WILSON, A. 1993. Effect on herd health and productivity of controlling tsetse and trypanosomiasis by applying deltamethrin to cattle. *Tropical Animal Health and Production*, 25: 203-214.
- GIBSON, G., PACKER, M.J., STEULLET, P. & BRADY, J. 1991. Orientation of tsetse flies to wind, within and outside host odour plumes in the field. *Physiological Entomology*, 16: 47-56.
- GIBSON, G. & TORR, S.J. 1999. Visual and olfactory responses of haematophagous Diptera to host stimuli. *Medical and Veterinary Entomology*, 13: 2-23.
- GILLIES, M.T. 1980. The role of carbon dioxide in host-finding by mosquitoes (Diptera: Culicidae): a review. *Bulletin of Entomological Research*, 70: 525-532.
- GLASGOW, J.P. 1963. *The distribution and abundance of tsetse*. Oxford: Pergamon Press. 241 pp.

- GOUTEUX, J.P. 1991. La lutte par piégeage contre *Glossina fuscipes fuscipes* pour la protection de l'élevage en République centrafricaine. II. Caractéristiques du piège bipyramidal. *Revue d'Élevage et de Médecine Vétérinaire des Pays Tropicaux*, 44: 295-299.
- GOUTEUX, J.P. & LANCIEN, J. 1986. Le piège pyramidal à tsétsé (Diptera: Glossinidae) pour la capture et la lutte Essais comparatifs et description de nouveaux systèmes de capture. *Tropical Medicine and Parasitology*, 37: 61-66.
- GREEN, C.H. 1993. The effects of odours and target colour on landing responses of *Glossina morsitans morsitans* and *G. pallidipes* (Diptera: Glossinidae). *Bulletin of Entomological Research*, 83: 553-562.
- GROENENDIJK, C.A. 1996. The behaviour of tsetse flies in an odour plume. Ph.D. Thesis. Agricultural University of Wageningen.
- HALL, D.R., BEEVOR, P.S., CORK, A., NESBITT, B.F. & VALE, G.A. 1984. 1-Octen-3-ol: a potent olfactory stimulant and attractant for tsetse isolated from cattle odours. *Insect Science and its Application*, 5: 335-339.
- HALL, M.J.R. 1986. A study of methods for the survey of the tsetse fly *G. austeni* Newst., on Zanzibar island. *Final report to the International Atomic Energy Agency*, 29 pp.
- HALL, M.J.R. 1990. Tsetse fly eradication, Zanzibar: Tsetse monitoring during control operations. *Project URT/5/007-04, Final report to the International Atomic Energy Agency*.
- HARGROVE, J.W. 1977. Some advances in the trapping of tsetse (*Glossina* spp.) and other flies. *Ecological Entomology*, 2: 123-137.
- HARGROVE, J.W. 1981. Tsetse dispersal reconsidered. *Journal of Animal Ecology*, 50: 351-373.
- HARGROVE, J.W. 1988. Tsetse: the limits to population growth. *Medical and Veterinary Entomology*, 2: 203-217.
- HARGROVE, J.W. 1993. Target barriers for tsetse flies (*Glossina* spp.) (Diptera: Glossinidae): quick estimates of optimal target densities and barrier widths. *Bulletin of Entomological Research*, 83: 197-200.

- HARGROVE, J.W. 1998. Trypanosomiasis management using baits: some implications of tsetse behaviour and ecology, In: *Tropical Entomology*, edited by R.K. Saini. *Proceedings of the 3rd International Conference on Tropical Entomology, Nairobi, Kenya, [30 October – 4 November] 1994*. Nairobi, Kenya: ICIPE Science Press: 155-168.
- HARGROVE, J.W. 2000. A theoretical study of the invasion of cleared areas by tsetse flies (Diptera: Glossinidae). *Bulletin of Entomological Research*, 90: 201-209.
- HARGROVE, J.W. & VALE, G.A. 1978. The effect of host odour concentration on catches of tsetse flies (Glossinidae) and other Diptera in the field. *Bulletin of Entomological Research*, 68: 607-612.
- HARGROVE, J.W. & VALE, G.A. 1979. Aspects of the feasibility of employing odour-baited traps for controlling tsetse flies (Diptera: Glossinidae). *Bulletin of Entomological Research*, 69: 283-290.
- HARGROVE, J.W. & VALE, G.A. 1980. Catches of *Glossina morsitans* Westwood and *G. pallidipes* Austen (Diptera: Glossinidae) in odour-baited traps in riverine and deciduous woodlands in the Zambezi Valley of Zimbabwe. *Bulletin of Entomological Research*, 70: 571-578.
- HARGROVE, J.W. & LANGE, K. 1989. Tsetse dispersal viewed as a diffusion process. *Transactions of the Zimbabwe Scientific Association*, 64: 1-8.
- HARGROVE, J.W. & LANGLEY, P.A. 1990. Sterilizing tsetse in the field: a successful trial. *Bulletin of Entomological Research*, 80: 397-403.
- HARGROVE, J.W. & LANGLEY, P.A. 1993. A field trial of pyriproxyfen-treated targets as an alternative method for controlling tsetse (Diptera: Glossinidae). *Bulletin of Entomological Research*, 83: 361-368.
- HARGROVE, J.W., HOLLOWAY, M.T.P., VALE, G.A., GOUGH, A.J.E. & HALL, D.R. 1995. Catches of tsetse (*Glossina* spp.) (Diptera: Glossinidae) from traps and targets baited with large doses of natural and synthetic host odour. *Bulletin of Entomological Research*, 85: 215-227.
- HARRIS, R.H.T.P. 1931. Trapping tsetse as a means for control of trypanosomiasis (nagana). *Journal of the South African Medical Association*, 2: 27.

- HASSANALI, A., MacDOWELL, P.G., OWAGA, M.L.A. & SAINI, R.K. 1986. Identification of tsetse attractants from excretory products of a wild host animal, *Syncerus caffer*. *Insect Science and its Application*, 7: 5-9.
- HENDRICKX, G., ROGERS, D.J., NAPALA, A. & SLINGENBERGH, J.H.W. 1993. Predicting the distribution of riverine tsetse and trypanosomosis in Togo using ground-based and satellite data. In: OAU/STRC, 1995, *International Scientific Council for Trypanosomiasis Research and Control (ISCTRC), 22nd Meeting, Kampala, Uganda, [25 - 29 October] 1993*. Nairobi; OAU/STRC. OAU/STRC publication No. 117.
- HENDRICKX, G., NAPALA, A., SLINGENBERGH, J.H.W., DE DEKEN, R. VERCRUYSSSE, J. & ROGERS, D.J. 2000. The spatial pattern of trypanosomosis prevalence predicted with the aid of satellite imagery. *Parasitology*, 120: 121-134.
- JACOBS, E.O., SCHAFER, G.N. & ROBERTSON, T.A. 1989. The classification of forest sites: Zululand key area. *Report of the South African Forestry Research Institute, South Africa, for 1989*.
- JOLLY, G.M. 1965. Explicit estimates from capture-recapture data with both death and immigration – stochastic model. *Biometrika*, 52: 225-247.
- JORDAN, A.M. 1974. Recent developments in the ecology and methods of control of tsetse flies (*Glossina* spp.) (Dipt., Glossinidae) - a review. *Bulletin of Entomological Research*, 63: 361-399.
- JORDAN, A.M. 1976. Tsetse control - present and future. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 70: 128-129.
- JORDAN, A.M. 1978. Principles of the eradication or control of tsetse flies. *Nature*, 273: 607-609.
- JORDAN, A.M. 1985. Tsetse eradication plans for southern Africa. *Parasitology Today*, 1: 121-123.
- JORDAN, A.M. 1986. *Trypanosomiasis control and African rural development*. London: Longman.
- JORDAN, A.M. 1995. Control of tsetse flies (Diptera: Glossinidae) with the aid of attractants. *Journal of the American Mosquito Control Association*, 11: 249-255.

- JORDAN, A.M., TREWERN, M.A., BORKOVEC, A.B. & DeMILO, A.B. 1979. Laboratory studies on the potential of three insect growth regulators for control of the tsetse *Glossina morsitans morsitans* Westwood (Diptera: Glossinidae). *Bulletin of Entomological research*, 69: 55-65.
- KAAYA, G.P., KOKWARO, E.D. & MURITHI, J.K. 1991. Mortalities in adult *Glossina morsitans morsitans* experimentally-infected with the entomogenous fungi, *Beauveria bassiana* and *Metarhizium anisopliae*. *Discovery and Innovation*, 3: 55-60.
- KAPPMEIER, KARIN. 1999. Target and odour-bait improvement for the tsetse species *Glossina brevipalpis* and *G. austeni* in South Africa (N.E. Kwazulu-Natal). In: OAU/STRC, 1999, *Twenty-fourth Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC), Maputo, Mozambique, [29 September - 3 October] 1997*. Nairobi; OAU/STRC. OAU/STRC publication no. 119: 337-342.
- KAPPMEIER, KARIN. 2000. Diurnal activity patterns of *Glossina brevipalpis* and *G. austeni* (Diptera: Glossinidae) in South Africa, with reference to season and meteorological factors. *Onderstepoort Journal of Veterinary Research*, 67: 179-189.
- KAPPMEIER, KARIN. (In press). The development of a new trap for *Glossina brevipalpis* and *G. austeni* in South Africa. In: OAU/STRC, in press. *Twenty-fifth Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC), Mombasa, Kenya, [27 September - 1 October] 1999*. Nairobi; OAU/STRC.
- KAPPMEIER, K., NEVILL, E.M. & VENTER, G.J. 1995. Studies towards the development of a suitable monitoring and control system for *Glossina brevipalpis* and *G. austeni* (Diptera: Glossinidae) in Zululand. *Proceedings of the Parasitological Society of Southern Africa, Berg-en-Dal, Kruger National Park, 1-3 September 1995*. *Journal of the South African Veterinary Association*, 66:190-196.
- KAPPMEIER, KARIN, NEVILL, E.M. & BAGNALL, R.J. 1998. Review of tsetse flies and trypanosomosis in South Africa. *Onderstepoort Journal of Veterinary Research*, 65: 195-203.

- KAPPMEIER, KARIN & NEVILL, E.M. 1999a. Evaluation of conventional odour attractants for *Glossina brevipalpis* and *G. austeni* (Diptera: Glossinidae) in South Africa. *Onderstepoort Journal of Veterinary Research*, 66: 307-316.
- KAPPMEIER, KARIN & NEVILL, E.M. 1999b. Evaluation of coloured targets for the attraction of *Glossina brevipalpis* and *G. austeni* (Diptera: Glossinidae) in South Africa. *Onderstepoort Journal of Veterinary Research*, 66: 291-305.
- KAPPMEIER, KARIN & NEVILL, E.M. 1999c. Evaluation of a proposed odour-baited target to control the tsetse flies *Glossina brevipalpis* and *G. austeni* (Diptera: Glossinidae) in South Africa. *Onderstepoort Journal of Veterinary Research*, 66: 327-332.
- KNOLS, B.J.G., WILLEMSE, L., FLINT, S. & MATE, A. 1993. Trial to control the tsetse fly *Glossina morsitans centralis* with low densities of odour-baited targets in West Zambia. *Medical and Veterinary Entomology*, 7: 161-169.
- KUZOE, F.A.S. 1991. Perspectives in research on and control of African trypanosomiasis. *Annals of Tropical Medicine and Parasitology*, 85: 33-41.
- KYORKU, C.A., MACHIKA, C.O., OTIENO, L.H. & MWANDANDU, D.J. 1993. An improved odour-baited trap for a mixed population of *Glossina* spp. in the Kenyan coast. *Proceedings of the 10th Meeting and Scientific Conference of AAIS, Mombasa, [5 - 10 September] 1993*: 235-244.
- LANCASTER, J.L. & MEISCH, M.V. 1986. *Arthropods in livestock and poultry production*, Chichester: Ellis Horwood Limited.
- LANGLEY, P.A. 1995. Evaluation of the chitin synthesis inhibitor triflumuron for controlling the tsetse *Glossina morsitans morsitans* (Diptera: Glossinidae). *Bulletin of Entomological Research*, 85: 495-500.
- LANGLEY, P.A. 1999. Autosterilization as a means of tsetse control: a role for insect growth regulators (IGRs), In: OAU/STRC, 1999. *Twenty-fourth Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC), Maputo, Mozambique, [29 September – 3 October] 1997*. Nairobi; OAU/STRC. OAU/STRC publication no. 119: 343-347.
- LAVEISSIÈRE, C. & COURET, D. 1980. Traps impregnated with insecticide for the control of riverine tsetse flies. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 74: 264-265.

- LAVEISSIÈRE, C. & GRÉBAUT, P. 1990. Recherches sur les pièges à glossines (Diptera: Glossinidae). Mise au point d'un modèle économique: Le piège "Vavoua". *Tropical Medicine and Parasitology*, 41: 185-192.
- LEAK, S.G.A. 1999. *Tsetse biology and ecology. Their role in the epidemiology and control of trypanosomosis*. Nairobi: CABI Publishing. 568 pp.
- LOVEMORE, D.F. 1996. *A study of natural barriers to tsetse movement in the area covered by the Regional Tsetse and Trypanosomiasis Control Programme (RTTCP) of Malawi, Mozambique, Zambia & Zimbabwe. Technical report, for 1996*.
- LOW, A.B. & REBELO, A.G. (Eds) (1996). *Vegetation of South Africa, Lesotho and Swaziland* (A companion to the Vegetation Map of South Africa, Lesotho and Swaziland). Department of Environmental Affairs and Tourism, Pretoria.
- MACLENNAN, K.J.R. 1981. Tsetse-transmitted trypanosomiasis in relation to the rural economy in Africa. Part II. - Techniques in use for the control or eradication of tsetse infestations. *World Animal Review*, 37: 9-19.
- MACVICAR, C.N., SCHOEMAN, J.L., CAMP, K.G.T., TURNER, D.P., SMITH-BAILLIE, A.L., GRUNDLING, H., VIVIAN, L.J., & PLATH, B.L., 1986. *Map of the land type survey of 1981-1984*. [Pretoria]: Department of Agriculture and Water Supply, Republic of South Africa. Pretoria: Government Printer.
- MADUBUNYI, L.C. 1990. Ecological studies of *Glossina austeni* at Jozani forest, Unguja island, Zanzibar. *Insect Science and its Application*, 11: 309-313.
- MAHAMAT, H. & OKECH, M. 1999. The Lethal Insect Technique (LIT): A new concept for the control of *Glossina* spp. in field and laboratory, In: OAU/STRC, 1999. *Twenty-fourth Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC), Maputo, Mozambique, [29 September – 3 October] 1997*. Nairobi; OAU/STRC. OAU/STRC publication no. 119: 349-351.
- McMILLAN, D.E. & MELTZER, M.I. 1996. Vector-borne disease control in sub-Saharan Africa: a necessary but partial vision of development. *World Development*, 24: 569-588.

- MEROT, P. & FILLEDIER, J. 1985. Efficacité contre *Glossina morsitans submorsitans* d'écrans de différentes couleurs, avec ou sans adjonction de panneaux en moustiquaire noire. *Revue d'Élevage et de Médecine Vétérinaire des Pays Tropicaux*, 38: 64-71.
- MHINDURWA, A. 1994. Field observations of tsetse flies (*Glossina* spp. (Diptera:Glossinidae)) with new odour-baited trapping devices. *Bulletin of Entomological Research*, 84: 529-532.
- MIHOK, S. 2001. The Nzi Trap – a simple environment-friendly cloth trap for biting flies that does not use insecticides. Available from: URL: <http://informatics.icipe.org/nzi/index.htm> (Hosted by the International Centre of Insect Physiology and Ecology).
- MOLOO, S.K. 1973. A new trap for *Glossina pallidipes* Aust. and *G. fuscipes* Newst. (Dipt., Glossinidae). *Bulletin of Entomological Research*, 63: 231-236.
- MOLOO, S.K. 1993. The distribution of *Glossina* species in Africa and their natural hosts. *Insect Science and its Application*, 14: 511-527.
- MORRIS, K.R.S. & MORRIS, M.G. 1949. The use of traps against tsetse in West Africa. *Bulletin of Entomological Research*, 39: 491-528.
- MULLIGAN, H.W. (Ed.). 1970. *The African Trypanosomiasis*. London: Allen & Unwin. 950 pp.
- MURRAY, M., CLIFFORD, D.J., GETTINBY, G., SNOW, W.F. & McINTYRE, I.M. 1981. Susceptibility to African trypanosomiasis of N'Dama and Zebu cattle in an area of *Glossina morsitans submorsitans* challenge. *Veterinary Records*, 109: 503-510.
- NAGEL, P. 1995. *Environmental monitoring handbook for tsetse control operations*, edited by the Scientific Environmental Monitoring Group (SEMG). Weikersheim: Margraf. 323 pp.
- NASH, T.A.M. 1940. The effect upon *Glossina* of changing the climate in the true habitat by partial clearing of vegetation. *Bulletin of Entomological Research*, 31: 69-84.
- NASH, T.A.M. 1969. *Africa's bane. The tsetse fly*. London: Collins, 224 pp.

- NDEGWA, T.K. & DWINGER, R.H. 1998. An introduction to the geographic information system and its use in livestock disease control programmes, In: *Towards livestock disease diagnosis and control in the 21st century. Proceedings of an International Symposium on diagnosis and control of livestock diseases using nuclear and related techniques. Jointly organized by the International Atomic Energy Agency and the Food and Agriculture Organization of the United Nations. Vienna, [7 – 11 April] 1997.* Austria: International Atomic Energy Agency, 383-396.
- NEVILL, E.M. 1997. The distribution of *Glossina austeni* and *G. brevipalpis* in South Africa. *Proceedings of the 24th meeting of International Scientific Council for Trypanosomiasis Research and Control (ISCTRC), Maputo, Mozambique, 1997*: 105. (Abstract of Poster).
- NEVILL, E.M., KAPPMEIER, K. & VENTER, G.J. 1995. Recent efforts to determine the distribution of the tsetse flies *Glossina austeni* and *G. brevipalpis* in Zululand. (Abstract). *Journal of the South African Veterinary Association*, 66: 193.
- NEVILL, E.M., KAPPMEIER, K. & VENTER, G.J. 1999. Studies on *Glossina austeni* and *G. brevipalpis* in South Africa, In: *Animal trypanosomiasis: Vector and Disease Control using nuclear techniques. Proceedings of the second FAO/IAEA Seminar for Africa, [27 November – 1 December] 1995, Zanzibar, United Republic of Tanzania.* Leiden: Backhuys Publishers.
- NEWSTEAD, R. (Ed.), EVANS, A.M. & POTTS, B.A. 1924. *Guide to the study of tsetse-flies.* Liverpool School of Tropical Medicine, Memoir No. 1: 332 pp.
- OAU/IBAR. 2000. PATTEC - Pan African Tsetse and Trypanosomiasis Eradication Campaign. Available from: URL: <http://www.oau-ibar.org/lome2000>
- OKECH, M. & HASSANALI, A. 1990. The origin of phenolic tsetse attractants from host urine: studies on the pro-attractants and microbes involved. *Insect Science and its Application*, 11: 363-368.
- OKIRIA, R. & KALUNDA, M. 1994. Knock down and survival of tsetse flies fed on cattle and pigs dipped in deltamethrin. *Annals of Tropical Medicine and Parasitology*, 88: 77-81.
- OWAGA, M.L.A. 1984. Preliminary observations on the efficacy of olfactory attractants derived from wild hosts of tsetse. *Insect Science and its Application*, 5: 87-90.

- OWAGA, M.L.A. 1985. Observations on the efficacy of buffalo urine as a potent olfactory attractant for *Glossina pallidipes* Austen. *Insect Science and its Application*, 6: 561-566.
- OWAGA, M.L.A. 1992. Some aspects of the ecology, behaviour and vectorial capacity of the tsetse fly *Glossina austeni* Newstead. Ph.D. Thesis, Kenyatta University.
- OWAGA, M.L.A., HASSANALI, A. & MACDOWELL, P.G. 1988. The role of 4-cresol and 3-n-propylphenol in the attraction of tsetse flies to buffalo urine. *Insect Science and its Application*, 9: 95-100.
- PAAT. 2000. Programme Against African Trypanosomiasis, *Newsletter No. 8, December 2000*.
- PERRY, J.N., WALL, C. & GREENWAY, A.R. 1980. Latin square designs in field experiments involving insect attractants. *Ecological Entomology*, 5: 385-396.
- PONT, A.C. 1980. Family Glossinidae, In: *Catalogue of the Diptera of the Afrotropical Region*, edited by R.W. Croskey, B.H. Cogan, P. Freeman, A.C. Pont, K.G.V. Smith & H. Oldroyd. London: British Museum (Natural History), p. 762-765.
- REID, R.S. WILSON, C.J. KRUSKA, R.L. & MULATU, W. 1997. Impacts of tsetse control and land-use on vegetative structure and tree species composition in south western Ethiopia. *Journal of Applied Ecology*, 34: 731-747.
- REID, R.S., KRUSKA, R.L., DEICHMAN, U., THORTON, P.K. & LEAK, S.G.A. 1999. Will human population growth and land-use control tsetse during our lifetimes? In: OAU/STRC, 1999, *Twenty-fourth Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC), Maputo, Mozambique, [29 September - 3 October] 1997*. Nairobi; OAU/STRC. OAU/STRC Publication no. 119.
- ROBINSON, T.P. 1998a. Geographic Information systems and the selection of priority areas for control of tsetse transmitted trypanosomiasis in Africa, *Parasitology Today*, 14: 457-461.

- ROBINSON, T. 1998b. Practical applications of geographical information systems in tsetse and trypanosomiasis control, In: *Towards livestock disease diagnosis and control in the 21st century. Proceedings of an International Symposium on diagnosis and control of livestock diseases using nuclear and related techniques. Jointly organized by the International Atomic Energy Agency and the Food and Agriculture Organization of the United Nations. Vienna, [7 – 11 April] 1997.* Austria: International Atomic Energy Agency, 421-437.
- ROBINSON, T., ROGERS, D. & WILLIAMS, B. 1997a. Univariate analysis of tsetse habitat in the common fly belt of Southern Africa using climate and remotely sensed vegetation data. *Medical and Veterinary Entomology*, 11: 223-234.
- ROBINSON, T., ROGERS, D. & WILLIAMS, B. 1997b. Mapping tsetse habitat suitability in the common fly belt of Southern Africa using multivariate analysis of climate and remotely sensed vegetation data. *Medical and Veterinary Entomology*, 11: 235-245.
- ROBINSON, T., HOPKINS, J.S. BLACKWELL, D. & VAN DEN BOSSCHE, P. 1997c. The disease and vector integrated database (DAVID): A geographical information management system for tsetse, trypanosomosis and livestock field data, In: *Provisional programme and abstracts, 24th Meeting of International Scientific Council for Trypanosomosis Research and Control (ISCTRC), [29 Sep. – 3 Oct.] 1997, Maputo, Mozambique.* Abstract.
- ROGERS, D. 1977. Study of a natural population of *Glossina fuscipes fuscipes* Newstead and a model of fly movement. *Journal of Animal Ecology*, 46: 309-330.
- ROGERS, D.J. 1991. Satellites, tsetse and trypanosomosis. *Preventive Veterinary Medicine*, 11: 201-220.
- ROGERS, D.J. 1998. Satellite imagery and the prediction of tsetse distributions in East Africa, In: *Towards livestock disease diagnosis and control in the 21st century. Proceedings of an International Symposium on diagnosis and control of livestock diseases using nuclear and related techniques. Jointly organized by the International Atomic Energy Agency and the Food and Agriculture Organization of the United Nations. Vienna, [7 – 11 April] 1997.* Austria: International Atomic Energy Agency, 397-420.

- ROGERS, D.J. & RANDOLPH, S.E. 1985. Population ecology of tsetse. *Annual Review of Entomology*, 30: 197-216.
- ROGERS, D.J. & RANDOLPH, S.E. 1986. Distribution and abundance of tsetse flies (*Glossina* spp.), *Journal of Animal Ecology*, 55: 1007-1025.
- ROGERS, D.J. & RANDOLPH, S.E. 1991. Mortality rates and population density of tsetse flies correlated with satellite imagery. *Nature*, 351: 739-741.
- ROGERS, D.J. & RANDOLPH, S. 1993. Distribution of tsetse and ticks in Africa, past, present and future. *Parasitology Today*, 9: 266-271.
- ROGERS, D.J. & WILLIAMS, B.G. 1993. Monitoring trypanosomiasis in space and time. *Parasitology*, 106: S77-S92.
- ROGERS, D.J., HENDRICKX, G. & SLINGENBERGH, J.H.W. 1994. Tsetse flies and their control. *Revue Scientifique et Technique de l'Office International des Epizooties*, 13: 1075-1124.
- ROGERS, D.J., HAY, S.I. & PACKER, M.J. 1996. Predicting the distribution of tsetse flies in West Africa using temporal Fourier processed meteorological satellite data. *Annals of Tropical Medicine and Parasitology*, 90: 225-241.
- SAINI, R.K. 1990. Responses of tsetse, *Glossina* spp. (Diptera: Glossinidae) to phenolic kairomones in a wind tunnel. *Insect Science and its Application*, 11: 369-375.
- SAINI, R.K. & HASSANALI, A. 1992. Olfactory sensitivity of tsetse to phenolic kairomones. *Insect Science and its Application*, 13: 95-104.
- SALEH, K.M., VREYSEN, J.B., KASSIM, S.S., SULEIMAN, F.W., JUMA, K.G., ZHU, S.-R., PAN, H., DYCK, V.A. & FELDMANN, U. 1999. The successful application of the sterile insect technique (SIT) for the eradication of *Glossina austeni* (Diptera: Glossinidae) from Unguja Island (Zanzibar), In: OAU/STRC, 1999, *Twenty-fourth Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC)*, Maputo, Mozambique, [29 September – 3 October] 1997. OAU/STRC. OAU/STRC publication No. 119: 438-445.

- SALEH, K.M., MUSSA, W.A., JUMA, K.G. & VREYSEN, M.J.B. 2001. Eradication of *Glossina austeni* from the island of Unguja confirmed: results of 2 years of post-eradication monitoring activities, In: OAU/STRC, 2001, 25th Meeting of the International Scientific Council for Trypanosomiasis Research and Control (ISCTRC), Mombasa, Kenya, [27 September – 1 October 1999]. OAU/STRC. OAU/STRC publication No. 120: 231-238.
- SCHULTZE, R.E. 1982. Agrohydrology and climatology of Natal. *Agricultural Catchments Research Unit Report No. 14*. Pretoria: Water Research Commission. [ISBN 0908356 11 0].
- SEBER, G.A.F. 1965. A note on the multiple recapture census. *Biometrika*, 52: 249-259.
- SERVICE, M.W. (Ed.) 1976. *Mosquito Ecology: Field sampling methods*. London: Applied Science Publishers Ltd. 583 pp.
- SIGAUQUE, I., VAN DEN BOSSCHE, P., MOIANA, M., JAMAL, S. & NEVES, L. 2000. The distribution of tsetse (Diptera: Glossinidae) and bovine trypanosomosis in the Matutuine District, Maputo Province, Mozambique. *Onderstepoort Journal of Veterinary Research*, 67: 167-172.
- SNOW, W.F. 1980. Host location and feeding patterns in tsetse. *Insect Science and its Application*, 1: 23-30.
- SOUTHWOOD, T.R.E. (Ed.) 1966. *Ecological Methods with particular reference to the study of insect populations*. London: Chapman and Hall. 391pp.
- TAKKEN, W. 1984. Studies on the biconical trap as a sampling device for tsetse (Diptera: Glossinidae) in Mozambique. *Insect Science and its Application*, 5: 357-361.
- TANZANIA GOVERNMENT/FAO/IAEA 1994. *Tanzanian tsetse brief*. Newsletter No. 1.
- THOMSON, M.C. 1987. The effect on tsetse flies (*Glossina* spp.) of deltamethrin applied to cattle either as a spray or incorporated into ear-tags. *Tropical Pest Management*, 33: 329-335.
- THOMSON, H.W., MITCHELL, M., REES, R.B., SHERENI, W., SCHONEFELD, A.H. & WILSON, A. 1991. Studies on the efficacy of deltamethrin applied to cattle for the control of tsetse flies (*Glossina* spp) in southern Africa. *Tropical Animal Health and Production*, 23: 221-226.

- TORR, S.J. 1985. The susceptibility of *Glossina pallidipes* Austen (Diptera: Glossinidae) to insecticide deposits on targets. *Bulletin of Entomological Research*, 75: 451-458.
- TORR, S.J. 1989. The host-orientated behaviour of tsetse flies (*Glossina*): the interaction of visual and olfactory stimuli. *Physiological Entomology*, 14: 325-340.
- TORR, S.J. 1990. Dose responses of tsetse flies (*Glossina*) to carbon dioxide, acetone and octenol in the field. *Physiological Entomology*, 15: 93-103.
- TORR, S.J. 1994. Responses of tsetse flies (Diptera: Glossinidae) to warthog (*Phacochoerus aethiopicus* Pallas). *Bulletin of Entomological Research*, 84: 411-419.
- TORR, S.J., HALL, D.R. & SMITH, J.L. 1995. Responses of tsetse flies (Diptera: Glossinidae) to natural and synthetic ox odours. *Bulletin of Entomological Research*, 85: 157-166.
- TORR, S.J., MANGWIRO, T.N.C. & HALL, D.R. 1996. Responses of *Glossina pallidipes* (Diptera: Glossinidae) to synthetic repellents in the field. *Bulletin of Entomological Research*, 86: 609-616.
- TURNER, D.A. 1984. A preliminary assessment of some immediate and long-term effects of aerial spraying of endosulfan on *Glossina pallidipes* (Austen) in the Lambwe Valley, Kenya. *Insect Science and its Application*, 5: 425-429.
- UILENBERG, G. 1998. Tickborne diseases control, In: *Towards livestock disease diagnosis and control in the 21st century: proceedings of an International Symposium / jointly organized by the International Atomic Energy Agency and Food and Agriculture Organization of the United Nations, Vienna, [7 - 11 April] 1997*. Vienna: International Atomic Energy Agency, p. 219 – 230.
- VALE, G.A. 1974a. New field methods for studying the responses of tsetse flies (Diptera, Glossinidae) to hosts. *Bulletin of Entomological Research*, 64: 199-208.
- VALE, G.A. 1974b. The responses of tsetse flies (Diptera, Glossinidae) to mobile and stationary baits. *Bulletin of Entomological Research*, 64: 545-588.
- VALE, G.A. 1977a. Feeding responses of tsetse flies (Diptera: Glossinidae) to stationary hosts. *Bulletin of Entomological Research*, 67: 635-649.
- VALE, G.A. 1977b. The flight of tsetse (Diptera: Glossinidae) to and from a stationary ox. *Bulletin of Entomological Research*, 67: 297 – 303.

- VALE, G.A. 1979. Field responses of tsetse flies (Diptera: Glossinidae) to odours of men, lactic acid and carbon dioxide. *Bulletin of Entomological Research*, 69: 459-467.
- VALE, G.A. 1980. Field studies of the responses of tsetse flies (Glossinidae) and other Diptera to carbon dioxide, acetone and other chemicals. *Bulletin of Entomological Research*, 70: 563-570.
- VALE, G.A. 1982a. The improvement of traps for tsetse flies (Diptera: Glossinidae). *Bulletin of Entomological Research*, 72: 95-106.
- VALE, G.A. 1982b. The trap-orientated behaviour of tsetse flies (Glossinidae) and other Diptera. *Bulletin of Entomological Research*, 72: 71-93.
- VALE, G.A. 1983. The effects of odours, wind direction and wind speed on the distribution of *Glossina* (Diptera: Glossinidae) and other insects near stationary targets. *Bulletin of Entomological Research*, 73: 53-64.
- VALE, G.A. 1993. Development of baits for tsetse flies (Diptera: Glossinidae) in Zimbabwe. *Journal of Medical Entomology*, 30: 831-842.
- VALE, G.A. & CUMMING, D.H.M. 1976. The effects of selective elimination of hosts on a population of tsetse flies (*Glossina morsitans morsitans* Westwood (Diptera, Glossinidae)). *Bulletin of Entomological Research*, 66: 713-729.
- VALE, G.A., HURSEY, B.S., HARGROVE, J.W., TORR, S.J. & ALLSOPP, R. 1984. Difficulties associated with population dispersal. *Insect Science and its Application*, 5: 403-410.
- VALE, G.A. & HALL, D.R. 1985a. The role of 1-octen-3-ol, acetone and carbon dioxide in the attraction of tsetse flies, *Glossina* spp. (Diptera: Glossinidae), to ox odour. *Bulletin of Entomological Research*, 75: 209-217.
- VALE, G.A. & HALL, D.R. 1985b. The use of 1-octen-3-ol, acetone and carbon dioxide to improve baits for tsetse flies, *Glossina* spp. (Diptera: Glossinidae). *Bulletin of Entomological Research*, 75: 219-231.
- VALE, G.A., HARGROVE, J.W., COCKBILL, G.F. & PHELPS, R.J. 1986. Field trials of baits to control populations of *Glossina morsitans morsitans* Westwood and *G. pallidipes* Austen (Diptera: Glossinidae). *Bulletin of Entomological Research*, 76: 179-193.
- VALE, G.A., LOVEMORE, D.F., FLINT, S. & COCKBILL, G.F. 1988a. Odour-baited targets to control tsetse flies *Glossina* spp. (Diptera: Glossinidae), in Zimbabwe. *Bulletin of Entomological Research*, 78: 31-49.

- VALE, G.A., HALL, D.R. & GEOGH, A.J.E. 1988b. The olfactory responses of tsetse flies, *Glossina* spp. (Diptera: Glossinidae), to phenols and urine in the field. *Bulletin of Entomological Research*, 78: 293-300.
- VAN DEN BOSSCHE, P. 1997. The control of *Glossina morsitans morsitans* (Diptera: Glossinidae) in a Petauke District (Eastern Province, Zambia) using odour-baited targets. *Onderstepoort Journal of Veterinary Research*, 64: 251-257.
- VREYSEN, M.J.B. 1995. Radiation induced sterility in tsetse flies. The effect of ionising radiation and hybridisation on tsetse biology and the use of the sterile insect technique in integrated tsetse control. Ph.D. Thesis. Agricultural University of Wageningen.
- VREYSEN, M.J.B., KHAMIS, I.S. & VAN DER VLOEDT, A.M.V. 1996. Evaluation of sticky panels to monitor populations of *Glossina austeni* (Diptera: Glossinidae) on Unguja island of Zanzibar. *Bulletin of Entomological Research*, 86: 289-296.
- VREYSEN, M.J.B., ZHU, Z.R. & SALEH, K.M. 1998. Field responses of *Glossina austeni* to sticky panels on Unguja Island, Zanzibar. *Medical and Veterinary Entomology*, 12:407-416.
- WARNES, M.L., MUDENGE, D., CHIHIYA, J. & VAN DEN BOSSCHE, P. 1997. Trial to investigate the efficacy of insecticide-treated cattle as a barrier to re-invasion of tsetse to cleared areas in northern Zimbabwe. *Provisional Programme and Abstracts, 24 th Meeting of International Scientific Council for Trypanosomosis Research and Control (ISCTRC), Maputo, Mozambique, [29 Sep. – 3 Oct.] 1997.* (Abstract).
- WARNES, M.L., VAN DEN BOSSCHE, P., CHIHIYA, J., MUDENGE, D., ROBINSON, T.P., SHERENI, W. & CHADENGA, V. 1999. Evaluation of insecticide-treated cattle as a barrier to re-invasion of tsetse to cleared areas in northeastern Zimbabwe. *Medical and Veterinary Entomology*, 13: 177-184.
- WILLEMSE, L. 1991. A trial of odour baited targets to control the tsetse fly, *Glossina morsitans centralis* (Diptera: Glossinidae) in West Zambia. *Bulletin of Entomological Research*, 81: 351-357.
- WILLEMSE, L.P.M. & TAKKEN, W. 1994. Odor-induced host location in tsetse flies (Diptera: Glossinidae). *Journal of Medical Entomology*, 31: 775-794.

- WILLIAMS, B., DRANSFIELD, R. & BRIGHTWELL, R. 1992. The control of tsetse flies in relation to fly movement and trapping efficiency. *Journal of Applied Ecology*, 29: 163-179.
- WILLIAMS, B. & WILLIAMS, G. 1992. Science for development. *Perspectives in Biology and Medicine*, 36: 64-78.
- WILLIAMSON, D.L., DAME, D.A., GATES, D.B., COBB, P.E. BAKULIS, B. & WARNER, P.V. 1983. Integration of insect sterility and insecticides for control of *Glossina morsitans morsitans* Westwood (Diptera: Glossinidae) in Tanzania V. The impact of sequential releases of sterilised tsetse flies. *Bulletin of Entomological Research*, 73: 391-404.
- ZOLLNER, G.E., TORR, S.J., AMMANN, C. & MEIXNER, F.X. 1998. Carbon dioxide plume distribution: Implications for host location in tsetse, In: *The 23rd Conference on Biometeorology and Aerobiology, and 2nd Urban Environment Symposium, Albuquerque, NM, by the AMS, Boston, MA, 2 - 6 Nov. 1998*. pp. 323-326.

APPENDIX 1

Table A.1 Details of survey sampling site coordinates and trap catches

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species |
|---|----------------------------|------------|------------|-------|---------|--------|--------------------|----------------------|---------------------|---------|
| Natural and commercial farming areas | | | | | | | | | | |
| 1 | Nyalazi plantation | 28 17 29 S | 32 20 40 E | 2 | 0 | 2 | 0.33 | 0.00 | 0.33 | Gb |
| | | 28 18 24 S | 32 22 00 E | 16 | 3 | 19 | 2.67 | 0.50 | 3.17 | Gb |
| | | 28 12 37 S | 32 24 25 E | 1 | 4 | 5 | 0.14 | 0.57 | 0.71 | Ga |
| | | 28 12 37 S | 32 24 25 E | 14 | 3 | 17 | 2.00 | 0.43 | 2.43 | Gb |
| | | 28 12 52 S | 32 24 27 E | 0 | 1 | 1 | 0.00 | 0.14 | 0.14 | Ga |
| | | 28 12 52 S | 32 24 27 E | 1 | 0 | 1 | 0.14 | 0.00 | 0.14 | Gb |
| | | 28 11 30 S | 32 23 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 06 09 S | 32 23 31 E | 26 | 52 | 78 | 3.71 | 7.43 | 11.14 | Ga |
| | | 28 06 09 S | 32 23 31 E | 3 | 1 | 4 | 0.43 | 0.14 | 0.57 | Gb |
| | | 28 06 39 S | 32 23 31 E | 10 | 24 | 34 | 1.43 | 3.43 | 4.86 | Ga |
| | | 28 06 39 S | 32 23 31 E | 0 | 1 | 1 | 0.00 | 0.14 | 0.14 | Gb |
| | | 28 07 29 S | 32 23 10 E | 11 | 14 | 25 | 1.57 | 2.00 | 3.57 | Ga |
| | | 28 07 29 S | 32 23 10 E | 3 | 0 | 3 | 0.43 | 0.00 | 0.43 | Gb |
| | | 28 08 14 S | 32 22 08 E | 2 | 2 | 4 | 0.29 | 0.29 | 0.57 | Ga |
| | | 28 08 14 S | 32 22 08 E | 1 | 2 | 3 | 0.14 | 0.29 | 0.43 | Gb |
| | | 28 08 58 S | 32 23 15 E | 3 | 2 | 5 | 0.43 | 0.29 | 0.71 | Ga |
| | | 28 08 58 S | 32 23 15 E | 2 | 0 | 2 | 0.29 | 0.00 | 0.29 | Gb |
| | | 28 09 49 S | 32 24 16 E | 3 | 11 | 14 | 0.43 | 1.57 | 2.00 | Ga |
| | | 28 09 49 S | 32 24 16 E | 2 | 0 | 2 | 0.29 | 0.00 | 0.29 | Gb |
| | | 28 10 05 S | 32 20 28 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 09 57 S | 32 24 39 E | 26 | 31 | 57 | 3.71 | 4.43 | 8.14 | Ga |
| | | 28 09 57 S | 32 24 39 E | 22 | 2 | 24 | 3.14 | 0.29 | 3.43 | Gb |
| | | 28 09 32 S | 32 20 51 E | 0 | 2 | 2 | 0.00 | 0.29 | 0.29 | Ga |
| | | 28 16 46 S | 32 23 31 E | 1 | 1 | 2 | 0.14 | 0.14 | 0.29 | Gb |
| | | 28 18 05 S | 32 22 25 E | 21 | 5 | 26 | 7.00 | 1.67 | 8.67 | Gb |
| | | 28 10 45 S | 32 19 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 10 30 S | 32 19 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 10 04 S | 32 22 04 E | 9 | 8 | 17 | 1.80 | 1.60 | 3.40 | Ga |
| | | 28 10 04 S | 32 22 04 E | 2 | 0 | 2 | 0.40 | 0.00 | 0.40 | Gb |
| | | 28 09 27 S | 32 22 39 E | 2 | 3 | 5 | 0.40 | 0.60 | 1.00 | Ga |
| | | 28 09 27 S | 32 22 39 E | 3 | 2 | 5 | 0.60 | 0.40 | 1.00 | Gb |
| | | 28 10 28 S | 32 22 56 E | 20 | 15 | 35 | 4.00 | 3.00 | 7.00 | Ga |
| | | 28 10 28 S | 32 22 56 E | 8 | 0 | 8 | 1.60 | 0.00 | 1.60 | Gb |
| | | 28 11 35 S | 32 23 14 E | 8 | 8 | 16 | 1.60 | 1.60 | 3.20 | Ga |
| | | 28 11 35 S | 32 23 14 E | 15 | 0 | 15 | 3.00 | 0.00 | 3.00 | Gb |
| | | 28 15 04 S | 32 23 53 E | 0 | 2 | 2 | 0.00 | 0.40 | 0.40 | Ga |
| | | 28 15 04 S | 32 23 53 E | 11 | 0 | 11 | 2.20 | 0.00 | 2.20 | Gb |
| | | 28 15 50 S | 32 22 58 E | 14 | 1 | 15 | 2.80 | 0.20 | 3.00 | Gb |
| | | 28 16 30 S | 32 21 39 E | 16 | 1 | 17 | 3.20 | 0.20 | 3.40 | Gb |
| | | 28 16 12 S | 32 20 45 E | 2 | 0 | 2 | 0.40 | 0.00 | 0.40 | Gb |
| | Dukuduku plantation | 28 21 13 S | 32 17 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 21 58 S | 32 19 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 21 25 S | 32 21 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 20 10 S | 32 22 23 E | 12 | 2 | 14 | 2.00 | 0.33 | 2.33 | Gb |
| | | 28 19 46 S | 32 19 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 20 59 S | 32 23 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Fernwood plantation | 28 17 03 S | 32 17 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 17 06 S | 32 17 42 E | 0 | 1 | 1 | 0.00 | 0.25 | 0.25 | Gb |
| | | 28 17 15 S | 32 17 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 17 29 S | 32 17 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 17 37 S | 32 17 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 16 26 S | 32 17 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 16 45 S | 32 17 44 E | 1 | 0 | 1 | 0.25 | 0.00 | 0.25 | Gb |
| | Shire plantation | 28 23 14 S | 32 15 06 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 23 26 S | 32 15 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 24 03 S | 32 15 39 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 23 49 S | 32 16 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 23 37 S | 32 15 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 23 37 S | 32 15 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 22 58 S | 32 14 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 21 37 S | 32 14 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Futululu (CSIR - Forestek) | 28 22 46 S | 32 18 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 23 21 S | 32 18 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 23 48 S | 32 18 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 24 23 S | 32 18 01 E | 1 | 1 | 2 | 0.14 | 0.14 | 0.29 | Gb |
| | | 28 24 57 S | 32 17 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species |
|-------------------------|--------------------------|------------|------------|-------|---------|--------|--------------------|----------------------|---------------------|---------|
| 1 | Futulu (CSIR - Forestek) | 28 25 25 S | 32 17 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 26 09 S | 32 17 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Boomerang | 28 14 14 S | 32 18 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 14 10 S | 32 19 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 14 04 S | 32 19 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 13 57 S | 32 19 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 13 39 S | 32 19 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 13 25 S | 32 19 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 13 29 S | 32 17 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 13 29 S | 32 17 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 2 | Mkuze Game Reserve | 27 35 28 S | 32 13 55 E | 1 | 6 | 7 | 0.12 | 0.69 | 0.81 | Ga |
| | | 27 35 04 S | 32 14 09 E | 2 | 2 | 4 | 0.23 | 0.23 | 0.46 | Ga |
| | | 27 34 20 S | 32 14 59 E | 2 | 6 | 8 | 0.23 | 0.70 | 0.93 | Ga |
| | | 27 35 07 S | 32 15 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 35 27 S | 32 16 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 36 05 S | 32 17 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 36 34 S | 32 17 56 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 37 00 S | 32 17 23 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 37 45 S | 32 17 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 38 25 S | 32 18 41 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 39 19 S | 32 18 35 E | 1 | 0 | 1 | 0.21 | 0.00 | 0.21 | Ga |
| | | 27 40 05 S | 32 18 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 39 26 S | 32 18 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 39 43 S | 32 16 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 39 17 S | 32 16 07 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 38 10 S | 32 15 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 37 32 S | 32 14 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 37 17 S | 32 13 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 36 26 S | 32 13 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 38 23 S | 32 09 54 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | 27 37 59 S | 32 11 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 37 26 S | 32 13 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 39 22 S | 32 12 39 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 40 08 S | 32 12 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 46 26 S | 32 18 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 45 24 S | 32 17 48 E | 0 | 1 | 1 | 0.00 | 0.21 | 0.21 | Ga | |
| | 27 44 29 S | 32 17 11 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 43 16 S | 32 17 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 35 32 S | 32 13 06 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 36 07 S | 32 11 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 36 45 S | 32 11 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 38 03 S | 32 13 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 38 56 S | 32 13 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 42 11 S | 32 17 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 41 33 S | 32 16 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 40 48 S | 32 14 56 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 39 55 S | 32 14 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 39 07 S | 32 15 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 37 48 S | 32 14 55 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 37 30 S | 32 14 14 E | 3 | 3 | 6 | 0.73 | 0.73 | 1.47 | Ga | |
| | 27 35 57 S | 32 13 58 E | 1 | 4 | 5 | 0.33 | 1.31 | 1.64 | Ga | |
| | 27 35 45 S | 32 14 09 E | 6 | 10 | 16 | 1.97 | 3.28 | 5.25 | Ga | |
| | 27 37 32 S | 32 15 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Sodwana State Forest | 27 38 15 S | 32 25 16 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 37 14 S | 32 24 54 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 36 35 S | 32 24 34 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 35 30 S | 32 24 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 37 23 S | 32 25 44 E | 3 | 4 | 7 | 0.62 | 0.83 | 1.45 | Ga |
| | | 27 36 57 S | 32 26 13 E | 0 | 1 | 1 | 0.00 | 0.21 | 0.21 | Ga |
| | | 27 37 55 S | 32 26 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 38 53 S | 32 26 10 E | 0 | 3 | 3 | 0.00 | 0.63 | 0.63 | Ga |
| | | 27 39 17 S | 32 27 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 27 38 29 S | | 32 28 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 37 20 S | | 32 28 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 35 51 S | | 32 28 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| Phinda Resource Reserve | 27 35 56 S | 32 27 04 E | 1 | 2 | 3 | 0.21 | 0.43 | 0.64 | Ga | |
| | 27 45 04 S | 32 20 46 E | 0 | 4 | 4 | 0.00 | 0.82 | 0.82 | Ga | |
| | 27 45 59 S | 32 20 44 E | 1 | 2 | 3 | 0.21 | 0.41 | 0.62 | Ga | |
| | 27 46 36 S | 32 20 41 E | 1 | 0 | 1 | 0.21 | 0.00 | 0.21 | Ga | |
| | 27 46 27 S | 32 21 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 46 09 S | 32 21 53 E | 1 | 1 | 2 | 0.21 | 0.21 | 0.42 | Ga | |
| | 27 44 25 S | 32 21 57 E | 0 | 3 | 3 | 0.00 | 0.63 | 0.63 | Ga | |
| | 27 43 36 S | 32 22 13 E | 1 | 1 | 2 | 0.21 | 0.21 | 0.42 | Ga | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | | |
|------------|-------------------------|------------|-----------------------|------------|------------|--------|--------------------|----------------------|---------------------|---------|------|----|
| 2 | Phinda Resource Reserve | 27 42 46 S | 32 22 59 E | 0 | 2 | 2 | 0.00 | 0.42 | 0.42 | Ga | | |
| | | 27 44 02 S | 32 23 35 E | 1 | 1 | 2 | 0.21 | 0.21 | 0.42 | Ga | | |
| | | 27 45 19 S | 32 22 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 53 34 S | 32 16 21 E | 0 | 2 | 2 | 0.00 | 0.41 | 0.41 | Ga | | |
| | | 27 53 28 S | 32 15 41 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Ga | | |
| | | 27 53 03 S | 32 15 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 53 03 S | 32 19 12 E | 4 | 8 | 12 | 0.84 | 1.68 | 2.52 | Ga | | |
| | | 27 53 18 S | 32 19 00 E | 0 | 1 | 1 | 0.00 | 0.21 | 0.21 | Ga | | |
| | | 27 52 39 S | 32 19 51 E | 0 | 1 | 1 | 0.00 | 0.21 | 0.21 | Ga | | |
| | | 27 51 05 S | 32 19 54 E | 2 | 6 | 8 | 0.43 | 1.28 | 1.70 | Ga | | |
| | | 27 50 00 S | 32 19 40 E | 1 | 7 | 8 | 0.21 | 1.50 | 1.71 | Ga | | |
| | | 27 48 53 S | 32 19 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 47 17 S | 32 20 31 E | 0 | 1 | 1 | 0.00 | 0.22 | 0.22 | Ga | | |
| | | 3 | Sungulwane Game Lodge | 27 50 30 S | 32 10 53 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | | 27 50 13 S | 32 10 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | | 27 49 37 S | 32 10 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | Mduna Estates | 27 49 13 S | 32 11 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 27 49 04 S | 32 11 16 E | | | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 27 48 33 S | 32 11 32 E | | | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | | 27 48 07 S | 32 11 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 47 11 S | 32 12 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 46 23 S | 32 04 54 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| Sipofu | | | 27 47 13 S | 32 04 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 45 40 S | 32 04 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 48 09 S | 32 13 17 E | 0 | 1 | 1 | 0.00 | 0.25 | 0.25 | Ga | |
| Kube Yini | | | 27 47 37 S | 32 13 25 E | 1 | 0 | 1 | 0.25 | 0.00 | 0.25 | Ga | |
| | | | 27 47 03 S | 32 13 31 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 47 15 S | 32 13 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 47 33 S | 32 14 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 47 57 S | 32 14 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 52 20 S | 32 14 34 E | 12 | 4 | 16 | 3.04 | 1.01 | 4.06 | Ga | |
| Sutton | | | 27 51 27 S | 32 13 53 E | 4 | 1 | 5 | 1.01 | 0.25 | 1.27 | Ga | |
| | | | 27 52 14 S | 32 14 10 E | 2 | 1 | 3 | 0.51 | 0.26 | 0.77 | Ga | |
| | | | 27 52 06 S | 32 13 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| Panata | | | 27 52 47 S | 32 13 35 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 50 00 S | 32 15 48 E | 1 | 1 | 2 | 0.26 | 0.26 | 0.52 | Ga | |
| | | | 27 49 46 S | 32 16 08 E | 0 | 1 | 1 | 0.00 | 0.26 | 0.26 | Ga | |
| | | | 27 50 11 S | 32 15 13 E | 2 | 3 | 5 | 0.52 | 0.78 | 1.30 | Ga | |
| | | | 27 50 02 S | 32 13 57 E | 0 | 1 | 1 | 0.00 | 0.26 | 0.26 | Ga | |
| | | | 27 50 59 S | 32 13 42 E | 3 | 4 | 7 | 0.79 | 1.05 | 1.83 | Ga | |
| Mziki | | | 27 51 33 S | 32 15 42 E | 4 | 5 | 9 | 1.04 | 1.30 | 2.34 | Ga | |
| | | | 27 50 53 S | 32 15 47 E | 1 | 1 | 2 | 0.26 | 0.26 | 0.52 | Ga | |
| | | | 27 54 02 S | 32 15 42 E | 3 | 3 | 6 | 0.76 | 0.76 | 1.52 | Ga | |
| Zulu Nyala | | | 27 54 02 S | 32 15 47 E | 8 | 5 | 13 | 2.04 | 1.28 | 3.32 | Ga | |
| | | | 27 54 47 S | 32 15 07 E | 8 | 5 | 13 | 2.03 | 1.27 | 3.29 | Ga | |
| | | | 27 54 28 S | 32 15 28 E | 3 | 2 | 5 | 0.77 | 0.51 | 1.28 | Ga | |
| | | | 27 54 41 S | 32 15 45 E | 0 | 1 | 1 | 0.00 | 0.25 | 0.25 | Ga | |
| | | | 27 58 41 S | 32 21 12 E | 2 | 5 | 7 | 0.40 | 1.01 | 1.41 | Ga | |
| | | | 27 57 34 S | 32 21 31 E | 1 | 2 | 3 | 0.20 | 0.40 | 0.61 | Ga | |
| 4 | False Bay Park | | 27 57 34 S | 32 21 31 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb | |
| | | | 27 56 30 S | 32 21 47 E | 3 | 6 | 9 | 0.61 | 1.21 | 1.82 | Ga | |
| | | | 27 56 30 S | 32 21 47 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb | |
| | | | 27 55 33 S | 32 21 58 E | 1 | 3 | 4 | 0.20 | 0.61 | 0.81 | Ga | |
| | | | 27 55 33 S | 32 21 58 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb | |
| | | | 27 54 33 S | 32 22 33 E | 8 | 16 | 24 | 1.63 | 3.25 | 4.88 | Ga | |
| | | | 27 54 03 S | 32 23 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 54 13 S | 32 23 19 E | 3 | 6 | 9 | 0.62 | 1.23 | 1.85 | Ga | | |
| | | 27 58 01 S | 32 22 38 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Ga | | |
| | | 27 58 01 S | 32 22 38 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb | | |
| | | 27 58 23 S | 32 22 15 E | 5 | 8 | 13 | 1.02 | 1.64 | 2.66 | Ga | | |
| | | 27 58 23 S | 32 22 15 E | 9 | 3 | 12 | 1.84 | 0.61 | 2.46 | Gb | | |
| | | 28 01 40 S | 32 21 26 E | 23 | 40 | 63 | 4.66 | 8.10 | 12.76 | Ga | | |
| | | 28 01 40 S | 32 21 26 E | 4 | 2 | 6 | 0.81 | 0.41 | 1.22 | Gb | | |
| | | 28 00 28 S | 32 21 27 E | 6 | 8 | 14 | 1.23 | 1.64 | 2.87 | Ga | | |
| | | 28 00 28 S | 32 21 27 E | 4 | 1 | 5 | 0.82 | 0.21 | 1.03 | Gb | | |
| | | 28 00 14 S | 32 21 28 E | 9 | 17 | 26 | 1.86 | 3.52 | 5.38 | Ga | | |
| | | 28 00 14 S | 32 21 28 E | 11 | 2 | 13 | 2.28 | 0.41 | 2.69 | Gb | | |
| | | 27 58 52 S | 32 21 20 E | 4 | 6 | 10 | 0.82 | 1.24 | 2.06 | Ga | | |
| | | Kuleni | | 27 55 05 S | 32 21 57 E | 1 | 2 | 3 | 0.21 | 0.41 | 0.62 | Ga |
| | | | | 27 55 02 S | 32 22 02 E | 2 | 4 | 6 | 0.40 | 0.79 | 1.19 | Ga |
| | | | | 27 54 57 S | 32 22 11 E | 1 | 4 | 5 | 0.20 | 0.79 | 0.99 | Ga |
| | | | | 27 55 38 S | 32 21 50 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | | 27 55 22 S | 32 21 38 E | 2 | 4 | 6 | 0.40 | 0.80 | 1.20 | Ga |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | |
|---------------------|----------------------|--------------------|------------|------------|---------|--------|--------------------|----------------------|---------------------|---------|----|
| 4 | Somerset | 27 54 04 S | 32 17 09 E | 6 | 4 | 10 | 1.19 | 0.79 | 1.98 | Ga | |
| | | 27 53 42 S | 32 17 23 E | 25 | 19 | 44 | 4.97 | 3.77 | 8.74 | Ga | |
| | | 27 54 12 S | 32 16 48 E | 2 | 2 | 4 | 0.40 | 0.40 | 0.79 | Ga | |
| | | 27 54 15 S | 32 16 25 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | |
| | | 27 55 24 S | 32 17 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Doringkuil | 27 54 50 S | 32 18 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 59 15 S | 32 18 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 59 19 S | 32 18 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 00 07 S | 32 18 47 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | |
| | | 27 59 56 S | 32 17 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Ezulwini | 28 00 02 S | 32 18 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 58 55 S | 32 20 26 E | 6 | 9 | 15 | 1.20 | 1.80 | 3.01 | Ga | |
| | | 27 58 51 S | 32 20 08 E | 9 | 14 | 23 | 1.81 | 2.82 | 4.63 | Ga | |
| | | 27 58 54 S | 32 19 34 E | 15 | 25 | 40 | 3.02 | 5.03 | 8.05 | Ga | |
| | | 27 59 08 S | 32 19 28 E | 4 | 6 | 10 | 0.81 | 1.21 | 2.02 | Ga | |
| | Bonamanzi | 28 03 56 S | 32 19 27 E | 10 | 15 | 25 | 2.01 | 3.02 | 5.03 | Ga | |
| | | 28 03 56 S | 32 19 27 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb | |
| | | 28 03 27 S | 32 18 38 E | 15 | 23 | 38 | 3.03 | 4.64 | 7.66 | Ga | |
| | | 28 02 44 S | 32 18 40 E | 4 | 7 | 11 | 0.81 | 1.41 | 2.22 | Ga | |
| | | 28 02 44 S | 32 18 40 E | 1 | 1 | 2 | 0.20 | 0.20 | 0.40 | Gb | |
| | III Ranch | 28 01 38 S | 32 17 11 E | 2 | 3 | 5 | 0.41 | 0.61 | 1.01 | Ga | |
| | | 28 02 29 S | 32 17 33 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Ga | |
| | | 28 04 41 S | 32 12 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 04 45 S | 32 12 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 04 41 S | 32 12 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Ubizane Game Reserve | 28 01 23 S | 32 12 45 E | 4 | 2 | 6 | 0.81 | 0.40 | 1.21 | Ga | |
| | | 28 01 22 S | 32 13 04 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Gb | |
| | | 28 01 38 S | 32 13 34 E | 1 | 1 | 2 | 0.20 | 0.20 | 0.40 | Ga | |
| | 5 | Ndumu Game Reserve | 26 51 59 S | 32 18 06 E | 1 | 1 | 2 | 0.20 | 0.20 | 0.40 | Gb |
| | | | 26 51 32 S | 32 18 25 E | 2 | 1 | 3 | 0.40 | 0.20 | 0.60 | Ga |
| | | | 26 51 32 S | 32 18 25 E | 5 | 2 | 7 | 1.00 | 0.40 | 1.40 | Gb |
| | | | 26 51 48 S | 32 19 58 E | 7 | 1 | 8 | 1.40 | 0.20 | 1.60 | Gb |
| | | | 26 51 21 S | 32 19 31 E | 8 | 0 | 8 | 1.60 | 0.00 | 1.60 | Gb |
| | | | 26 51 10 S | 32 19 04 E | 4 | 3 | 7 | 0.80 | 0.60 | 1.40 | Ga |
| | | | 26 51 10 S | 32 19 04 E | 1 | 1 | 2 | 0.20 | 0.20 | 0.40 | Gb |
| | | | 26 51 23 S | 32 18 36 E | 1 | 2 | 3 | 0.20 | 0.40 | 0.60 | Ga |
| | | | 26 51 23 S | 32 18 36 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb |
| | | | 26 51 22 S | 32 18 06 E | 2 | 5 | 7 | 0.40 | 1.00 | 1.40 | Ga |
| | | | 26 51 22 S | 32 18 06 E | 8 | 0 | 8 | 1.60 | 0.00 | 1.60 | Gb |
| | | | 26 51 07 S | 32 16 58 E | 2 | 0 | 2 | 0.40 | 0.00 | 0.40 | Gb |
| | | | 26 51 28 S | 32 16 15 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Gb |
| 26 51 40 S | | | 32 14 52 E | 3 | 1 | 4 | 0.60 | 0.20 | 0.80 | Gb | |
| 26 50 49 S | | | 32 13 41 E | 2 | 0 | 2 | 0.40 | 0.00 | 0.40 | Gb | |
| 26 50 50 S | | | 32 12 49 E | 2 | 0 | 2 | 0.40 | 0.00 | 0.40 | Gb | |
| 26 51 47 S | | | 32 13 13 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Gb | |
| 26 54 21 S | | | 32 19 25 E | 1 | 1 | 2 | 0.20 | 0.20 | 0.40 | Gb | |
| 26 55 04 S | | | 32 19 12 E | 15 | 2 | 17 | 3.01 | 0.40 | 3.41 | Gb | |
| 26 55 20 S | | | 32 19 24 E | 3 | 2 | 5 | 0.61 | 0.40 | 1.01 | Gb | |
| 26 55 37 S | | | 32 18 58 E | 2 | 0 | 2 | 0.47 | 0.00 | 0.47 | Gb | |
| 26 54 37 S | | | 32 17 53 E | 1 | 1 | 2 | 0.20 | 0.20 | 0.40 | Gb | |
| 26 55 15 S | | | 32 17 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 26 54 54 S | | | 32 16 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 26 54 33 S | | | 32 15 17 E | 2 | 0 | 2 | 0.41 | 0.00 | 0.41 | Gb | |
| 26 51 11 S | | | 32 14 03 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb | |
| 26 53 51 S | | | 32 12 55 E | 2 | 1 | 3 | 0.41 | 0.20 | 0.61 | Gb | |
| 26 53 09 S | | | 32 10 35 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Gb | |
| 26 52 08 S | | | 32 11 11 E | 8 | 0 | 8 | 1.64 | 0.00 | 1.64 | Gb | |
| 26 52 10 S | | | 32 11 55 E | 1 | 0 | 1 | 0.21 | 0.00 | 0.21 | Ga | |
| 26 52 10 S | | | 32 11 55 E | 4 | 0 | 4 | 0.83 | 0.00 | 0.83 | Gb | |
| 26 51 50 S | | | 32 12 45 E | 1 | 1 | 2 | 0.21 | 0.21 | 0.42 | Gb | |
| 26 52 29 S | | | 32 12 31 E | 3 | 1 | 4 | 0.62 | 0.21 | 0.83 | Gb | |
| 26 51 51 S | | | 32 14 11 E | 0 | 1 | 1 | 0.00 | 0.21 | 0.21 | Gb | |
| 26 52 23 S | | | 32 16 16 E | 7 | 2 | 9 | 1.46 | 0.42 | 1.88 | Gb | |
| 26 52 55 S | | | 32 18 19 E | 4 | 0 | 4 | 0.95 | 0.00 | 0.95 | Gb | |
| 26 53 10 S | | | 32 17 53 E | 1 | 1 | 2 | 0.24 | 0.24 | 0.48 | Gb | |
| 26 53 32 S | | | 32 17 15 E | 0 | 1 | 1 | 0.00 | 0.24 | 0.24 | Ga | |
| 26 53 32 S | | | 32 17 15 E | 1 | 1 | 2 | 0.24 | 0.24 | 0.48 | Gb | |
| 26 53 45 S | | | 32 16 33 E | 5 | 0 | 5 | 1.22 | 0.00 | 1.22 | Gb | |
| 26 54 15 S | | | 32 17 59 E | 1 | 0 | 1 | 0.26 | 0.00 | 0.26 | Gb | |
| Tembe Elephant Park | 26 58 09 S | 32 26 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 26 59 08 S | 32 27 14 E | 6 | 2 | 8 | 1.23 | 0.41 | 1.64 | Gb | | |
| | 26 58 58 S | 32 28 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | | |
|------------|---------------------|------------|--------------------------------|------------|------------|--------|--------------------|----------------------|---------------------|---------|------|----|
| 5 | Tembe Elephant Park | 26 57 35 S | 32 30 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 59 21 S | 32 29 59 E | 1 | 0 | 1 | 0.17 | 0.00 | 0.17 | Ga | | |
| | | 27 02 36 S | 32 25 56 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 01 20 S | 32 25 56 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 59 59 S | 32 25 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 59 08 S | 32 25 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 58 01 S | 32 24 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 57 46 S | 32 23 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 59 14 S | 32 24 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 00 23 S | 32 23 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 01 42 S | 32 24 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 02 50 S | 32 26 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 03 40 S | 32 27 37 E | 2 | 0 | 2 | 0.51 | 0.00 | 0.51 | Ga | | |
| | | 27 02 31 S | 32 28 16 E | 2 | 1 | 3 | 0.51 | 0.25 | 0.76 | Ga | | |
| | | 27 01 31 S | 32 29 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 01 13 S | 32 30 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 00 18 S | 32 30 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 59 12 S | 32 30 34 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 57 51 S | 32 30 55 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 56 57 S | 32 31 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 55 53 S | 32 31 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 53 24 S | 32 32 36 E | 1 | 0 | 1 | 0.25 | 0.00 | 0.25 | Ga | | |
| | | 26 53 23 S | 32 30 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 54 02 S | 32 28 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 26 55 47 S | 32 27 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 6 | Hluhluwe-Umfolozi Game Reserve | 28 02 17 S | 32 07 40 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb |
| | | | | 28 03 15 S | 32 03 03 E | 10 | 1 | 11 | 1.95 | 0.20 | 2.15 | Gb |
| | | | | 28 03 55 S | 32 02 32 E | 11 | 2 | 13 | 2.15 | 0.39 | 2.55 | Gb |
| | | | | 28 05 17 S | 32 02 50 E | 2 | 1 | 3 | 0.40 | 0.20 | 0.59 | Gb |
| | | | | 28 04 15 S | 32 03 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | | 28 05 15 S | 32 05 02 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb |
| 28 05 46 S | 32 06 08 E | | | 7 | 1 | 8 | 1.42 | 0.20 | 1.62 | Gb | | |
| 28 06 46 S | 32 06 18 E | | | 9 | 1 | 10 | 1.84 | 0.20 | 2.04 | Gb | | |
| 28 07 03 S | 32 06 18 E | | | 8 | 4 | 12 | 1.67 | 0.83 | 2.50 | Gb | | |
| 28 06 46 S | 32 06 18 E | | | 1 | 1 | 2 | 0.20 | 0.20 | 0.41 | Gb | | |
| 28 07 12 S | 32 06 33 E | | | 8 | 0 | 8 | 1.68 | 0.00 | 1.68 | Gb | | |
| 28 06 02 S | 32 07 22 E | | | 24 | 6 | 30 | 5.10 | 1.28 | 6.38 | Gb | | |
| 28 04 58 S | 32 06 52 E | | | 8 | 3 | 11 | 1.62 | 0.61 | 2.23 | Gb | | |
| 28 03 33 S | 32 07 25 E | | | 11 | 2 | 13 | 2.22 | 0.40 | 2.63 | Gb | | |
| 28 02 27 S | 32 05 09 E | | | 12 | 0 | 12 | 3.03 | 0.00 | 3.03 | Gb | | |
| 28 02 26 S | 32 06 06 E | | | 4 | 0 | 4 | 1.01 | 0.00 | 1.01 | Gb | | |
| 28 02 29 S | 32 07 04 E | | | 3 | 1 | 4 | 0.76 | 0.25 | 1.01 | Gb | | |
| 28 03 18 S | 32 07 54 E | | | 11 | 2 | 13 | 2.80 | 0.51 | 3.31 | Gb | | |
| 28 06 16 S | 32 05 21 E | | | 14 | 0 | 14 | 3.36 | 0.00 | 3.36 | Gb | | |
| 28 06 36 S | 32 05 23 E | | | 0 | 2 | 2 | 0.00 | 0.48 | 0.48 | Gb | | |
| 28 06 25 S | 32 04 24 E | | | 7 | 0 | 7 | 1.71 | 0.00 | 1.71 | Gb | | |
| 28 08 20 S | 32 01 12 E | | | 2 | 0 | 2 | 0.40 | 0.00 | 0.40 | Gb | | |
| 28 09 14 S | 32 01 06 E | | | 3 | 2 | 5 | 0.60 | 0.40 | 1.00 | Gb | | |
| 28 09 07 S | 32 00 12 E | | | 41 | 3 | 44 | 8.22 | 0.60 | 8.82 | Gb | | |
| 28 09 15 S | 31 59 09 E | | | 3 | 2 | 5 | 0.60 | 0.40 | 1.00 | Gb | | |
| 28 09 53 S | 31 57 56 E | | | 15 | 0 | 15 | 3.01 | 0.00 | 3.01 | Gb | | |
| 28 10 27 S | 31 58 34 E | | | 3 | 0 | 3 | 0.60 | 0.00 | 0.60 | Gb | | |
| 28 10 07 S | 31 59 21 E | | | 4 | 1 | 5 | 0.80 | 0.20 | 1.01 | Gb | | |
| 28 10 30 S | 32 00 28 E | | | 9 | 0 | 9 | 1.81 | 0.00 | 1.81 | Gb | | |
| 28 04 19 S | 32 01 27 E | | | 12 | 4 | 16 | 2.90 | 0.97 | 3.87 | Gb | | |
| 28 05 42 S | 32 02 02 E | | | 24 | 0 | 24 | 5.82 | 0.00 | 5.82 | Gb | | |
| 28 05 17 S | 32 01 20 E | | | 1 | 0 | 1 | 0.25 | 0.00 | 0.25 | Gb | | |
| 28 05 34 S | 32 01 08 E | | | 1 | 2 | 3 | 0.25 | 0.50 | 0.74 | Gb | | |
| 28 06 38 S | 32 01 45 E | | | 24 | 1 | 25 | 5.78 | 0.24 | 6.02 | Gb | | |
| 28 07 25 S | 32 02 09 E | | | 25 | 6 | 31 | 6.14 | 1.47 | 7.61 | Gb | | |
| 28 09 05 S | 32 02 05 E | | | 1 | 1 | 2 | 0.25 | 0.25 | 0.49 | Gb | | |
| 28 09 22 S | 32 04 33 E | | | 3 | 1 | 4 | 0.72 | 0.24 | 0.95 | Gb | | |
| 28 10 19 S | 32 04 07 E | | | 5 | 0 | 5 | 1.20 | 0.00 | 1.20 | Gb | | |
| 28 11 42 S | 32 02 56 E | | | 4 | 0 | 4 | 0.96 | 0.00 | 0.96 | Gb | | |
| 28 12 06 S | 32 02 37 E | 3 | 0 | 3 | 0.63 | 0.00 | 0.63 | Gb | | | | |
| 28 10 35 S | 31 57 41 E | 5 | 1 | 6 | 1.24 | 0.25 | 1.48 | Gb | | | | |
| 28 14 20 S | 31 59 06 E | 7 | 2 | 9 | 1.47 | 0.42 | 1.89 | Gb | | | | |
| 28 14 28 S | 31 59 51 E | 2 | 0 | 2 | 0.42 | 0.00 | 0.42 | Gb | | | | |
| 28 12 17 S | 32 01 24 E | 4 | 0 | 4 | 0.85 | 0.00 | 0.85 | Gb | | | | |
| 28 16 20 S | 31 50 54 E | 22 | 5 | 27 | 5.49 | 1.25 | 6.74 | Gb | | | | |
| 28 16 01 S | 31 50 28 E | 26 | 5 | 31 | 6.53 | 1.26 | 7.79 | Gb | | | | |
| 28 15 46 S | 31 49 19 E | 1 | 1 | 2 | 0.25 | 0.25 | 0.50 | Gb | | | | |
| 28 14 36 S | 31 49 51 E | 18 | 3 | 21 | 4.55 | 0.76 | 5.31 | Gb | | | | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | |
|--------------------|--------------------------------|------------|------------|------------|---------|--------|--------------------|----------------------|---------------------|---------|----|
| 6 | Hluhluwe-Umfolozi Game Reserve | 28 13 49 S | 31 50 40 E | 3 | 0 | 3 | 0.76 | 0.00 | 0.76 | Gb | |
| | | 28 14 02 S | 31 49 57 E | 1 | 0 | 1 | 0.25 | 0.00 | 0.25 | Gb | |
| | | 28 14 32 S | 31 48 27 E | 4 | 0 | 4 | 1.01 | 0.00 | 1.01 | Gb | |
| | | 28 14 30 S | 31 47 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 13 29 S | 31 46 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 13 37 S | 31 47 28 E | 2 | 1 | 3 | 0.51 | 0.25 | 0.76 | Gb | |
| | | 28 14 04 S | 31 45 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 14 02 S | 31 44 29 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 15 41 S | 31 44 08 E | 2 | 0 | 2 | 0.51 | 0.00 | 0.51 | Gb | |
| | | 28 17 48 S | 31 45 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 17 35 S | 31 44 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 16 15 S | 31 44 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 15 35 S | 31 45 12 E | 1 | 0 | 1 | 0.31 | 0.00 | 0.31 | Gb | |
| | | 28 23 34 S | 31 43 14 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 41 S | 31 43 25 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 20 S | 31 43 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 19 10 S | 31 43 41 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 19 37 S | 31 46 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 16 58 S | 31 49 23 E | 1 | 0 | 1 | 0.34 | 0.00 | 0.34 | Gb | |
| | | 28 18 32 S | 31 53 17 E | 6 | 2 | 8 | 1.60 | 0.53 | 2.13 | Gb | |
| | | 28 18 28 S | 31 54 01 E | 1 | 0 | 1 | 0.27 | 0.00 | 0.27 | Gb | |
| 7 | Eastern Shores | 28 20 22 S | 32 25 54 E | 12 | 1 | 13 | 1.99 | 0.17 | 2.16 | Gb | |
| | | 28 18 42 S | 32 27 01 E | 20 | 4 | 24 | 3.33 | 0.67 | 4.00 | Gb | |
| | | 28 18 06 S | 32 27 44 E | 34 | 2 | 36 | 5.68 | 0.33 | 6.01 | Gb | |
| | | 28 17 05 S | 32 28 07 E | 53 | 6 | 59 | 8.87 | 1.00 | 9.87 | Gb | |
| | | 28 16 28 S | 32 29 05 E | 18 | 1 | 19 | 3.02 | 0.17 | 3.19 | Gb | |
| | | 28 16 02 S | 32 28 35 E | 106 | 22 | 128 | 17.78 | 3.69 | 21.47 | Gb | |
| | | 28 14 10 S | 32 29 19 E | 19 | 0 | 19 | 3.18 | 0.00 | 3.18 | Gb | |
| | | 28 12 33 S | 32 30 02 E | 18 | 4 | 22 | 3.01 | 0.67 | 3.68 | Gb | |
| | | 28 11 32 S | 32 30 30 E | 29 | 12 | 41 | 4.85 | 2.01 | 6.86 | Gb | |
| | | 28 09 55 S | 32 31 18 E | 1 | 1 | 2 | 0.17 | 0.17 | 0.33 | Gb | |
| | | 28 07 39 S | 32 33 16 E | 1 | 1 | 2 | 0.17 | 0.17 | 0.33 | Gb | |
| | | 28 08 21 S | 32 32 42 E | 14 | 1 | 15 | 2.33 | 0.17 | 2.50 | Gb | |
| | | 28 08 15 S | 32 32 09 E | 12 | 1 | 13 | 2.00 | 0.17 | 2.16 | Gb | |
| | | 28 07 04 S | 32 30 47 E | 35 | 6 | 41 | 5.83 | 1.00 | 6.83 | Gb | |
| | | 28 09 07 S | 32 29 52 E | 118 | 26 | 144 | 19.68 | 4.34 | 24.01 | Gb | |
| | | Mapelane | 28 24 25 S | 32 25 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 25 17 S | 32 24 53 E | 0 | 1 | 1 | 0.00 | 0.15 | 0.15 | Ga |
| | | | 28 25 17 S | 32 24 53 E | 1 | 0 | 1 | 0.15 | 0.00 | 0.15 | Gb |
| | | | 28 25 40 S | 32 25 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 26 28 S | 32 24 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 26 53 S | 32 24 25 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 27 58 S | 32 24 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | 28 28 53 S | | 32 23 52 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 29 40 S | | 32 23 47 E | 1 | 0 | 1 | 0.15 | 0.00 | 0.15 | Gb | |
| | 28 22 57 S | | 32 25 00 E | 1 | 1 | 2 | 0.14 | 0.14 | 0.29 | Gb | |
| | St. Lucia | 28 21 35 S | 32 25 43 E | 6 | 0 | 6 | 0.86 | 0.00 | 0.86 | Gb | |
| | | 28 22 11 S | 32 24 48 E | 4 | 0 | 4 | 0.58 | 0.00 | 0.58 | Gb | |
| | | 28 13 27 S | 32 18 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Boomerang | 28 13 30 S | 32 17 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 14 23 S | 32 19 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 14 05 S | 32 19 17 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Southern limit farms | 28 14 17 S | 32 19 25 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 28 34 S | 32 10 29 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 28 32 S | 32 10 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Teza plantation | 28 29 02 S | 32 08 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 29 05 S | 32 08 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 30 36 S | 32 08 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 30 46 S | 32 07 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Shire plantation | 28 31 36 S | 32 15 23 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 31 30 S | 32 15 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 59 S | 32 15 06 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 23 46 S | 32 15 55 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Fernleas plantation | 28 23 35 S | 32 15 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 18 18 S | 32 17 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 18 29 S | 32 17 17 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 17 17 S | 32 17 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| Nyalazi plantation | 28 17 03 S | 32 17 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 15 58 S | 32 17 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 14 57 S | 32 16 41 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 15 25 S | 32 16 50 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 15 41 S | 32 16 35 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 15 45 S | 32 23 32 E | 1 | 13 | 14 | 0.21 | 2.68 | 2.89 | Ga | | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | |
|------------------------------|----------------------------|------------------|------------|------------|---------|--------|--------------------|----------------------|---------------------|---------|--|
| 7 | Nyalazi plantation | 28 15 45 S | 32 23 32 E | 4 | 0 | 4 | 0.83 | 0.00 | 0.83 | Gb | |
| | | 28 14 45 S | 32 23 47 E | 4 | 15 | 19 | 0.83 | 3.10 | 3.92 | Ga | |
| | | 28 14 45 S | 32 23 47 E | 13 | 3 | 16 | 2.68 | 0.62 | 3.30 | Gb | |
| | Dukuduku plantation | 28 21 48 S | 32 17 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 21 14 S | 32 17 14 E | 1 | 0 | 1 | 0.17 | 0.00 | 0.17 | Gb | |
| | | 28 21 08 S | 32 18 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 20 59 S | 32 19 02 E | 1 | 0 | 1 | 0.17 | 0.00 | 0.17 | Gb | |
| | | 28 21 27 S | 32 20 21 E | 4 | 1 | 5 | 0.67 | 0.17 | 0.84 | Gb | |
| | | 28 21 52 S | 32 19 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 41 S | 32 18 53 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 21 02 S | 32 16 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 19 24 S | 32 19 02 E | 2 | 0 | 2 | 0.41 | 0.00 | 0.41 | Gb | |
| | | 28 17 32 S | 32 20 46 E | 0 | 1 | 1 | 0.00 | 0.21 | 0.21 | Ga | |
| | | 28 17 32 S | 32 20 46 E | 1 | 4 | 5 | 0.21 | 0.82 | 1.03 | Gb | |
| | Futululu plantation | 28 24 33 S | 32 15 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 24 19 S | 32 15 06 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 24 07 S | 32 14 29 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 24 05 S | 32 14 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 24 02 S | 32 16 31 E | 1 | 1 | 2 | 0.21 | 0.21 | 0.42 | Gb | |
| | Futululu (CSIR - Forestek) | 28 23 41 S | 32 16 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 25 30 S | 32 17 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 24 21 S | 32 18 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 23 50 S | 32 18 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 25 26 S | 32 17 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 25 26 S | 32 17 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 8 | Sodwana Bay Park | 27 32 09 S | 32 39 35 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 32 24 S | 32 39 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 32 45 S | 32 39 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 32 34 S | 32 40 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 33 32 S | 32 40 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 33 58 S | 32 39 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 34 00 S | 32 39 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 32 40 S | 32 40 41 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 32 38 S | 32 40 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 27 32 35 S | | | 32 40 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 31 59 S | | | 32 40 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 31 49 S | | | 32 40 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 31 11 S | | | 32 40 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 31 12 S | | | 32 40 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| Lake Bhangazi North | | 27 39 03 S | 32 38 04 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 39 26 S | 32 38 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 39 29 S | 32 38 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 39 38 S | 32 37 55 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 39 39 S | 32 37 52 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 39 44 S | 32 37 50 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 38 49 S | 32 36 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 38 02 S | 32 36 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 37 37 S | 32 37 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | KwaMbila | 27 35 51 S | 32 33 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 35 48 S | 32 33 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 27 35 49 S | | | 32 34 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 35 33 S | | | 32 34 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 35 21 S | | | 32 34 56 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 35 14 S | | | 32 35 17 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| Lake Sibayi | | 27 35 22 S | 32 35 29 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 25 11 S | 32 41 46 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 25 14 S | 32 42 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 25 55 S | 32 42 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 26 06 S | 32 42 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 25 04 S | 32 42 31 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 24 58 S | 32 42 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 23 58 S | 32 42 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 23 49 S | 32 42 41 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 22 59 S | 32 42 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 21 55 S | 32 43 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 20 57 S | 32 43 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 20 56 S | 32 43 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| Manzengwenya Coastal Reserve | | 27 21 30 S | 32 43 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 25 21 S | 32 41 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 15 51 S | 32 46 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 15 51 S | 32 46 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 15 53 S | 32 46 17 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Mabaso plantation | 27 27 14 S | 32 33 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 27 27 07 S | | 32 32 55 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | | |
|------------|---------------------|-------------------------------|-------------------------|------------|------------|--------|--------------------|----------------------|---------------------|---------|------|----|
| 8 | Mabaso plantation | 27 27 08 S | 32 34 03 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 26 53 S | 32 34 29 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | Mbazwane plantation | 27 27 09 S | 32 36 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 27 11 S | 32 37 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 27 10 S | 32 38 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 27 16 S | 32 39 53 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 25 35 S | 32 38 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 26 37 S | 32 38 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 27 30 S | 32 37 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 28 46 S | 32 37 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 29 55 S | 32 37 16 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 30 21 S | 32 36 04 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 29 13 S | 32 36 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 26 22 S | 32 39 39 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | Manzengwenya plantation | 27 12 12 S | 32 41 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 13 05 S | 32 41 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 13 13 S | 32 41 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 13 44 S | 32 42 06 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 14 18 S | | 32 42 55 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 27 14 44 S | | 32 43 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 27 15 00 S | | 32 44 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 27 16 29 S | | 32 44 46 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 9 | Ndimu Game Reserve | 26 51 17S | 32 19 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 26 51 13S | | | 32 19 11 E | 1 | 1 | 2 | 0.37 | 0.37 | 0.74 | Ga | | |
| 26 51 39S | | | 32 18 28 E | 1 | 0 | 1 | 0.34 | 0.00 | 0.34 | Gb | | |
| 27 51 39S | | | 33 18 28 E | 1 | 2 | 3 | 0.34 | 0.69 | 1.03 | Ga | | |
| 26 51 41S | | | 32 18 28 E | 2 | 2 | 4 | 0.69 | 0.69 | 1.38 | Ga | | |
| 26 51 25S | | | 32 18 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 26 51 25S | | | 32 18 11 E | 2 | 6 | 8 | 0.69 | 2.06 | 2.75 | Ga | | |
| 26 51 21S | | | 32 17 54 E | 3 | 0 | 3 | 1.03 | 0.00 | 1.03 | Gb | | |
| 26 52 35S | | | 32 18 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 26 55 41S | | | 32 19 23 E | 4 | 1 | 5 | 1.37 | 0.34 | 1.71 | Gb | | |
| 26 55 41S | | | 32 19 23 E | 0 | 1 | 1 | 0.00 | 0.34 | 0.34 | Ga | | |
| 26 55 16S | | | 32 19 20 E | 10 | 2 | 12 | 3.48 | 0.70 | 4.18 | Gb | | |
| 10 | | | Hellsgate Military Base | 28 01 33 S | 32 25 59 E | 0 | 2 | 2 | 0.00 | 0.41 | 0.41 | Ga |
| | | | | 29 01 33 S | 33 25 59 E | 29 | 10 | 39 | 5.95 | 2.05 | 8.00 | Gb |
| | | | | 28 02 36 S | 32 25 14 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga |
| | 29 02 36 S | 33 25 14 E | | 9 | 9 | 18 | 1.84 | 1.84 | 3.69 | Gb | | |
| | 28 02 33 S | 32 25 11 E | | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | | |
| | 29 02 33 S | 33 25 11 E | | 12 | 2 | 14 | 2.46 | 0.41 | 2.87 | Gb | | |
| | 28 01 30 S | 32 24 56 E | | 11 | 14 | 25 | 2.25 | 2.86 | 5.11 | Ga | | |
| | 29 01 30 S | 33 24 56 E | | 26 | 3 | 29 | 5.31 | 0.61 | 5.92 | Gb | | |
| | 28 03 37 S | 32 25 01 E | | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | | |
| | 29 03 37 S | 33 25 01 E | | 32 | 7 | 39 | 6.51 | 1.42 | 7.93 | Gb | | |
| | 28 05 40 S | 32 25 00 E | | 10 | 4 | 14 | 2.03 | 0.81 | 2.85 | Gb | | |
| | 28 03 13 S | 32 25 39 E | | 19 | 5 | 24 | 3.86 | 1.02 | 4.87 | Gb | | |
| 28 03 13 S | 32 25 48 E | 3 | 7 | 10 | 0.61 | 1.42 | 2.03 | Ga | | | | |
| 29 03 13 S | 33 25 48 E | 12 | 2 | 14 | 2.44 | 0.41 | 2.85 | Gb | | | | |
| 11 | Lake Sibayi | 27 24 59 S | 32 42 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 24 59 S | 32 42 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 24 39 S | 32 42 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 24 14 S | 32 42 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 23 43 S | 32 42 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 23 26 S | 32 42 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 23 08 S | 32 42 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 22 49 S | 32 42 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 21 33 S | 32 43 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 25 11 S | 32 42 14 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | Communal farming areas | | | | | | | | | | |
| 1 | Mahiya 517 | 28 07 05 S | 32 11 07 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 07 08 S | 32 11 07 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | Qakweni 692 | 28 08 58 S | 32 19 47 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 09 19 S | 32 19 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 08 41 S | 32 20 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | Ngodini 944 | 27 58 37 S | 32 06 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 58 46 S | 32 06 24 E | 1 | 0 | 1 | 0.45 | 0.00 | 0.45 | Gb | | |
| | | 27 59 42 S | 32 06 30 E | 2 | 0 | 2 | 0.92 | 0.00 | 0.92 | Gb | | |
| | | 28 00 08 S | 32 05 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 00 54 S | 32 05 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 27 59 57 S | 32 07 06 E | 1 | 0 | 1 | 0.47 | 0.00 | 0.47 | Gb | | | | |
| 2 | 27 58 59 S | 32 06 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| | 27 59 13 S | 32 06 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| | 27 59 24 S | 32 06 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species |
|---------------|---------------|------------|------------|-------|---------|--------|--------------------|----------------------|---------------------|---------|
| 2 | Ngodini 944 | 28 00 57 S | 32 05 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 00 54 S | 32 05 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 00 06 S | 32 05 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 00 34 S | 32 06 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 59 41 S | 32 06 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 58 30 S | 32 06 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 3 | Mzinene 526 | 27 58 53 S | 32 06 24 E | 1 | 0 | 1 | 0.15 | 0.00 | 0.15 | Gb |
| | | 27 59 59 S | 32 07 52 E | 0 | 1 | 1 | 0.00 | 0.14 | 0.14 | Gb |
| | | 27 59 22 S | 32 08 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Qakwini 692 | 28 01 57 S | 32 08 39 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 02 20 S | 32 07 53 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 02 09 S | 32 08 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 00 02 S | 32 11 11 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 00 56 S | 32 12 27 E | 0 | 1 | 1 | 0.00 | 0.14 | 0.14 | Gb |
| | | 28 10 50 S | 32 20 58 E | 1 | 0 | 1 | 0.14 | 0.00 | 0.14 | Gb |
| | | 28 08 18 S | 32 22 04 E | 9 | 2 | 11 | 1.28 | 0.29 | 1.57 | Gb |
| | | 28 08 10 S | 32 22 02 E | 1 | 0 | 1 | 0.14 | 0.00 | 0.14 | Gb |
| | | 28 08 13 S | 32 21 58 E | 1 | 0 | 1 | 0.14 | 0.00 | 0.14 | Gb |
| | | 28 07 59 S | 32 22 01 E | 4 | 1 | 5 | 0.57 | 0.14 | 0.71 | Gb |
| | | 28 08 13 S | 32 22 04 E | 4 | 0 | 4 | 0.57 | 0.00 | 0.57 | Gb |
| | | 28 08 25 S | 32 22 05 E | 0 | 2 | 2 | 0.00 | 0.28 | 0.28 | Ga |
| Mahiya 517 | 28 08 25 S | 32 22 05 E | 12 | 5 | 17 | 1.70 | 0.71 | 2.42 | Gb | |
| | 28 08 39 S | 32 22 08 E | 3 | 2 | 5 | 0.43 | 0.28 | 0.71 | Gb | |
| | 28 08 59 S | 32 19 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 08 01 S | 32 21 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 06 46 S | 32 10 08 E | 1 | 1 | 2 | 0.17 | 0.17 | 0.34 | Gb | |
| | 28 06 11 S | 32 10 21 E | 1 | 0 | 1 | 0.16 | 0.00 | 0.16 | Gb | |
| | 28 05 39 S | 32 10 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 05 01 S | 32 10 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 06 29 S | 32 08 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 06 29 S | 32 09 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| Gunjaneni 523 | 28 06 12 S | 32 09 56 E | 1 | 2 | 3 | 0.17 | 0.34 | 0.52 | Ga | |
| | 28 06 12 S | 32 09 56 E | 2 | 0 | 2 | 0.34 | 0.00 | 0.34 | Gb | |
| | 28 09 52 S | 32 05 44 E | 4 | 0 | 4 | 0.58 | 0.00 | 0.58 | Gb | |
| | 28 10 03 S | 32 04 54 E | 5 | 0 | 5 | 0.72 | 0.00 | 0.72 | Gb | |
| | 28 11 05 S | 32 05 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 12 13 S | 32 05 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 11 30 S | 32 04 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 10 48 S | 32 03 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 11 42 S | 32 02 53 E | 1 | 1 | 2 | 0.16 | 0.16 | 0.31 | Gb | |
| | 28 12 24 S | 32 03 54 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 14 09 S | 32 04 25 E | 1 | 0 | 1 | 0.15 | 0.00 | 0.15 | Gb | |
| | Mvutshini 945 | 28 07 58 S | 32 09 52 E | 1 | 0 | 1 | 0.17 | 0.00 | 0.17 | Gb |
| 28 08 39 S | | 32 10 04 E | 2 | 0 | 2 | 0.28 | 0.00 | 0.28 | Gb | |
| 28 08 20 S | | 32 09 16 E | 1 | 0 | 1 | 0.14 | 0.00 | 0.14 | Gb | |
| 28 06 44 S | | 32 09 31 E | 10 | 1 | 11 | 1.44 | 0.14 | 1.58 | Gb | |
| 28 06 48 S | | 32 08 13 E | 4 | 0 | 4 | 0.58 | 0.00 | 0.58 | Gb | |
| 28 07 03 S | | 32 08 37 E | 2 | 0 | 2 | 0.29 | 0.00 | 0.29 | Gb | |
| 28 08 07 S | | 32 08 37 E | 3 | 0 | 3 | 0.44 | 0.00 | 0.44 | Gb | |
| 28 08 34 S | | 32 07 18 E | 3 | 0 | 3 | 0.44 | 0.00 | 0.44 | Gb | |
| 28 09 33 S | | 32 07 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 28 10 20 S | | 32 07 59 E | 2 | 0 | 2 | 0.29 | 0.00 | 0.29 | Gb | |
| Hlazane 519 | 28 11 39 S | 32 09 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 11 44 S | 32 10 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 12 52 S | 32 10 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 13 07 S | 32 10 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 13 28 S | 32 09 38 E | 0 | 1 | 1 | 0.00 | 0.14 | 0.14 | Gb | |
| | 28 13 08 S | 32 09 23 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 12 50 S | 32 09 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 11 58 S | 32 08 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 11 58 S | 32 07 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 28 14 30 S | 32 07 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Machibini 746 | 28 21 02 S | 32 00 45 E | 1 | 0 | 1 | 0.16 | 0.00 | 0.16 | Gb |
| 28 21 02 S | | 31 59 25 E | 22 | 2 | 24 | 3.54 | 0.32 | 3.86 | Gb | |
| 28 20 30 S | | 31 59 10 E | 8 | 0 | 8 | 1.29 | 0.00 | 1.29 | Gb | |
| 4 | Nhlwathi 525 | 28 01 51 S | 31 59 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 01 52 S | 31 59 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 01 33 S | 31 59 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 09 28 S | 31 54 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 00 59 S | 31 59 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 00 58 S | 31 58 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 02 11 S | 31 56 52 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 28 03 34 S | 31 57 04 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | | |
|--------------|--------------------------|------------------|--------------|------------|------------|--------|--------------------|----------------------|---------------------|---------|------|----|
| 4 | Nhlwathi 525 | 28 03 33 S | 31 57 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 08 59 S | 31 54 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | Mquthungu 726 | 28 09 50 S | 31 53 39 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 10 26 S | 31 53 54 E | 2 | 0 | 2 | 0.18 | 0.00 | 0.18 | Gb | | |
| | | 28 11 19 S | 31 53 10 E | 1 | 0 | 1 | 0.09 | 0.00 | 0.09 | Gb | | |
| | | 28 10 57 S | 31 52 03 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 12 45 S | 31 49 44 E | 13 | 1 | 14 | 1.17 | 0.09 | 1.26 | Gb | | |
| | | 28 12 41 S | 31 49 47 E | 4 | 0 | 4 | 0.36 | 0.00 | 0.36 | Gb | | |
| | | 28 08 13 S | 31 51 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 06 46 S | 31 52 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | Hlambanyathi 754 | 28 10 08 S | 31 49 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 10 10 S | 31 48 53 E | 0 | 1 | 1 | 0.00 | 0.12 | 0.12 | Gb | |
| | | | 28 09 03 S | 31 48 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 09 09 S | 31 48 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 09 33 S | 31 47 46 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 09 58 S | 31 48 34 E | 0 | 1 | 1 | 0.00 | 0.13 | 0.13 | Gb | |
| | | | 28 07 21 S | 31 59 43 E | 12 | 3 | 15 | 1.97 | 0.49 | 2.46 | Gb | |
| | | 5 | Mpenbeni 528 | 28 07 22 S | 31 59 39 E | 3 | 1 | 4 | 0.49 | 0.16 | 0.66 | Gb |
| | | | | 28 07 14 S | 31 59 11 E | 3 | 1 | 4 | 0.50 | 0.17 | 0.66 | Gb |
| 28 08 01 S | 31 59 23 E | | | 8 | 0 | 8 | 1.34 | 0.00 | 1.34 | Gb | | |
| Gwegwede 524 | 28 04 58 S | | 31 55 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 06 13 S | | 31 55 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 08 09 S | | 31 56 16 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 08 04 S | | 31 56 46 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 05 42 S | | 31 50 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 05 39 S | | 31 50 46 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 06 22 S | | 31 50 35 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 06 36 S | | 31 50 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 06 25 S | | 31 50 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 07 16 S | | 31 50 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 07 38 S | | 31 50 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 08 44 S | | 31 51 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 05 43 S | | 31 51 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | Sangoyana 946 | | 28 05 27 S | 31 52 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 03 22 S | 31 59 34 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 05 13 S | 31 58 47 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 05 11 S | 31 58 50 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 05 45 S | 31 58 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 06 05 S | 31 58 37 E | 1 | 0 | 1 | 0.17 | 0.00 | 0.17 | Gb | |
| | | | 28 06 06 S | 31 58 34 E | 1 | 0 | 1 | 0.17 | 0.00 | 0.17 | Gb | |
| | | | 28 06 05 S | 31 58 34 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 05 24 S | 31 57 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 05 18 S | 31 57 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 28 04 38 S | 31 58 28 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 6 | Ngwenyambili 778 | 28 05 45 S | 32 20 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 05 59 S | 32 20 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 05 52 S | 32 20 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 04 28 S | 32 22 31 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Gb | | |
| | | 28 04 45 S | 32 22 26 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb | | |
| | Hluluwe 518 | 28 08 12 S | 32 21 41 E | 3 | 2 | 5 | 0.60 | 0.40 | 1.01 | Gb | | |
| | | 28 07 57 S | 32 21 59 E | 3 | 3 | 6 | 0.61 | 0.61 | 1.21 | Gb | | |
| | | 28 08 43 S | 32 16 03 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 08 24 S | 32 15 53 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 08 17 S | 32 15 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 7 | Makhatini communal areas | 28 07 54 S | 32 15 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 09 35 S | 32 13 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 34 45 S | 32 17 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 34 45 S | 32 17 41 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 34 38 S | 32 18 03 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 37 10 S | 32 25 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 25 07 S | 32 14 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 8 | Mahlabinyathi 963 | 27 25 21 S | 32 14 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 09 43 S | 32 20 45 E | 0 | 1 | 1 | 0.00 | 0.15 | 0.15 | Gb | | |
| | | 28 09 42 S | 32 20 21 E | 2 | 2 | 4 | 0.29 | 0.29 | 0.59 | Gb | | |
| | | 28 09 35 S | 32 20 05 E | 2 | 0 | 2 | 0.29 | 0.00 | 0.29 | Gb | | |
| | | 28 09 36 S | 32 20 08 E | 7 | 1 | 8 | 1.03 | 0.15 | 1.18 | Gb | | |
| | | 28 09 41 S | 32 19 56 E | 0 | 1 | 1 | 0.00 | 0.15 | 0.15 | Gb | | |
| | | 28 10 57 S | 32 20 03 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | Sakwini 842 | 28 11 00 S | 32 19 56 E | 1 | 0 | 1 | 0.15 | 0.00 | 0.15 | Gb | | |
| | | 28 10 58 S | 32 19 57 E | 0 | 1 | 1 | 0.00 | 0.15 | 0.15 | Gb | | |
| | | 28 10 32 S | 32 19 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 11 39 S | 32 14 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 28 11 31 S | 32 14 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | |
|--------------|-------------------|-------------|------------|------------|---------|--------|--------------------|----------------------|---------------------|---------|--|
| 8 | Sakwini 842 | 28 11 48 S | 32 14 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 11 39 S | 32 14 35 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 11 46 S | 32 14 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 12 21 S | 32 14 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 12 16 S | 32 14 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 12 15 S | 32 14 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 11 41 S | 32 15 39 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Bukhipha 962 | 28 12 02 S | 32 15 35 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 56 27 S | 32 09 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 55 38 S | 32 09 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 55 38 S | 32 09 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 55 44 S | 32 09 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 55 58 S | 32 09 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 56 17 S | 32 07 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 56 36 S | 32 06 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 55 24 S | 32 07 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 56 23 S | 32 09 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 9 | Matshamhlophe 326 | 27 56 20 S | 32 08 23 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 59 54 S | 32 01 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 59 44 S | 32 00 39 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 59 11 S | 32 00 54 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 58 38 S | 32 01 14 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 59 15 S | 32 01 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 59 09 S | 32 01 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 59 22 S | 32 01 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 59 53 S | 32 02 20 E | 1 | 0 | 1 | 0.25 | 0.00 | 0.25 | Gb | |
| | Mfanelo 327 | 27 59 59 S | 32 02 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 58 48 S | 32 01 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 58 29 S | 31 58 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 58 06 S | 31 58 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 57 52 S | 31 57 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 57 57 S | 31 57 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 57 42 S | 31 57 31 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Qunwane 964 | 28 03 04 S | 31 51 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 03 05 S | 31 51 04 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 04 43 S | 31 50 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 28 04 22 S | | 31 50 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 28 03 36 S | | 31 50 17 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 28 03 03 S | | 31 50 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 28 03 08 S | | 31 50 41 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| Mgangado 694 | 28 03 03 S | 31 50 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 04 17 S | 31 52 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 03 49 S | 31 53 28 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 03 12 S | 31 54 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 04 06 S | 31 52 47 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 03 24 S | 31 52 25 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 28 02 39 S | 31 52 50 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 10 | Dabedabe 527 | 27 58 48 S | 32 02 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 58 18 S | 32 03 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 57 20 S | 32 03 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 57 25 S | 32 02 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 58 40 S | 32 03 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 11 | Nkolokotho 744 | 28 21 26 S | 32 01 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 21 22 S | 32 01 14 E | 1 | 0 | 1 | 0.16 | 0.00 | 0.16 | Gb | |
| | | 28 21 10 S | 32 01 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 21 57 S | 32 01 51 E | 1 | 0 | 1 | 0.17 | 0.00 | 0.17 | Gb | |
| | | 28 22 29 S | 32 01 56 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 09 S | 32 01 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 20 55 S | 32 02 07 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 20 29 S | 32 02 09 E | 0 | 1 | 1 | 0.00 | 0.17 | 0.17 | Gb | |
| | | 28 23 32 S | 32 01 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Hoho 522 | 28 23 15 S | 32 03 23 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 23 49 S | 32 06 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 24 19 S | 32 06 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 24 31 S | 32 05 39 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 23 51 S | 32 05 11 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 23 18 S | 32 07 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 25 30 S | 32 04 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 23 13 S | 32 06 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 24 27 S | 32 06 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 25 11 S | 32 05 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | Nyalazi 520 | 28 15 42 S | 32 12 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 14 14 S | 32 14 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | |
|------------|-------------------|------------|------------|------------|---------|--------|--------------------|----------------------|---------------------|---------|--|
| 11 | Nyalazi 520 | 28 15 03 S | 32 14 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 17 06 S | 32 12 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 16 02 S | 32 14 29 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 16 35 S | 32 14 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 16 17 S | 32 15 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 17 11 S | 32 15 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 17 33 S | 32 14 11 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Dukuduku 967 | 28 16 59 S | 32 13 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 49 S | 32 21 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 43 S | 32 21 53 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 54 S | 32 21 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 22 S | 32 21 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 21 51 S | 32 21 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 12 S | 32 22 37 E | 6 | 0 | 6 | 1.54 | 0.00 | 1.54 | Gb | |
| | | 28 22 43 S | 32 22 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 39 S | 32 22 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 22 58 S | 32 21 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Gwedla 669 | 28 23 20 S | 32 20 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 17 29 S | 32 07 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 16 46 S | 32 07 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 16 33 S | 32 07 27 E | 0 | 1 | 1 | 0.00 | 0.06 | 0.06 | Gb | |
| | | 28 17 02 S | 32 06 56 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 17 03 S | 32 05 23 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 17 10 S | 32 05 28 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 16 32 S | 32 06 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 16 42 S | 32 06 34 E | 1 | 1 | 2 | 0.06 | 0.06 | 0.12 | Gb | |
| | | 28 17 34 S | 32 07 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 12 | Nsane 521 | 28 17 37 S | 32 08 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 19 45 S | 32 13 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 19 38 S | 32 13 17 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 19 30 S | 32 13 25 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 20 05 S | 32 13 16 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 28 20 15 S | 32 12 52 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 28 20 14 S | | | 32 12 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| Nomathiya | | 28 19 48 S | 32 12 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 19 31 S | 32 11 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 19 22 S | 32 11 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 20 58 S | 32 06 31 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 21 00 S | 32 06 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 21 10 S | 32 06 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 20 40 S | 32 06 28 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 20 36 S | 32 06 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 13 | KwaMsane 323 | 28 20 30 S | 32 05 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 20 39 S | 32 04 23 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 21 15 S | 32 04 25 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 19 31 S | 32 05 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 21 09 S | 32 04 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 25 16 S | 32 08 06 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Ekuphindiseni 328 | 28 25 35 S | 32 08 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 25 09 S | 32 08 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 25 04 S | 32 08 31 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 24 44 S | 32 08 19 E | 1 | 0 | 1 | 0.13 | 0.00 | 0.13 | Gb | |
| | | 28 26 45 S | 32 09 23 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 26 07 S | 32 07 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 28 26 37 S | | 32 07 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 28 27 24 S | | 32 08 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 28 27 17 S | | 32 08 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 28 01 30 S | | 32 03 36 E | 1 | 1 | 2 | 0.20 | 0.20 | 0.40 | Gb | | |
| 14 | Mpamzakazi 325 | 28 01 42 S | 32 02 42 E | 1 | 0 | 1 | 0.20 | 0.00 | 0.20 | Gb | |
| | | 28 03 17 S | 32 03 02 E | 26 | 24 | 50 | 5.20 | 4.80 | 10.00 | Gb | |
| | | 28 03 15 S | 32 02 57 E | 11 | 13 | 24 | 2.20 | 2.60 | 4.80 | Gb | |
| | | 28 02 34 S | 32 02 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 02 41 S | 32 02 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 00 59 S | 32 03 34 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 03 11 S | 31 59 55 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 15 | Zidlele 701 | 28 02 58 S | 31 59 58 E | 1 | 0 | 1 | 0.32 | 0.00 | 0.32 | Gb | |
| | | 28 03 52 S | 31 59 25 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 02 34 S | 32 01 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 01 54 S | 32 01 35 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 28 03 24 S | 32 01 07 E | 1 | 0 | 1 | 0.34 | 0.00 | 0.34 | Gb | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species |
|--------|-------------------|------------|------------|-------|---------|--------|--------------------|----------------------|---------------------|---------|
| 15 | Zineshe 743 | 27 38 33 S | 32 22 28 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 37 10 S | 32 25 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Biva | 27 25 07 S | 32 14 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 16 | Zidlele 701 | 27 25 21 S | 32 14 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 34 33 S | 32 17 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 34 33 S | 32 17 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 34 40 S | 32 17 29 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 34 46 S | 32 17 44 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 34 29 S | 32 17 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 34 13 S | 32 17 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 34 18 S | 32 17 50 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 34 38 S | 32 18 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 34 37 S | 32 18 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Zineshe 743 | 27 34 11 S | 32 17 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 38 33 S | 32 22 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 38 37 S | 32 22 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 39 23 S | 32 24 24 E | 1 | 3 | 4 | 0.20 | 0.60 | 0.80 | Ga |
| | | 27 39 19 S | 32 24 31 E | 2 | 3 | 5 | 0.40 | 0.61 | 1.01 | Ga |
| | | 27 39 35 S | 32 24 01 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 39 13 S | 32 23 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 38 08 S | 32 22 52 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga |
| | | 27 37 14 S | 32 23 06 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 37 55 S | 32 21 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Biva 936 | 27 38 24 S | 32 22 14 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 25 52 S | 32 12 15 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 25 53 S | 32 12 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 26 14 S | 32 12 04 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 26 39 S | 32 24 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 27 09 S | 32 12 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 25 35 S | 32 13 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 25 30 S | 32 13 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 24 53 S | 32 15 14 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 24 38 S | 32 14 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 17 | Siphondweni 819 | 27 24 33 S | 32 14 07 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 11 50 S | 32 14 51 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 11 54 S | 32 14 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Hlazane 937 | 27 16 08 S | 32 14 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 16 08 S | 32 14 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 16 18 S | 32 14 31 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 22 18 S | 32 17 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 22 21 S | 32 17 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 22 44 S | 32 17 35 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Mozane 938 | 27 23 09 S | 32 17 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 24 52 S | 32 19 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 25 06 S | 32 19 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 25 17 S | 32 19 35 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 25 39 S | 32 20 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 27 10 S | 32 17 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 18 | Munyu 820 | 27 26 49 S | 32 17 28 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 27 31 S | 32 18 03 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 26 01 S | 32 22 14 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 25 14 S | 32 22 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 26 41 S | 32 17 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 26 32 S | 32 18 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 23 58 S | 32 22 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 23 03 S | 32 21 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 22 15 S | 32 21 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 21 44 S | 32 20 59 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | Mkhumbikazana 514 | 27 21 32 S | 32 20 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 21 30 S | 32 19 23 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 21 37 S | 32 21 29 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 20 47 S | 32 21 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | 27 20 09 S | 32 21 31 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | 27 18 55 S | 32 21 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 17 57 S | 32 21 50 E | 1 | 0 | 1 | 0.17 | 0.00 | 0.17 | Ga | |
| | 27 30 58 S | 32 25 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 30 53 S | 32 25 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 29 48 S | 32 25 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 30 44 S | 32 24 28 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 31 38 S | 32 24 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 31 50 S | 32 25 03 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 33 27 S | 32 24 16 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 32 27 S | 32 24 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | | |
|--------------|--------------------------|------------|------------|------------|------------|--------|--------------------|----------------------|---------------------|---------|------|--|
| 18 | Mkhumbikazana 514 | 27 30 46 S | 32 24 07 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 30 20 S | 32 24 17 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | Mseleni 512 | 27 21 52 S | 32 31 57 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 22 19 S | 32 31 25 E | 0 | 2 | 2 | 0.00 | 0.39 | 0.39 | Ga | | |
| | | 27 22 28 S | 32 31 04 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | | |
| | | 27 23 06 S | 32 30 16 E | 1 | 1 | 2 | 0.19 | 0.19 | 0.39 | Ga | | |
| | | 27 23 51 S | 32 30 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 23 38 S | 32 29 16 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | | |
| | | 27 23 02 S | 32 29 24 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | | |
| | | 27 22 32 S | 32 29 08 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | | |
| | | 27 22 08 S | 32 29 09 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | | |
| | | 27 20 41 S | 32 30 45 E | 0 | 1 | 1 | 0.00 | 0.20 | 0.20 | Ga | | |
| | | 19 | Manaba 500 | 27 19 38 S | 32 31 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| 27 19 13 S | 32 30 39 E | | | 1 | 2 | 3 | 0.14 | 0.29 | 0.43 | Ga | | |
| 27 19 16 S | 32 29 48 E | | | 0 | 2 | 2 | 0.00 | 0.29 | 0.29 | Ga | | |
| 27 17 43 S | 32 32 05 E | | | 2 | 1 | 3 | 0.29 | 0.14 | 0.43 | Ga | | |
| 27 17 23 S | 32 31 32 E | | | 3 | 6 | 9 | 0.43 | 0.86 | 1.30 | Ga | | |
| 27 16 40 S | 32 30 12 E | | | 1 | 0 | 1 | 0.14 | 0.00 | 0.14 | Ga | | |
| 27 16 28 S | 32 29 57 E | | | 4 | 1 | 5 | 0.58 | 0.14 | 0.72 | Ga | | |
| 27 15 40 S | 32 30 04 E | | | 0 | 1 | 1 | 0.00 | 0.14 | 0.14 | Ga | | |
| 27 15 37 S | 32 30 32 E | | | 4 | 8 | 12 | 0.58 | 1.15 | 1.73 | Ga | | |
| 27 17 25 S | 32 32 12 E | | | 5 | 3 | 8 | 0.72 | 0.43 | 1.15 | Ga | | |
| 27 15 51 S | 32 28 14 E | | | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 27 16 04 S | 32 27 56 E | | | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 27 15 33 S | 32 26 05 E | | | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 27 14 28 S | 32 25 44 E | | | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 27 14 30 S | 32 26 05 E | | | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 27 14 06 S | 32 25 49 E | | | 0 | 1 | 1 | 0.00 | 0.13 | 0.13 | Ga | | |
| 27 13 24 S | 32 25 52 E | | | 1 | 0 | 1 | 0.13 | 0.00 | 0.13 | Ga | | |
| 27 17 14 S | 32 24 32 E | | | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 27 17 22 S | 32 23 29 E | | | 0 | 2 | 2 | 0.00 | 0.25 | 0.25 | Ga | | |
| 27 17 53 S | 32 22 37 E | | | 0 | 3 | 3 | 0.00 | 0.38 | 0.38 | Ga | | |
| Mbazwana 513 | 27 27 07 S | | | 32 34 24 E | 3 | 2 | 5 | 0.38 | 0.25 | 0.63 | Ga | |
| | 27 27 08 S | | | 32 35 01 E | 0 | 1 | 1 | 0.00 | 0.13 | 0.13 | Ga | |
| | 27 26 26 S | | | 32 34 27 E | 2 | 0 | 2 | 0.25 | 0.00 | 0.25 | Ga | |
| | 27 28 42 S | | | 32 32 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Ntenga 678 Nibela 510 | | | 27 20 11 S | 32 12 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | | 27 50 43 S | 32 27 22 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| Masakeni 679 | 27 51 25 S | | | 32 27 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 52 33 S | | 32 27 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 27 51 58 S | | 32 26 11 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 27 51 08 S | | 32 26 47 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 27 47 53 S | | 32 25 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 27 47 16 S | | 32 24 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 20 | Zineshe 743 | | 27 48 06 S | 32 23 11 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 49 03 S | 32 22 49 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | | 27 39 35 S | 32 25 19 E | 2 | 2 | 4 | 0.34 | 0.34 | 0.68 | Ga | |
| | Nibela 510 | | 27 38 16 S | 32 25 18 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 37 03 S | 32 24 37 E | 2 | 3 | 5 | 0.34 | 0.51 | 0.85 | Ga | | |
| | | 27 37 28 S | 32 23 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 48 24 S | 32 27 45 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 49 09 S | 32 28 11 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 49 33 S | 32 27 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | Masakeni 679 | 27 53 36 S | 32 26 54 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 54 05 S | 32 27 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | | 27 55 32 S | 32 26 36 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| 27 56 41 S | | 32 26 10 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| 27 57 37 S | | 32 25 54 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| 27 58 03 S | | 32 25 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| 27 58 19 S | | 32 26 13 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| 27 48 38 S | | 32 25 24 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| 27 48 29 S | | 32 25 08 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| 27 48 04 S | | 32 25 03 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| 27 47 45 S | | 32 24 47 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| 27 47 16 S | | 32 24 34 E | 0 | 1 | 1 | 0.00 | 0.14 | 0.14 | Ga | | | |
| Mpempe 302 | | 27 47 13 S | 32 24 20 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | |
| | 27 47 37 S | 32 23 37 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| | 27 48 19 S | 32 23 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| | 27 49 56 S | 32 23 09 E | 0 | 1 | 1 | 0.00 | 0.14 | 0.14 | Ga | | | |
| | 27 41 52 S | 32 26 21 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | |
| 27 42 21 S | 32 26 28 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | | |
| 27 43 01 S | 32 26 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | | |
| 27 43 42 S | 32 26 04 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | | | | |

| Survey | Locality | Latitude | Longitude | Males | Females | Totals | Males/ trap/day | Females/ trap/day | Totals/ trap/day | Species | |
|--------|-------------------|-------------|------------|------------|---------|--------|--------------------|----------------------|---------------------|---------|--|
| 23 | Kosibay 722 | 26 57 58 S | 32 48 28 E | 2 | 2 | 4 | 0.26 | 0.26 | 0.51 | Gb | |
| | | 26 52 40 S | 32 48 06 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 26 52 53 S | 32 46 35 E | 1 | 0 | 1 | 0.16 | 0.00 | 0.16 | Gb | |
| | | 26 53 21 S | 32 45 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 26 52 01 S | 32 43 48 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 26 52 02 S | 32 43 02 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 26 52 09 S | 32 41 50 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| 24 | Mlambongwenya 506 | 27 10 36 S | 32 04 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 10 20 S | 32 05 16 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 10 06 S | 32 05 27 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 10 46 S | 32 06 09 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | Lubambo 789 | 27 11 54 S | 32 05 04 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 13 03 S | 32 05 12 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | | | 27 15 27 S | 32 04 56 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | |
| | 27 12 41 S | | 32 05 33 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | 27 12 59 S | | 32 06 00 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Singeni 787 | 27 17 43 S | 32 04 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 17 58 S | 32 04 26 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 19 23 S | 32 03 56 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 17 56 S | 32 05 03 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 17 47 S | 32 05 43 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 16 43 S | 32 06 55 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Mpeshane 898 | 27 21 35 S | 32 04 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 21 35 S | 32 04 19 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Mzinyeni 497 | 27 15 06 S | 32 12 17 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 14 57 S | 32 12 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 14 47 S | 32 12 38 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 08 18 S | 32 12 40 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 08 13 S | 32 12 42 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | Manqwashu 732 | 27 15 21 S | 32 07 06 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 17 05 S | 32 09 05 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 17 23 S | 32 08 58 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 16 21 S | 32 10 30 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 16 16 S | 32 10 32 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 13 28 S | 32 07 52 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |
| | | 27 11 28 S | 32 08 53 E | 0 | 0 | 0 | 0.00 | 0.00 | 0.00 | | |