

## 7 REFERENCES

- Aitchison G. D.** (1961). Relationships of moisture stress and effective stress functions in unsaturated soils. *Pore Pressure and Suction in Soils*. Butterworths, London. pp 47-52.
- Aithison G.D.** (1965). Engineering Concepts of Moisture Equilibria and Moisture Changes in Soils”, Statement of the review panel, Ed. *Moisture Equilibria and Moisture Changes in Soils beneath Covered Areas*, A Symp. In Print. Australia: Butterworths, pp 7-21
- Aitchison G. D., Butler P. F. and Gurr C. G.** (1950). Techniques associated with the use of gypsum block soil moisture meters. *Australian Journal of Applied Science*. No.ble N. S. (Ed.), pp 56-71.
- Aitchison G. D. and Butler P. F.** (1950). Gypsum block moisture meters as instruments for the measurement of tension in soil water. **Australian Journal of Applied Science**. No.ble N. S. (Ed.), pp 258-266.
- Aitchison G. D. and Richards B. G.** (1965). A broad-scale study of moisture conditions in pavement subgrades throughout Australia. *Moisture Equilibria and Moisture Changes in Soils Beneath Covered Areas*. Aitchison G. D. (Ed.). Butterworths. pp 191-204.
- Akulichev V.** (1966). *Journal of Acoustical Society of America*. 12, Vol 12, pp 144-166.
- Al-Khafaf S. and Hanks R. J.** (1974). Evaluation of the filter paper method for estimating soil water potential. *Soil Science*, Vol. 117, No. 4, pp 194-199. The Williams and Wilkins Co.
- Apfel R. C.** (1970). The role of imourities in cavitation-threshold determination. *Journal of Acoustical Society of America*, Vol 48, pp 1179-1186.
- Aubertin M., Richard J. and Chapuis R. P.** (1998). A predictive model for the water retention curve: application to tailings from hard-rock mines. *Canadian Geotechnical Journal*, Vol 35, pp 55-69.
- Baker R, Kassiff G. and Levy A.** (1973). Experience with a psychrometric technique. *Proceedings of the 3<sup>rd</sup> International Conference on Expansive Soils*, Isreal. pp 83-95.
- Barbour S. H. and Fredlund D. G.** (1989). Mechanisms of osmotic flow and volume change in clay soils. *Canadian Geotechnical Journal*, Vol. 26, pp 551-562
- Bishop A. W.** (1960). The measurement of pore pressure in the triaxial test. *Pore Pressure and Suction in Soils*. Butterworths, London. pp 38-46.

**Blight G. E.** (1961). *Strength and consolidation characteristics of compacted soils*. PhD dissertation, University of London, London, England, pp 217.

**Bouyoucos G. J. and Mick A. H.** (1940). Comparison of absorbent materials employed in the electrical method of making a continuous measurement of suction under field conditions. *Proceedings of the Soil Science Society of America*, Vol. 5, pp 77-79.

**Brookes R. H. and Corey A. T.** (1964). Hydraulic properties of porous media. Colorado State University (Fort Collins), *Hydrology Paper* No.3.

**Cabarkapa Z, Cuccovillo T and Gunn M.** (1998). A new triaxial apparatus for testing unsaturated soils. *Proceedings of the 2<sup>nd</sup> International Conference on Unsaturated Soils*, Vol. 2, Beijing, Alonso A. A. and Delarge P. (Ed.), pp 194-195.

**Campbell E. C., Campbell G. S. and Barlow W. K.** (1973). A dewpoint hygrometer for water potential measurement. *Agricultural Meteorology*, Vol. 12, pp 113-121.

**Chadwick A. and Morfett J.** (1993). *Hydraulics in civil and environmental engineering*. 2<sup>nd</sup> ed. E & FN Spon, London.

**Chandler R. J. and Gutierrez C. I.** (1986). The filter-paper method of suction measurement, *Geotechnique*, Vol 36, pp 265-268.

**Chen F. H.** (1975). *Foundations on expansive soils*, 1<sup>st</sup> ed., Amsterdam: Elsevier.

**Childs** (1969). *An introduction to the physical basis of soil water phenomena*. London: Wiley –Interscience, pp 493.

**Conciani W., Herrmann P. S. and Soares M. M.** (1995). The time domain reflectometry to study matrix suction. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Vol. 3, Paris, Alonso A. A. and Delarge P. (Ed.), pp 1481-1485.

**Concoli N. C. and Sills G. C.** (2000). Soil formation of predictions and field measurements. *Geotechnique* Vol. 50, No. 1, pp 25-33.

**Crilly M. S., Schreiner H. D. and Gourley C. S.** (1991). A simple field suction probe. *Proceedings of the 10<sup>th</sup> Regional Conference for Africa on Soil Mechanics and Foundation Engineering*, Maseru. Pp 291-298.

**Croney D. and Coleman J. D.** (1961). Pore pressure and suctions in soil. *Pore Pressure and Suction in Soils*. Butterworths, London. pp 31-37.

**Croney D. and Coleman J. D.** (1954). Soil structure in relation to soil suction (pF). *Journal of Soil Science*, Vol. 5, No. 1, pp 75-84.

**Dineen K.** (1999). *Indirect suction measurement*. Partly Saturated Soils. MSc lecture course.

**Dineen K. and Burland J. B.** (1995). A new approach to osmotically controlled oedometer testing. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Vol. 2, Paris, Alonso A. A. and Delarge P. (Ed.), pp 459-465.

**Donald I. B.** (1961). *The mechanical properties of saturated and partly saturated soils with special reference to negative pore water pressure*, PhD dissertation, University of London, London, England.

**Dumbleton M. J. and West G.** (1968). Soil suction by the rapid method: an apparatus with extended range. *Journal of Soil Science*, Vol. 19, No. 1, pp 40-46.

**Dunncliff J. and Green G. E.** (1988). *Geotechnical Instrumentation for Monitoring Field Performance*. Wiley.

**Flavigny E., Catel G., Bordes J. L., Debreuille P. J. and Bister M.** (1988). Laboratory simulation of the behaviour of pore pressure cells in unsaturated materials- Application to dams. *2<sup>nd</sup> International Symposium on Field Measurements in Geomechanics*, Sakurai (Ed.), pp 293-302.

**Fredlund D. G.** (1998). Bringing unsaturated soil mechanics into engineering practice. *Proceedings of the 2<sup>nd</sup> International Conference on Unsaturated Soils*, Vol. 2, Beijing, Alonso A. A. and Delarge P. (Ed.), pp 1-35.

**Fredlund D. G. and Morgenstern N. R.** (1973). Pressure response below high air entry discs. *Proceedings of the 3<sup>rd</sup> International Conference on Expansive Soils*, Isreal. pp 97-108.

**Fredlund D. G. and Rehardjo H.** (1988). State-of -development in the measurement of soil suction. *Proceedings of the International Conference on Engineering Problems of Regional Soils*, Beijing, pp 582-588.

**Fredlund D. G. and Rehardjo H.** (1993). *Soil mechanics for unsaturated soils*. 1<sup>st</sup> ed. John Wiley and Sons Inc.

**Fredlund D. G., Vanapalli S. K., Xing A. and Pufahl D. E.** (1995). *Proceedings of the 1st International Conference on Unsaturated Soils*, Vol. 2, Paris, Alonso A. A. and Delarge P. (Ed.), pp 63-69.

**Fredlund D. G. and Wong D. K. H.** (1989). Calibration of thermal conductivity sensors for measuring soil suction. *Geotechnical Testing Journal*, Vol. 12, No. 3, pp 188-194.

**Fredlund D. G., Xing A. and Huang S. (1994).** Predicting the permeability function for unsaturated soils using the soil water characteristic curve. *Canadian Geotechnical Journal*, Vol 31, pp 533-545.

**Fredlund D. G. (1979).** Second Canadian Geotechnical Colloquium: Appropriate concepts and technology for unsaturated soils. *Canadian Geotechnical Journal* Vol 16(1), pp 121-139.

**Fredlund D. G. (1995).** The scope of unsaturated soil mechanics: an overview. *Unsat'95, Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Edited by E. E. Alonso and P. Delage. A. A. Balkema, Rotterdam, The Netherlands, pp 1-18.

**Fourie A. B., Rowe D. and Blight G. E. (1999).** The effect of infiltration of the slopes of a dry ash dump. *Geotechnique*, Vol. 49, No. 1, pp 1-13.

**Gasmo J., Hritzuk K.J., Rahardjo H. and Leong E. C. (1999).** Instrumentation for an unsaturated residual soil slope. *Geotechnical Testing Journal*, Vol. 22, No. 2, pp 134-143.

**Hanna T. H. (1985).** *Field instrumentation in geotechnical engineering*. Series on Rock and Soil Mechanics, Vol. 10, First Edition, Trans Tech publications.

**Harrison B. A. (1998).** *A comparison and evaluation of techniques for soil suction measurement*. PhD Thesis, University of Witwatersrand, South Africa.

**Harvey E. N., Barnes D. K., McElroy W. D., Whiteley A. H., Pease D. C. and Cooper K. W. (1944).** Bubble formation in animals (I and II) *Journal of Cellular and Comparative Physiology* 24, No.1, pp 1-34.

**Head K. H. (1984).** *Manual of soil laboratory testing*, Vol 1 Soil classification and compaction test, Engineering Laboratory Equipment International Ltd, pp 205. 2<sup>nd</sup> Edition, Pentech press, London.

**Houston S. L., Houston W. N., Wagner A. (1994).** Laboratory filter paper suction measurement. *Geotechnical Testing Journal*, pp 391-396.

**Kay B. D. and Low P. F. (1970).** Measurement of the total suction of soils by a thermistor psychrometer. *Proceedings of the Soil Science Society of America*, Vol. 34, pp 373-376.

**Knapp R. T., Daily J. W. and Hammitt F. G. (1970).** *Cavitation*. McGraw-Hill Book Company.

**Krahn J. and Fredlund D. G. (1972).** On total, matric and osmotic suction. *Soil Science*, Vol. 114, No. 5, pp 339-347. The Williams and Wilkins Co.

- Kovacs G.** (1981). *Seepage hydraulics*. Elsevier Science Publishers, Amsterdam.
- Lee H. C. and Wray W. K.** (1995). Techniques to evaluate soil suction-A vital unsaturated soil water variable. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Vol. 2, Paris, Alonso A. A. and Delarge P., pp 615-622.
- Marinho F. A. M. and Chandler R. J.** (1995). Cavitation and the direct measurement of soils suction. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Vol. 2, Paris, Alonso A. A. and Delarge P. (Ed.), pp 623-630.
- Messrs G. H. H., Legge G. L., Penman A. D. M. and Wahler W.A.** (1982). *Manual on tailings dams and dumps*. CIGB ICOLD, Bulletin 45, pp 139-157.
- Messrs G. H. H., Legge G. L., Penman A. D. M. and Wahler W.A.** (1989). *Tailings dam safety*. Guidelines. CIGB ICOLD, Bulletin 74, pp 15-23.
- Monroe A. S.** (1993). *The shear strength of unsaturated kaolin with respect to soil suction*. MSc dissertation, Imperial College, England.
- Oster J. D., Rawlins S. L. and Ingvalson R. D.** (1969). Independent measurement of matric and osmotic potential of soil water. *Proceedings of the Soil Science Society of America*, Vol. 33, pp 197-191.
- Peck A. J. and Rabbidge R. M.** (1966). Direct measurement of moisture potential: a new technique. *Proc UNESCO-Neth. Gov. Symp. Water in the Unsaturated Zone* (Paris, France, pp 165-170.
- Peck A. J. and Rabbidge R. M.** (1969) Design and performance of an osmotic tensiometer for measuring capillary potential. *Proceedings of the Soil Science Society of America*, Vol. 33, pp 196-202.
- Phene C. J., Hoffman G. J. and Rawlins S. L.** (1971). Measuring soil matric potential in situ by sensing heat dissipation within a porous body: I Theory and sensor construction. *Proceedings of the Soil Science Society of America*, Vol. 35, pp 27-33.
- Phene C. J., Hoffman G. J. and Rawlins S. L.** (1971). Measuring soil matric potential in situ by sensing heat dissipation within a porous body: II Experimental results. *Proceedings of the Soil Science Society of America*, Vol. 35, pp 225-229.
- Rassam D. W. and Williams D. J.** (1999). Unsaturated hydraulic conductivity of mine tailings under wetting and drying conditions. *Geotechnical Testing Journal*, Vol. 22, No. 2, pp 144-152.

- Rawlins S. L. and Dalton F. N.** (1967). Psychrometric measurement of soil water potential without precise temperature control. *Proceedings of the Soil Science Society of America*, Vol. 31, pp 297-301.
- Richards B. G.** (1965). Measurement of the free energy of soil moisture by the psychrometric technique using thermistors. *Moisture Equilibria and Moisture Changes in Soils Beneath Covered Areas*. Aitchison G. D. (Ed.). Butterworths. pp 39-46.
- Ridley A. M.** (1999). *Direct suction measurement*. Partly saturated soils. MSc lecture course.
- Ridley A. M.** (1993). *The measurement of soil moisture suction*. PhD Thesis. University of London. England.
- Ridley A. M. and Brady K. C.** (1997). **The development of an improved tensiometer for the measurement of soil suction**. Transport Research Laboratory, Application Guide 27.
- Ridley A. M. and Burland J. B.** (1995). Measurement of suction in materials which swell. *Applied Mechanical Reviews* Vol. 48, No. 10, pp 727-731.
- Ridley A. M. and Burland J. B.** (1995). A pore water pressure probe for the in-situ measurement of a wide range of soil suctions. *Proceedings of the Advances in Site Investigation Practise*, Session 4b, London, pp 510-520.
- Ridley A. M., Patel A. R. and Marsland F.** (1998). Tensiometers; their use for civil engineering purposes. *Proceedings of the 1<sup>st</sup> International Conference on Site Characterization*, Atlanta, Robertson P. K. and Mayne P. W. (Ed.), A. A. Balkema, pp 851-856.
- Ridley A. M. and Wray W. K.** (1996). Suction measurement: A review of current theory and practices. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A. A. and Delarge P. (Ed.), A. A. Balkema, pp 1293-1322.
- Rossi C. and Nimmo J. R.** (1994) Modelling of soil water retention from saturation to oven dryness. *Water Resources Research*, Vol 30, no. 3, pp 701-708.
- Sattler P. and Fredlund D. G.** (1989). Use of thermal conductivity sensors to measure matric suction in the laboratory. *Canadian Geotechnical Journal*, Vol. 26, pp 491-498. Clark J. I. and Emory-Moore M. (Ed.).
- Schofield R.** (1935). The pF of the water in soil. *Trans. 3<sup>rd</sup> International Congress on Soil Science*, Vol 2, pp 37-48.
- Schreiner H. D.** (1987). *Volume change of compacted highly plastic African clays*. PhD Thesis, University of London, England.

**Sibley J. W. and Williams D. J.** (1990). A new filter material for measuring soil suction. *Geotechnical Testing Journal*, Vol. 13, No. 4, pp 381-384.

**Snethen D.R.**(1986). Expansive Soils: Where are we?, *Ground Failure*, No3, Nat. Res. Council Comm. On Ground Failure Hazards, pp 12-16.

**Sparks A. D. W.** (1998). Discussion on fundamentals and theoretical developments-Stress equations. *Proceedings of the 2<sup>nd</sup> International Conference on Unsaturated Soils*, Vol. 2, Beijing, Alonso A. A. and Delarge P. (Ed.), pp 230-236.

**Stannard D. I.** (1992). Tensiometers-Theory, Construction, and Use. *Geotechnical Testing Journal*, Vol. 15, No. 1, pp 48-58.

**Swarbrick G. E.** (1995). Measurement of soil suction using the filter paper method. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Vol. 2, Paris, Alonso A. A. and Delarge P. (Ed.), pp 653-658.

**Taylor D. W.** (1948). *Fundamentals of soil mechanics*. New York: Wiley, pp 533.

**Travena D. H.** (1987). *Cavitation and tension in liquids*. Adam Hilger.

**Van Genuchten M. Th.** (1980). A closed-form equation for predicting the hydraulic conductivity of unsaturated soils. *Soil Science Society of America Journal*, Vol 44, pp 892-898.

**Vick S. G.** (1983). *Planning, Design, and Analysis of Tailings Dams*. Wiley series in geotechnical engineering, pp 69-81.

**Wan A. W. L., Gray M. N. and Graham J.** (1995). On the relations of suction, moisture content, and soil structure in compacted clays. *Proceedings of the 1<sup>st</sup> International Conference on Unsaturated Soils*, Paris, Alonso A. A. and Delarge P. (Ed.). pp 215-217.

**Watson K. K.** (1967). A recording field tensiometer with rapid response characteristics. *Journal of Hydrology*, Vol. 5, North-Holland Publishing Co, Dixey F., Hellinga F. and Maxey G. B. (Ed.), pp 33-39.

**Woodburn J. A.** (1993). Soil suction measurement with the transistor psychrometer. *Proceedings of the 1<sup>st</sup> International Symposium on the Engineering Characteristics of Arid Soils*, London, Balkema, pp 297-301.

**Woodburn J. A. and Lucas B.** (1995). *New approaches o the laboratory and field measurement of soil suction*.

- Yount D E.** (1979). Skins of varying permeability: A stabilization mechanism for gas cavitation nuclei. *Journal of Acoustical Society of America*. Vol 65 (6), pp 1429-1439.
- Zerhouni** (1995). TRIaxial testing using psychrometers. *Proceedings of the first Internasional Conference on Unsaturated Soils*, Paris
- Zhao W., Junyong A. and Juanjuan K.** (1998). The precision of filter paper method for matric suction measurement. *Proceedings of the 2<sup>nd</sup> International Conference on Unsaturated Soils, Paris*, Alonso A. A. and Delarge P. (Ed.), Vol. 2, pp 239-242.
- Zollinger W. D., Campbell G. S. and Taylor S. A.** (1966). A comparison of water-potential measurements made using two types of thermocouple psychrometer. *Soil Science*, Vol. 102, No. 4, pp 231-239. The Williams and Wilkins