

ODENDAAL, PAUL NIELEN

SEASONAL CHANGES IN THE OVARIAN STRUCTURE OF THE  
CAPE FUR SEAL *ARCTOCEPHALUS PUSILLUS PUSILLUS*

MSc

UP

2000

Seasonal changes in the ovarian structure of the Cape fur seal (*Arctocephalus  
pusillus pusillus*)

by

Paul Nielen Odendaal

Submitted in partial fulfilment of the requirements of Magister Scientiae: Zoology

In the

Faculty of Science and Technology

School for Biological Sciences, Zoology & Entomology

University of Pretoria

Pretoria

January 2000

## Seasonal changes in the ovarian structure of the Cape fur seal

### *Arctocephalus pusillus pusillus*

by

Paul Nielen Odendaal

Supervisors: Prof M N Bester, Dr. M van der Merwe

School: Biological Sciences, Zoology & Entomology

Degree: MSc Zoology

#### **Abstract**

A detailed description of the morphology of the annual reproductive cycle of the female Cape fur seal was obtained by macroscopically examining the ovaries of 159 females and samples of the uterine horns of 119 of these. Ovaries from 46 of these were also processed histologically. Ages were known for 83 of the females, from which the average age at puberty and sexual maturity could be estimated, as well as age-specific and overall pregnancy rates. Overall pregnancy rates were estimated at 0.90, while the birth rate for the previous reproductive cycle was calculated as 0.85. The average age at puberty and age of sexual maturity were estimated at 4.3 and 5.02 years respectively. Certain shortcomings in the study, such as the lack of standardization in collecting material are discussed.

## Acknowledgements

I would like to express my sincere thanks to my supervisors, Prof. Marthán Bester and Dr. Mac van der Merwe, for support and friendship, both within and outside the academic context.

This study relied heavily on the support and participation of the former Sea Fisheries Research Institute, and I would like to express my thanks and appreciation to staff for sacrifices on my behalf, both in terms of time and effort, especially Dr. Jeremy David, Mike Meyer, Stephan Swanson and Deon Kotze.

An extra special word of thanks and appreciation to Herman Oosthuizen, without whom nothing could have been done.

Finally, I would like to extend my thanks to friends for support and understanding, especially Mariaan Solomon and Charles Glass.

## Table of contents

|  | Page |
|--|------|
| Abstract   | i    |
| Acknowledgements   | ii   |
| Table of contents  | iii  |
| List of Tables   | vi   |
| List of Figures  | viii |
| Chapter 1: Introduction  | 1    |
| a) The Cape fur seal, general considerations and rationale<br>behind the study | 1    |
| b) The mammalian oestrus cycle, origin and fate of the<br><i>corpus luteum</i> | 6    |
| Chapter 2: Materials and methods   | 10   |
| 2.1) Sample size and origin of study material                                  | 10   |
| 2.2) Age determination   | 12   |
| 2.3) Tissue processing   | 13   |

|   |    |
|---|----|
| 2.4) Macroscopic ovarian examination: <i>corpora lutea</i> /<br><i>corpora albicantia</i> | 14 |
| 2.5) Follicular cycle   | 15 |
| 2.6) Microscopic ovarian examination  | 15 |
| 2.7) Macroscopic examination of the uterine horn  | 17 |
| 2.8) Age at puberty / age at sexual maturity  | 19 |
| 2.9) Pregnancy rates  | 21 |
| 2.10) Statistical analyses  | 22 |
| <br>  |    |
| Chapter 3: Results  | 23 |
| 3.1) Ovarian weight and size  | 23 |
| 3.2) Follicular cycle   | 28 |
| 3.3) Luteal cycle   | 35 |
| 3.4) Pregnancy, placental scarring, delayed implantation<br>and gestation                 | 66 |
| 3.5) Pregnancy rates  | 71 |
| 3.6) Age at puberty & age at sexual maturity  | 75 |
| 3.7) Prenatal mortality   | 75 |
| <br>  |    |
| Chapter 4: Discussion   | 81 |
| <br>  |    |
| Chapter 5: Conclusions  | 96 |

|  |     |
|--|-----|
| Summary  | 98  |
| References   | 101 |
| Key to abbreviations used in Appendices  | 113 |
| Appendix 1: Sizes of CLs / CAs (mm), as well as<br>reproductive state of female                            | 115 |
| Appendix 2: Numbers of follicles per ovary, and the<br>size (mm) of the largest in each                    | 126 |
| Appendix 3: Sizes of ovaries (mm) with <i>corpora lutea</i><br>and ovaries with <i>corpora albicantia</i>  | 132 |
| Appendix 4: Weights of ovaries (g) with <i>corpora lutea</i><br>and ovaries with <i>corpora albicantia</i> | 136 |



## List of Tables

|   | Page |
|---|------|
| Table 1: Summary of collection trips during which samples had been collected at sea   | 11   |
| Table 2: Average monthly ovarian sizes (mm) and weights (g), $\pm$ standard deviation   | 24   |
| Table 3: Follicular sizes (mm) and numbers, $\pm$ standard error of the mean  | 29   |
| Table 4: Sizes of <i>corpora lutea</i> of pregnancy (mm) (abortions not included) $\pm$ standard deviation  | 36   |
| Table 5: Average luteal cell sizes ( $\mu\text{m}$ ) $\pm$ SD (average for each row is given in the final column)   | 39   |
| Table 6: Pregnancy rates for the current reproductive cycle (based on the presence of CLs and foetuses/placental scars) and birth rates for the previous reproductive cycle (based on the presence of CAs and placental scarring) | 72   |
| Table 7: Age specific pregnancy rates, estimated from presence of embryos, foetuses, active <i>corpora lutea</i> and recent placental scarring  | 73   |
| Table 8: Average age at puberty, back calculated using 1 st CA  | 76   |



|  |    |
|--|----|
| Table 9: Average age at puberty, back calculated using 2 nd CA where available   | 76 |
| Table 10: Average age at sexual maturity, using only placental scarring and 1 st CA  | 76 |
| Table 11: Sizes (mm) $\pm$ SD of <i>corpora lutea / albicantia</i> of successful pregnancy and of abortion (PM = prenatal mortality, referring both to missed pregnancies and abortions) | 77 |

## List of figures

|  | Page |
|--|------|
| Figure 1: Map of southern Africa, showing the distribution of the Cape fur seal  | 2    |
| Figure 2: Ovarian weights (g) of ovaries with CLs and with CAs respectively (bars indicate SD)   | 25   |
| Figure 3: Ovarian sizes (mm) of ovaries with CLs and with CAs respectively (bars indicate SD)  | 26   |
| Figure 4: Average monthly numbers of Graafian follicles, in ovaries with a CL and a CA respectively (bars indicate SE)                           | 30   |
| Figure 5: Average monthly maximum follicular sizes in ovaries with CLs and CAs respectively (bars indicate SE)                                   | 31   |
| Figure 6: <i>Corpus atreticum</i> in a female (5157) of unknown age, collected during January (80 x)   | 33   |
| Figure 7: <i>Corpus atreticum</i> in a female (5012) of unknown age, collected during December (200 x)   | 33   |
| Figure 8: The average monthly size of the CL / CA until 32 months after formation (bars indicate SD, except where sample < 3)                    | 37   |
| Figure 9: Average monthly luteal cell sizes ( $\mu\text{m}$ ). Missing months have been interpolated (bars indicate SD, except where sample < 3) | 40   |

|  |    |
|--|----|
| Figure 10: Histological appearance of a young <i>corpus luteum</i> in a female of unknown age (4601) in December (400 x)                               | 41 |
| Figure 11: Histological appearance of a young <i>corpus luteum</i> in a female of unknown age (5012) in January (400 x)                                | 41 |
| Figure 12: Macroscopic appearance of a <i>corpus luteum</i> in a pregnant (containing an unimplanted blastocyst) 11 year old female (3906) in February | 44 |
| Figure 13: Macroscopic appearance of a <i>corpus luteum</i> in a 7 year old female (946) in March  | 44 |
| Figure 14: Histological appearance of a <i>corpus luteum</i> in a female of unknown age (APP6) in March (400 x)  | 44 |
| Figure 15: Macroscopic appearance of a <i>corpus luteum</i> in a pregnant (recently implanted) 5 year old female (3645) in April                       | 44 |
| Figure 16: Macroscopic appearance of a <i>corpus luteum</i> in a pregnant female of unknown age (5069) in June   | 48 |
| Figure 17: Histological appearance of a <i>corpus luteum</i> in a pregnant female of unknown age (5087) in June (400 x)                                | 48 |
| Figure 18: Histological appearance of the central core of a <i>corpus luteum</i> in a pregnant female (5087) of unknown age in June (80 x)             | 48 |
| Figure 19: Macroscopic appearance of a <i>corpus luteum</i> in a pregnant female of unknown age (5131) in July   | 48 |

|   |    |
|---|----|
| Figure 20: Histological appearance of a <i>corpus luteum</i> in a pregnant female of unknown age (5130) in July (400 x)                 | 51 |
| Figure 21: Histological appearance of a <i>corpus luteum</i> in a pregnant female of unknown age (5131) in July (400 x)                 | 51 |
| Figure 22: Histological appearance of a <i>corpus luteum</i> in a pregnant female of unknown age (5130) in July (400 x)                 | 51 |
| Figure 23: Macroscopic appearance of a <i>corpus luteum</i> in a pregnant 13+ year old female in August                                 | 51 |
| Figure 24: Histological appearance of a <i>corpus luteum</i> in a pregnant female of unknown age (5137) in August (400 x)               | 54 |
| Figure 25: Histological appearance of a <i>corpus luteum</i> of recent parturition in a female of unknown age (5149) in October (400 x) | 54 |
| Figure 26: Histological appearance of a <i>corpus luteum</i> of recent parturition in a female of unknown age (5149) in October (200 x) | 54 |
| Figure 27: Macroscopic appearance of a <i>corpus luteum</i> of pregnancy in a female of unknown age (3051) in November                  | 54 |
| Figure 28: Histological appearance of a post-partum <i>corpus luteum</i> in a female of unknown age (5154) in November (200 x)          | 58 |
| Figure 29: Macroscopic appearance of a <i>corpus albicans</i> of previous pregnancy in an 8 year old female (3803) in January           | 58 |
| Figure 30: Macroscopic appearance of a <i>corpus albicans</i> of previous pregnancy in a 10 year old female (3898) in February          | 58 |



|   |    |
|---|----|
| Figure 31: Histological appearance of a <i>corpus albicans</i> of previous pregnancy in a female of unknown age (APP9) in March (200 x) | 58 |
| Figure 32: Histological appearance of a <i>corpus albicans</i> of previous pregnancy in a female of unknown age (APP6) in March (400 x) | 61 |
| Figure 33: Macroscopic appearance of a <i>corpus albicans</i> of previous pregnancy in a 5 year old female (3645) in April              | 61 |
| Figure 34: Macroscopic appearance of a <i>corpus albicans</i> of previous pregnancy in a 13+ year old female (3238) in May              | 61 |
| Figure 35: Macroscopic appearance of a <i>corpus albicans</i> of previous pregnancy in a female of unknown age (5039) in June           | 61 |
| Figure 36: Histological appearance of a <i>corpus albicans</i> of previous pregnancy in a female of unknown age (5132) in July (80 x)   | 64 |
| Figure 37: Histological appearance of a <i>corpus albicans</i> of previous pregnancy in a female of unknown age (5139) in August (80 x) | 64 |
| Figure 38: Close up of dense connective tissue of the type shown in Figures 36 and 37 (400 x)   | 64 |
| Figure 39: Macroscopic appearance of a <i>corpus albicans</i> of previous pregnancy, two years after formation, in a female of          |    |

|   |    |
|---|----|
| unknown age (5008) in December  | 64 |
| Figure 40: Regression analysis of luteal cell sizes ( $\mu\text{m}$ ) vs. CL /CA size   | 76 |
| Figure 41: Age specific reproductive rates, estimated from the presence of embryos / fetuses, active <i>corpora lutea</i> and recent placental scarring                     | 73 |
| Figure 42: Comparison between sizes of CLs / CAs of abortion / missed pregnancy, and of CLs / CAs of pregnancy respectively.<br>Missing error bars indicate sample size < 3 | 78 |