

*re:fresh\**



UNIVERSITEIT VAN PRETORIA  
UNIVERSITY OF PRETORIA  
YUNIBESITHI YA PRETORIA

# *re:refresh\**

refreshment and retail strategy for Gautrain stations

Elize Venter

Submitted in partial fulfilment of the requirements for the degree of Master in Interior Architecture (Professional) in the Department of Architecture, in the Faculty of Engineering, Built Environment and Information Technology, University of Pretoria

Study Leader: Barbara Jekot  
Mentor: Catherine Karusseit

Course coordinator: Jacques Laubscher

November 2009

© University of Pretoria



UNIVERSITEIT VAN PRETORIA  
UNIVERSITY OF PRETORIA  
YUNIBESITHI YA PRETORIA

# Contents

<b>Chapter 1 Introduction</b>	
1.1 Overview	1
1.2. Historical precedents for transport in Gauteng	6
1.3 The post-apartheid city	10
1.4 Gautrain rapid rail link	11
1.5 Summary	14
<b>Chapter 2 Problem Statement</b>	
2.1 Problem statement	17
2.2 Aims	17
2.3 Subproblems	18
2.4 Assumptions	19
2.5 Delimitations	19
2.6 Client	19
2.7 Users	20
2.8 Importance of the study	21
2.9 Research methodology	21
2.10 The role of the Interior Architect	22
<b>Chapter 3 Context Analysis</b>	
3.1 Overview	25
3.2 Gautrain System Identity	26
3.3 Site location	42
3.4 Transport routes	47
3.5 Station precinct	48
3.6 Summary	59
<b>Chapter 4 Philosophy and design approach</b>	
4.1 Macro scale - Railways as public meeting places	63
4.2 Medium scale - Tectonics	68
4.3 Micro scale - Performance criteria	69
<b>Chapter 5 re:refresh* strategy</b>	
5.1 Phased deployment	79
5.2 Station specific strategies	86

Chapter 6 Concept	
6.1 Overview	91
6.2 Branding	98
Chapter 7 Design development	
7.1 Precedent studies	101
7.2 Conceptual expression	108
7.3 Factors to consider	112
7.4 Security	131
7.5 Storage	131
7.6 Potential future configuration	133
7.7 Materials and jointing	134
7.8 Conclusion	142
Chapter 8 Technical resolution	145
Appendices	185
Appendix 1 Theory matrix	185
Appendix 2 Urban framework	191
Appendix 3 Calculations	203
Appendix 4 Sample board	209
List of references	213



# List of Figures

<b>Fig. 1</b> Aerial photograph of South Africa (Google Earth 2009: [sp])	5
<b>Fig. 2</b> Map of Tshwane, Gauteng (City of Tshwane: Cartography 2008:[sp])	5
<b>Fig. 3</b> Areas for development as Metropolitan Activity Nodes as indicated in the City of Tshwane Spatial Development Strategy, 2010 and beyond, one of which is the proposed investigation site, Hatfield (2007:17)	5
<b>Fig. 4</b> Calendar advertising the coach service owned and run by George Heys, 1892 (Allen 1971:72)	6
<b>Fig. 5</b> George Heys' stage coach with horses (Allen 1971:68)	6
<b>Fig. 6</b> The arrival of the first train at Pretoria station on 1 January 1893, not from Delagoa Bay, but from the Vaal River (De Jong e.a. 1988:160)	6
<b>Fig. 7</b> Covered platform at Johannesburg's Park station showing ticket kiosk and luggage room in 1898 (De Jong 1988:92)	7
<b>Fig. 8</b> Horse drawn tram in front of TW Beckett's store on the corner of Church and van der Walt streets in Pretoria in 1919	7
<b>Fig. 9</b> Electric tram at Pretoria Station, 1910.	7
<b>Fig. 10</b> Relief of congested roadways, such this crossing of Duncan and Schoeman roads in Hatfield, is one of the reasons for the implementation of the Gautrain Rapid Rail Link.	10
<b>Fig. 11</b> Gautrain carriages in South Africa on a test run and the interiors, showing high visibility grab rails	12
<b>Fig. 12</b> The GRRL would be operating an electronic ticketing and barrier system.	12
<b>Fig. 13</b> Gautrain route alignment and stations (Gautrain Rapid Rail Link 2009:[sp])	13
<b>Fig. 14</b> Excerpt from Plan of Centurion Gautrain station plans and digital design images showing no refreshment facilities (Presentation To Hatfield Stakeholders: 2007:[sp])	14
<b>Fig. 15</b> Design images of Pretoria Gautrain station showing no refreshment facilities (Presentation To Hatfield Stakeholders: 2007:[sp]).	15
<b>Fig. 16</b> Bombela contractual structure	22
<b>Fig. 17</b> Visual representation of Gautrain system identity	29
<b>Fig. 18</b> GSI basic external station finishes	30
<b>Fig. 19</b> Civil structures, pylons and viaduct barriers incorporate motifs abstracted from local cultural elements	30
<b>Fig. 20</b> Viaduct piers exhibiting influences of both the tree motif as well as local arts and crafts.	31
<b>Fig. 21</b> Signage and wayfinding	32
<b>Fig. 22</b> Various external and interior material and detail sample mock-ups at the Bombela offices would offer a better understanding of the Gautrain aesthetic.	32
<b>Fig. 23</b> The diagram illustrates the target market of the GRRL in terms of current method of transport	37
<b>Fig. 24</b> Gautrain users' needs illustration	39
<b>Fig. 25</b> Nollie map of Pretoria with Hatfield area outlined in red.	42
<b>Fig. 26</b> The Hartbeesspruit Metrorail station has the potential to connect the Hatfield Gautrain station to the Tshwane Ring Rail system.	47
<b>Fig. 27</b> Feeder and distribution route bus.	47
<b>Fig. 28</b> Feeder and distribution bus routes from Hatfield GRRL station give an indication of the catchment area for the Hatfield GRRL (Gautrain Rapid Rail Link 2009: [sp])	48
<b>Fig. 29</b> Transport routes in Pretoria indicate the interlink between the GRRL and Metrorail and proximity of other transport modes	48
<b>Fig. 30</b> Pedestrians and cyclists in Duncan Rd.	50
<b>Fig. 31</b> Proposed bus routes (Bombela CJV 2007:[sp])	50
<b>Fig. 32</b> Proposed pedestrian (orange) and bicycle (red) routes. Important nodes indicated by the	



circles (Bombela CJV 2007:[sp])	50
<b>Fig. 33</b> Hatfield site erven, land use and municipal sewer connection	52
<b>Fig. 34</b> Contours on figure ground background (1m interval contours) (Gautrain Rapid Rail Link 2009: [sp])	52
<b>Fig. 35</b> Informal trade at Hartbeesspruit Metrorail station.	54
<b>Fig. 36</b> Newspaper sellers at the corner of Duncan and Schoeman streets	54
<b>Fig. 37</b> Dwelling house converted to offices	54
<b>Fig. 38</b> High density residential development in Schoeman street, within 100m of the station	54
<b>Fig. 39</b> Multi-storey office park opposite Hatfield GRRL station in Grosvenor st.	54
<b>Fig. 40</b> Motor dealership on the corner of Duncan and Schoeman streets	54
<b>Fig. 41</b> Example of Transvaal School of architecture in the old Hatfield Primary School (1916) Grosvenor St.	54
<b>Fig. 42</b> Duncan Rd.	54
<b>Fig. 43</b> Climatic data for Pretoria (Holm 1996: 70)	56
<b>Fig. 44</b> Summer wind directions (Holm 1996: 72)	56
<b>Fig. 45</b> Winter wind directions (Holm 1996: 72)	56
<b>Fig. 46</b> Summer sun angles on site (Holm 1996: 70)	59
<b>Fig. 47</b> Winter sun angles on site (Holm 1996: 72)	59
<b>Fig. 48</b> Possible noise & air pollution sources from the parking garage and trains	59
<b>Fig. 49</b> Place diagram indicating key attributes of successful places in inner ring, middle ring intangible qualities and in the outer ring	66
<b>Fig. 50</b> Diagram illustrating the retail deployment strategy over a period of time	80
<b>Fig. 51</b> Identification of the main vehicular and pedestrian traffic routes could help identify the optimum location for the re:fresh interventions at the Gautrain stations	84
<b>Fig. 52</b> In Hatfield, the station parking closest to the glazed pedestrian bridge into the station had been identified as a good location for re:fresh L in future and the station lobby for the re: fresh M kiosks	84
<b>Fig. 53</b> Concept sketch plan potential future parking area for re:fresh L.	84
<b>Fig. 54</b> Breakdown of the different phases of the product lifecycle specific to re:fresh brand	87
<b>Fig. 55</b> Various views of the basic kiosk unit	115
<b>Fig. 56</b> Figure sequence outlining the assembly of a single re:fresh kiosk on site	117

## **Abbreviations**

GRRL - Gautrain Rapid Rail Link

BRT - Bus Rapid Transit

SARCC - South African Rail Commuter Corporation

PRASA - Passenger Rail Association of South Africa

COTMM - City of Tshwane Metropolitan Municipality

GTIA - Gautrain Transport Infrastructure Act

GSI - Gautrain System Identity

