
BIBLIOGRAPHY

Arora, J.A (1976a) Availability of a 2-unit priority standby redundant system with preventive maintainance, *IEEE Transactions on Reliability*, Vol. R - **25**, pp 205-207.

Arora, J.A(1976b) Reliability of a 2-unit standby redundant system with constrained repair time, *IEEE Transactions on Reliability*, Vol. R - **25**, pp 203-205.

Ascher, H.E.(1968) Evaluation of repairable system reliability using 'bad-as-old' concept. *IEEE Transactions on Reliability*, Vol. R - **17**, 103-110.

Aven, T.(1996) Availability analysis of monotone systems. *Reliability and maintainance of complex systems; NATO ASI series F: computer and system sciences*. Berlin, **154**, 206-223.

Barlow, R.E and Proschan, F.(1965) *Mathematical theory of reliability*, John Wiley, New York.

Barlow, R.E(1962) *Repairman problems: Studies in Applied Probability and Management Science*. Stanford University Press, Stanford.

Barlow, R.E(1984) *Mathematical theory of reliability: a historical perspective*. *IEEE Transactions on Reliability*, Vol. R-**33**, 16-20.

Barlow, R.E and Proschan, F.(1975) *Statistical theory of reliability and life testing probability models.*, Holt, Rinehart & Winston, Inc.

Bartlett, M.S(1954) *Processus stochastiques ponctuels*. *Ann. Inst. H. Poincaré*, 14, 36-60

Beasley, E.I.M.(1991) *Reliability of Engineers.*, Hampshire, Macmillan.

Beichelt, F.E. & Fischer, K(1980) *General failure model applied to preventive maintenance policies*. *IEEE Transactions and Reliability*, Vol. R-**29**, 39-41.

Birolini, A(1985) *Lecture notes in Economics and Mathematics systems*, No. **252**, Springer-Verlag, Berlin.

Bon, J.L. and Pă Itănea(2001) *Convergence of the number of failed com-*

ponents in a Markov system with non-identical components, *Jpor. of Appl. Prob.*, **38(4)**, 882-897.

Botha, M.(2000) Some General Measures of Repairable Stochastic Systems. Ph.D. thesis, UNISA, South Africa.

Branson, M.H and Shah, B.(1971) Reliability analysis of a system comprised of units with arbitrary distribution. *IEEE Transactions on Reliability*, Vol. R-**20**, 217-223.

Buzacott, J.A.(1971) Availability of priority standby redundant systems. *IEEE Transactions on Reliability*, Vol. R-**20**, 60-63.

Buzacott, J.A(1970) Markov approach to finding failure times of repairable systems. *IEEE Trans. Rel.* Vol, 19, 128-134

Chandrasekhar, P and Natarajan, R.(1994a) Confidence limits for steady state availability of a two-unit standby system. *Microelectronics & Reliability*, Vol. **34(7)**, 1249-1251.

Chandrasekhar, P and Natarajan, R.(1994b) Confidence limits for steady state availability of a parallel system. *Microelectronics & Reliability*, Vol. **34(11)**, 1847-1851.

Chandrasekhar, P , Natarajan, R. and Yadavalli, V.S.S.(2004) A

study on a two unit standby system with Erlangian repair time. *Asia-Pacific Journal of Operational research*, Vol. **21**, no. 3, 271-277.

Chandrasekhar, P. , Natarajan, R., Yadavalli, V.S.S. and Malada, A.(2005) An n unit system operating in a random environment. *OPSEACH* Vol. **42**, no. 3, 169-176.

Chao, M.T., Fu, J.C. and Koutras, M.V.(1995) Survey of reliability studies of consecutive k ot of n: F related systems. *IEEE Trans. Rel.* Vol, 44,No.1, March 1995, 120-127

Cinlar, E.(1975a) *Introduction to Stochastic Processes*. Englewood Cliffs:Prentice-Hall.

Cinlar, E.(1975b) Markov renewal theory : a survey. *Management Science*. Vol. **21**, 729-752.

Cox, D.R.(1962) *Renewal Theory*.London: Methuen.

Cox, D.R. and Lewis, P.A.W.(1970) Multivariate point process; *proc. sixth Berkley Symp. Math. Stat. and Probability*.

Doyan L.R. & Berssenbugge, M.W. (1968) Solving complex reliability models by computer. *Proc. IEEE Ann. Symp. Rel.*, 431-438.

Feller, W. (1941) On the integral equation of renewal theory. *Ann. Mth. Soc. ist.*, 12, 243-267.

Feller, W.(1950,1957) *An introduction to probability theory and its applications.*, Wilay, New York.

Finkelstein (1993a) A scale model of general repair, *Microelectronics and Reliability*, Vol.**33**,No. 5, 663-666.

Finkelstein, M.S.(1993b) On some models of of general repair. *Microelectronics and Reliability.*, Vol. **33**,no.**5**,663-666.

Finkelstein, M.S.(1998) A point process stochastic model with application to safety at sea. *Reliability Engineering & System Safety*, **60**,N3, 227-234.

Finkelstein, M.S.(1999a) Multiple availability on stochastic demand. *IEEE Transactions on Reliability.*, Vol. **48**,No.1,19-24.

Finkelstein, M.S.(1999b) Wearing-out of components in a variable environment. *Reliability Engineering & System Safety*, Vol. **66**,No.3, 235-242.

Finkelstein, M.S.(1999c) A point process model for software reliability. *Reliability Engineering and System Safety*, **63** N1,67-71.

Frostig, E. and Levikson, B.(2002) On the availability of R out of N

repairable systems, *Navel Research Logistics Quarterly*, **49(5)**, 483-498.

Gaver, D.P.(1963) Time to failure and availability of parallel systems with repair. *IEEE Transactions on Reliability*, R-**12**,30-38.

Gertsbakh, I.B.(1989) *Statistical Reliability*, New York & Basel : Marcel Dekker.

Gnedenko, Y.K.(1964) *Duplication with repair*, Eng. Cyber, Vol. **2**, pp 1-9.

Gnedenko, Y.K., Belyayev, Y.U.K. and Solovyev, A.D.(1969) *Mathematical methods of reliability theory.*, Academic Press, New York.

Gnedenko, B.V. & Ushakov, I.(1995) *Probability Reliability Engineering.*, Wiley Sons, New York.

Green, A.E., & Bourne, A.J.(1978) *Reliability Technology*, John Wiley Sons, New York.

Gupta, R. and Bansal, S.(1991) Cost analysis of a three unit standby system subject to random shocks and linearly increasing failure rates. *Reliability Engineering and System Safety*, Vol.**33** ,249-263.

Høyland, A. & Rausand, M.(1994) *Systems Reliability Theory*, John Wiley Sons, New York.

Huamin, L.(1998) Reliability of a Load-Sharing k-out-of-n : G system : Non-i.i.d. Components with Arbitrary Distributions. *IEEE Transactions on Reliability*, Vol.47, No. 3, 279-284.

Jain, S. & Jain, R.K.(1994) Reliability analysis of a Markovian deteriorating system. *Microelectronics and Reliability*, Vol.34, No. 12, 1939-1941.

Kapur, P.K. & Kapoor, K.R.(1978) Intermittently used redundant systems. *Microelectronics and Reliability*, Vol.17, 593-598.

Kapur, P.K. & Kapoor, K.R.(1980) Joint distribution of first up time and disappointment time of an intermittently used systems. *Microelectronics and Reliability*, Vol.20, 891-893.

Kao, J.H.K.(1959) A Graphical estimation of mixed weibull parameters in life testing electron tubes. *Technometrics*,1, 389-407.

Kuo, W. and Rajendra Prasad, V.(2000) An annotated overview of system reliability optimisation, *IEEE Transactions on Reliability*, R-49 No.2,176-187.

Ke, J.C. and Pearn, W.L.(2004) Optimal management policy for heterogeneous arrival queueing systems with server breakdown and vacations. *Quality Technology and Quantitative management*1,149-162

Kistner, K.P. and Subramanian, R.(1974) Die Zuverlässigkeit eines systems mit redundant storanfalligen Komponenten und Reparaturmöglichkeiten. *Zeitschrift fur Operations Research*, **18**, 117-129.

Klaasen, K.B. and Van Peppen, J.C.L.(1989) *Systems Reliability: Concepts and Applications*, Edward Arnold, London.

Kovalenko, I.N., Kuzentsov, N. Yu. and Pegg, Ph.A.(1997) *Mathematical theory in reliability theory of time dependent systems with practical applications*, John Wiley & Sons, New York.

Krishnamoorthy, A., Ushakumar, P.V. and Lakshmy, B. (2002) K-out of n-system with repair, The N-policy, *Asia-Pacific Journal of Operational Research*, 19(1), 47-61.

Kumagi, M.(1971) Reliability and analysis for systems with repair, *J. oper. Res. Soc. Japan*, Vol-14, 53-71.

Kumar, A. and Agarwal, M.L.(1980) A review of standby system. *IEEE Transactions on Reliability*, R-29, 290-294.

Lawless, J.F(1981) *Statistical models and methods for lifetime data*, Wiley & Sons, New York

Lévy, R.D.(1954) Processus Semi-Markovians. *Proc. Intern. Congr. Math. (Amsterdam)*, **3**, 416-426.

Lie, C.H., Hwang, C.L. and Tillman, F.A.(1977) Availability of Maintained systems : A state-of-art-survey, *AIIE Transitions*, Vol.**9**(3), 247-259.

Liebetin, J. and Zelen, M.(1956) Statistical investigations of the fatigue life of deep groove ball bearings. *J. of Res. Natl. Bur. Std.* 57, 273-315.

Liu, H.(1998) Reliability of a load-sharing k-out-of-n : G system: non-i.i.d. components with arbitrary distributions. *IEEE Transactions on Reliability*, Vol.**47**no. 3, 279-284.

Lloyd, D.K. & Lipow, M.(1962) *Reliability: Management, Methods and Mathematics*. Prentice-Hall, Englewood Cliffs, NJ.

Mann, N(1970) Estimation and exact confidence bounds for weibull parameters based on a few ordered observations. *Technometrics*,**12**, 345-361

Moyal, J.E.(1962) The general theory of stochastic population processes. *Act. Math.*, Vol.**108**, 1-31.

Muller, M.A.E(2005) Probabilistic analysis of repairable redundant systems: PhD thesis, University of Pretoria, South Africa.

Nakagawa, T.(1974) The expected number of visits to state k before a total system failure of complex system with repair maintenance. *Operations Research*, **22**, 108-116.

Nakagawa, T. and Osaki, S.(1974) Stochastic Behaviour of a 2-unit priority standby redundant system. *INFOR*, **12**, 66-70.

Nakagawa, T. and Osaki, S.(1976) Markov renewal processes with some non-regeneration points and their applications to renewal theory. *Microelectronics and Reliability*, Vol.**15**, 633-636.

Nakagawa, T., Goel, A.L. and Osaki, S.(1976) Stochastic behaviour of an intermittently used system. *R.A.I.R.O.*, Vol.**2**, 101.

Natarjan, R.(1980) Stochastic models of standby redundant systems. *Ph.D thesis*. Mathematics, I.I.T., India.

Nikolov, A.V.(1986) N-unit parallel redundant system with multiple correlated failures. *Microelectronics and Reliability*, Vol.**26**, 31-34.

Osaki, S.(1970a) System reliability analysis by Markov renewal processes. *J. Oper. Res. Soc. Japan*, Vol.**12**, 127-188.

Osaki, S.(1970b) Reliability analysis of a two-unit standby redundant system with priority. *CORSJ*, Vol.R-**25**, 284-287.

Osaki, S.(1972)on a two-unit standby redundant system with imperfect switchover. *IEEE Transactions and Reliability*, Vol.R-**21**, 20-24.

Osaki, S. and Nakagawa.T.(1976) Bibliography for reliability of stochastic systems. *IEEE Transactions and Reliability*, Vol.R-**25**, 284-287.

Osaki, S.(1969) System reliability and signal flow graphs, presented at the meeting of the *Operations Research Society of Japan*, May 21-22, Tokyo, Japan.

Ozekici, S.(1996) Complex systems in random environments. Reliability and maintainance of complex systems; *NATO ASI Series, Series F: computer and systems sciences*, Springer, Berlin,**154**, 137-157.

Pierskella, P. and Voelker, A.(1976) A survey of maintainance models : the control of surveillance of deteriorating systems. *Naval Research Logistics Quarterly*, Vol.**23**,No.3, 353-388.

Pyke, R.(1961a) Makov-renewal processes, definition and preliminary properties. *Annals of Mathematical Statistics*, **32**, 1231-1242.

Pyke, R.(1961b) Markov-renewal processes with finitely many states. *Annals of Mathematical Statistics*, **32**, 1243-1259.

Ramakrishnan, A.(1954) Counters with random deadtime. *Phil. Mag. Ser. 7*, **45**, 1050-1052.

Rao, C.R.(1973) *Linear Statistical Inference and its Applications*, New York : John Wiley & Sons.

Rau, J.G.(1964) *Optimization and probability in systems engineering*, Princeton, Von Nostrand.

Ravichandran, N.(1979) Reliability analysis of redundant repairable systems. *Ph.D thesis in Mathematics*, I.I.T., Madras, India.

Ross, S.M.(1970) *Applied probability models with optimization applications*. San Francisco: Holden-Day.

Rubenstein, R.(1981) *Simulation and Monte Carlo Method*, New York.

Sandler, G.H.(1963) *System reliability engineering*, Engelwood Cliffs, New Jersey, Prentice Hall.

Sarma, Y.V.S.(1982) Stochastic models of redundant repairable systems. *Ph.D thesis*, India Institute of Technology, India.

Sarma, Y.V.S. and Natarajan, R (1982) An intermittently used n-unit

complex systems. *Microelectronics and Reliability*, Vol.**22**,no.3 441-444.

Scheuer, E.M.(1988) Reliability of a m-out-of-n system when component failure induces higher failure rates in survivors. *IEEE Transactions on Reliability*, Vol.**37**, 3-74.

Sfakianakis, M.E. & Papastravridis, S.G.(1993) Reliability of a general consecutive k-out-of-n : F system. *IEEE Transactions on Reliability*, Vol.**40**, 491-495.

Shao, J. and Lamberson, L.R.(1991) Modelling a shared-load k-out-of-n : G system. *IEEE Transactions on Reliability*, Vol.**40**, 205-209.

Shooman, M.L.(1968) Probabilistic reliability - An engineering approach. McGraw-Hall, New York.

Singapurwalla, N.D. (1978) Estimating reliability growth (or deterioration) using time series analysis. *Naval Research Logistics Quarterly*, **25**, 1-14.

Singh, N. and Nirmalan, T. (1988) Identification of composite (Σ) + Π) ARIMA models by relatively simpler models; *Communications in statistics; Theory and Methods*, 18, 1067-1083.

Singh, N. and Yadavalli, V.S.S. (1997) Spectral analysis of aggregates and products of time series construed of variable failure rates. *Stochastic*

analysis and applications, Vol-15(4), 629-649.

Sinha, S.K. (1986) Reliability and life testing, Wiley Eastern Ltd, New DELHI.

Smith, W.L.(1955) Regenerative stochastic processes. *Proc. Roy. Soc. London Ser.*, 232, 6-31.

Srinivasan, V.S.(1966) The effect of standby redundancy in systems failure with repair maintainance. *Operations Research*, **14**, 1024-1036.

Srinivasan, S.K.(1974) Stochastic point processes and their applications. London: Griffen & Co. Ltd.

Srinivasan, S.K. and Bhaskar, D.(1979a) Probabilitic analysis of intermittently used systems. *J. Math. Pys. Sci.*, **13**, 91-105.

Srinivasan, S.K. and Bhaskar, D.(1979b) Analysis of intermittently used redundant systems with a single repair facility. *J. Math. Pys. Sci.*, **13**, 351-366.

Srinivasan, S.K. and Bhaskar, D.(1979c) Analysis of intermittently used two dissimilar unit system with single repair facility. *Microelectronics and Reliability*, Vol.**19**, 247-252.

Srinivasan, S.K. and Subramanian, R.(1980) Probabilistic analysis of redundant system, *Lecture notes in Economics and Mathematical Systems*, No.175, Springer-Verlag, Berlin.

Srinivasan, S.K.(1971) Stochastic point processes and statistical physics. *J. Math. Pys. Sci.*, 5, 291-316.

Subba Rao, S. & Natarajan, R.(1970) Reliability with standbys, *Ops. Research*, Vol.7, 23-26.

Subramanian, R. and Natarajan, R.(1980) A two-unit system with imperfect switch, *J. Math. Phy. Sci.*, Vol.14, No. 3, 205-224.

Subramanian, R. and Ravichandran, N.(1979) Interval reliability of a 2-unit redundant system, *IEEE Transactions on Reliability*, R-28,1, 184.

Subramanian, R. and Sarma, Y.V.S.(1987) Stochastic model of multiple unit system. *Microelectronics and Reliability*, Vol.27, 351-359.

Subramanian, R., Venkatakrishnan, K.S. and Kistner, K.P.(1976) Reliability of repairable systems with standby failure, *Operations Research*, 24, 169-176.

Takacuteács, L.(1957) On certain problems concerning the theory of counters. *Act. Math. Hung.*, 8, 127-138.

Venkatakrishnan, K.(1975) Probabilistic analysis of repair redundant systems. *Ph.D thesis*, in Mathematics, I.I.T., Madras, India.

Villemeur, A.(1992) *Reliability, Availability, Maintainability and Safety Assessment* Chichester : John Wiley & Sons.

Von Neumann, J (1963) Probabilistic logic and the synthesis of reliable ortganisms from unreliable components, Coll works, Vol.5, 329-378.

Wackerly, D.D. and Mendenhall III, W. and Scheaffer, R.L.(2002) *Mathematical Statistics with applications*. Duxbury, Thomson Learning.

Watson, H.W. & Galton, F.(1874) On the probability of extinction of families, *J. Anthropol. Inst. Great Britain and Ireland*, Vol.4, 138-144.

Weibull, W. (1951) A statistical distribution function of wide applicability, *J. Appl. Mech.* 18, 293-297.

Wold, H.(1948) Sur les proceccus stationnaires ponctuels, *Colloques Internationaux, C.N.R.S.*, **13**, 75-86.

Yadavalli, V.S.S. and Hines, H.P.(1991) Joint distribution of uptime and disappointment time of an intermittently used parallel system, *International Journal of Systems Science*, **21**(12), 2613-1620.

Yadavalli V.S.S and Parvez, M (1984) A complex three unit system, *Microelectronics and Reliability*, Vol., .

Yadavalli, V.S.S., Bekker, A., Mostert, P.J. and Botha M.(2001) Bayesian estimation of the stationary rate of disappointment of a model of a two intermittently used system. *Pakistan Journal of Statistics*, Vol.**17**(2), 117-125.

Yadavalli, V.S.S., Botha, M. and Bekker, A.(2002a) Asymptotic confidence limits for the steady state availability of a two-unit parallel system with 'preparation time' for the repair facility. *Asia-Pacific Journal of Operational Research*, Vol.**19**(2), 249-256.

Yadavalli, V.S.S., Botha, M. and Bekker, A.(2002b) Confidence limits for the steady state availability of a system with 'rest period' for the repair facility. *Electronic Modelling*, **24**(5), 99-103.

Yadavalli, V.S.S., Bekker, A. and Pauw, J.(2005) Bayesian study of a two-component system with common-cause shock failures. *Asia-Pacific Journal of Operational Research*, Vol.**22**(1), 105-119.

Yadavalli, V.S.S. and Bekker, A.(2005) Bayesian study of a two-component system with common-cause shock failures. *Asia-Pacific Journal of Operational Research*, **22**(1), 105-119.

Yearout, R.D., Reddy, P. & Grosh, D.L.(1986) Study redundancy in reliability - a review. *IEEE Transactions on Reliability*, R-**35**, 285-292.

Zacks, S.(1992) *Introduction to Reliability Analysis*, Berlin : Springer-Verlag. *Communications in statistics; Theory and Methods*, 18, 1067-1083.

Zhang, Y.L. & Lam, Y.(1998) Reliability of consecutive k-out-of-n : G repairable system. *International Journal of Systems Science*, Vol.**29**(12), 1375-1379.