

a contemporary dance company and performance areas.

adriaan wooding



Submitted in fulfilment of part of the requirement for the degree of Magister in Architecture (Professional) in the Faculty of Engineering, The Built Environment and Information Technology.

University of Pretoria

Study Leaders:

-Jacques Laubscher

Pr. Arch

Mentor:

-Marianne de Klerk

Pr. Arch

UDISA



table of content

list of figures		6
abstract		13
chapter 01	introduction and overview	14
chapter 02	argument	20
chapter 03	framework and site	34
chapter 04	experiments	48
chapter 05	urban design	64
chapter 06	design development	74
chapter 07	technical discussion	104
conclusion		127
addendum 1-4		128
ist of references		145



"Choreographers are poets who tell stories through movement".

(Sifiso Kweyama)



List of Figures

*Unless stated otherwise all images are by author.

1

Figure 1 - scene from cage and cunningham documentary, E. Caplan (Director), 2005. Cage/Cunningham. Cunningham Dance Foundation.	12
Figure 2 - proposed diagram of process.	16
Figure 3 - diagrams of proposed experiments.	18
2	
Figure 4 - UN Studio design model: inclusive principle. UN Studio, 2009. Inclusive Principle. Available at www.unstudio.com. Accessed 02/09.	23
Figure 6 - UN Studio design model: blob-to-box mother model. UN Studio, 2009. Blob-to-Box. Available at www.unstudio.com. Accessed 02/09.	23
Figure 5 - UN Studio design model: mathematical model. UN Studio, 2009. Mathematical. Available at www.unstudio.com. Accessed 02/09.	23
Figure 7 - UN Studio design model: v model. UN Studio, 2009. V model. Available at www.unstudio.com. Accessed 02/09.	23
Figure 9 - conceptual diagrams showing the concrete folding. UN Studio, 2009. Conceptual model. Available at www.unstudio.com. Accessed 02	/09. 24
Figure 8 - ramp to first floor, NMR Laboratory, Utrecht. UN Studio, 2009. NMR Laboratory. Available at www.unstudio.com. Accessed 02/09.	24
Figure 10 - architectural elements interwoven. UN Studio, 2009. Conceptual model. Available at www.unstudio.com. Accessed 02/09.	25
Figure 11 - a virtual cross dividing house. UN Studio, 2009. Conceptual model. Available at www.unstudio.com. Accessed 02/09.	25
Figure 13 - exterior of Mobius House, Het Gooi. UN Studio, 2009. Mobius House. Available at www.unstudio.com. Accessed 02/09.	25
Figure 12 - interior of Mobius House, Het Gooi. UN Studio, 2009. Mobius House. Available at www.unstudio.com. Accessed 02/09.	25
Figure 14 - blob-to-box model. UN Studio, 2009. Conceptual model. Available at www.unstudio.com. Accessed 02/09.	26
Figure 15 - Music Theatre, Graz, Austria. UN Studio, 2009. Music Theatre. Available at www.unstudio.com. Accessed 02/09.	26
Figure 16 - interior staircase of Music Theatre. UN Studio, 2009. Music Theatre. Available at www.unstudio.com. Accessed 02/09.	26
Figure 17 - interior staircase of Music Theatre. UN Studio, 2009. Music Theatre. Available at www.unstudio.com. Accessed 02/09.	26
Figure 18 - application of V Model to process. UN Studio, 2009. Concept in progress. Available at www.unstudio.com. Accessed 02/09.	27
Figure 19 - conceptual model of Wien Mitte. UN Studio, 2009. Conceptual model. Available at www.unstudio.com. Accessed 02/09.	27
Figure 20 - computor model of Wien Mitte. UN Studio, 2009. Conceptual model. Available at www.unstudio.com. Accessed 02/09.	27
Figure 21 - rendering of Wien Mitte Urban proposal. UN Studio, 2009. Rendering of Wien Mitte. Available at www.unstudio.com. Accessed 02/09	. 27
Figure 22 - Frederick Kiesler with model of Endless House, 1959. Kiesler, 2009. Endless House. Available at http://2.bp.blogspot.com/_G1LzgVgi	rWqk/
RhlrjENi7sl/AAAAAAAAAAAAk/0Y34eKArxgs/s1600-h/Kiesler_BehindModelOfEndlessHouse.jpg. Accessed 03/09.	28
Figure 23 - image of Frederick Kiesler's Endless House. Kiesler, 2009. Endless House. Available at http://2.bp.blogspot.com/_G1LzgVgrWqk/Rhl	rjENi7sI/
AAAAAAAAAAAds/0Y34eKArxgs/s1600-h/Kiesler_BehindModelOfEndlessHouse.jpg. Accessed 03/09.	28
Figure 24 - images of classical dancers versus contemporary dancers. Cover of publication by Warren, GW. 2006. Classical Ballet Techniques.	30
Figure 25 - diagram of Wagner's stage design.	31
Figure 26 - stage model for opera 'Tristan and Isolde' by Richard Wagner. Wagner, 2009. 'Tristan and Isolde'. Available at http://www.art.com/prod	ducts/
p11720991-sa-i1346496/stage-model-for-the-opera-tristan-and-isolde-by-richard-wagner-1813-83-painted-card.htm. Accessed on 03/09.	31
Figure 27 - stage model for opera 'Der Meistersinger von Nurnburg' by Richard Wagner. Wagner, 2009. 'Der Meistersinger von Nurnburg'. Availab	le at http://
www.art.com/products/p11720991-sa-i1346496/stage-model-for-the-opera-tristan-and-isolde-by-richard-wagner-1813-83-painted-card.htm. Acc	cessed on
03/09.	31
Figure 28 - seating arrangement of Breytenbach Theatre.	32
Figure 29 - seating arrangement of Unisa Little Theatre.	32
Figure 30 - seating arrangement of State Theatre. Image by Lizelle Cloete, 2009.	32



Figure 31	- original figure ground. Image by Morne Pienaar, 2008.		36
Figure 32	- figure ground interpreted according to schizo city principles. Image by student framework group, 2009.		36
Figure 33	- example of Schizo City framework. Image by student framework group, 2009.		37
Figure 34	- images indicating concept 'cutting' through city blocks. Image by student framework group, 2009.		38
Figure 35	- images indicating concept of 'alien' programme. Image by student framework group, 2009.		38
Figure 36	- figure indicating proposed area of investigation and the location of existing 'classical' theatre's.		39
Figure 37	- diagram indicating the division between Pretoria CBD and residential area created by Skinner street and the proposed site.		40
Figure 38	- diagram of north south pedestrian movement and three main pedestrian crossings over Skinner street.		41
Figure 46	- image of image of St. Peters – Evangelic Lutheran Church		42
Figure 45	- aerial diagram indicating views. numbers corresponds with images. Aerial photo from Geology Department, University of Pretoria,	2009.	42
Figure 42	- existing quart yard.		42
Figure 43	- existing spill out space.		42
Figure 40	- Unisa Little Theatre.		42
Figure 41	- existing parking area.		42
Figure 44	- existing parking area.		42
Figure 39	- existing northern entrance to Unisa Little Theatre.		42
Figure 53	- foyer space and entrance of Unisa Little theatre.		43
Figure 47	- existing dadel palm.		43
Figure 50	- existing entrance to Unisa Little theatre.		43
Figure 51	- western view along visagie street.		43
Figure 48	- existing temporary structures.		43
Figure 54	- Unisa Little theatre.		43
Figure 52	- northern view along van der walt street.		43
Figure 49	- existing temporary structures.		43
Figure 55	- zoning diagram. Aerial photo from Geology Department, University of Pretoria, 2009.		44
Figure 57	-diagram of existing Noli map.		44
Figure 56	- diagram of existing allowable pedestrian movement.		44
Figure 59	- diagram of proposed pedestrian movement.		45
Figure 58	- diagrams of proposed Noli map and 'opening' up of the city blocks.		45
Figure 60	- diagram of proposed site. Aerial photo from Geology Department, University of Pretoria, 2009.		46
Figure 61	- sectional diagram of proposed build up before the 'break' of skinner street.		
4			47
Figure 62	- scene from sweet dreams used as generator. Kylian, J (Choreographer). Black and White: Sweet Dreams. Art Haus Musik. 1995-19	97.	52
Figure 64	- scene from sweet dreams used as generator. Kylian, J (Choreographer). Black and White: Sweet Dreams. Art Haus Musik. 1995-19	97.	52
Figure 65	- scene from sweet dreams used as generator. Kylian, J (Choreographer). Black and White: Sweet Dreams. Art Haus Musik. 1995-19	97.	52
Figure 63	- interpretive sketch by author.		52
Figure 66	- interpretive sketch by author.		52
Figure 67	- interpretive sketch by author.		52
Figure 68	- interpretive sketch by author.		52
Figure 69	- volumetric interpretation from sketches.		53
Figure 73	- volumetric interpretation from sketches.		53
Figure 74	- volumetric interpretation from sketches.		53
Figure 75	- volumetric interpretation from sketches.		53
Figure 70	- interpretation of model. UNIVERSITEIT VAN PRETORIA UNIVERSITY OF PRETORIA YUNIBESITHI YA PRETORIA	page 7	53

Figure 71 - interpretation of model.	53
Figure 72 - interpretation of model.	53
Figure 76 - scene from no more play used as generator. Kylian, J (Choreographer). Black and White: No More PLay. Art Haus Musik. 1995-1997.	54
Figure 78 - scene from no more play used as generator. Kylian, J (Choreographer). Black and White: No More PLay. Art Haus Musik. 1995-1997.	54
Figure 79 - scene from no more play used as generator. Kylian, J (Choreographer). Black and White: No More PLay. Art Haus Musik. 1995-1997.	54
Figure 77 - interpretive sketch by author.	54
Figure 80 - interpretive sketch by author.	54
Figure 81 - interpretive sketch by author.	54
Figure 82 - interpretive sketch by author.	54
Figure 83 - volumetric interpretation from sketches.	55
Figure 85 - volumetric interpretation from sketches.	55
Figure 86 - volumetric interpretation from sketches.	55
Figure 84 - interpretation of model.	55
Figure 87 - scene from amadoda as generator. Kweyama, SE (Choreographer). Amadoda. Dance Department, Tswhane University of Technology. 2008.	56
Figure 89 - scene from amadoda as generator. Kweyama, SE (Choreographer). Amadoda. Dance Department, Tswhane University of Technology. 2008.	56
Figure 90 - scene from amadoda as generator. Kweyama, SE (Choreographer). Amadoda. Dance Department, Tswhane University of Technologyt. 2008.	56
Figure 88 - interpretive sketch by author.	56
Figure 91 - interpretive sketch by author.	56
Figure 92 - interpretive sketch by author.	56
Figure 93 - interpretive sketch by author.	56
Figure 94 - volumetric interpretation from sketches.	57
Figure 98 - volumetric interpretation from sketches.	57
Figure 99 - volumetric interpretation from sketches.	57
Figure 100 - volumetric interpretation from sketches.	57
Figure 95 - interpretation of model.	57
Figure 96 - interpretation of model.	57
Figure 97 - interpretation of model.	57
Figure 101 - scene from cage and cunningham used as generator. E. Caplan (Director). 2005. Cage/Cunningham. Cunningham Dance Foundation.	58
Figure 103 - scene from cage and cunningham used as generator. E. Caplan (Director). 2005. Cage/Cunningham. Cunningham Dance Foundation.	58
Figure 104 - scene from cage and cunningham used as generator. E. Caplan (Director). 2005. Cage/Cunningham. Cunningham Dance Foundation.	58
Figure 102 - interpretive sketch by author.	58
Figure 105 - interpretive sketch by author.	58
Figure 106 - interpretive sketch by author.	58
Figure 107 - interpretive sketch by author.	58
Figure 108 - volumetric interpretation of sketches.	59
Figure 111 - volumetric interpretation of sketches.	59
Figure 112 - volumetric interpretation of sketches.	59
Figure 109 - interpretation of model.	59
Figure 110 - interpretation of model.	59
Figure 113 - interpretive sketch by fellow student.	60
Figure 114 - interpretive sketch by fellow student.	60
Figure 115 - interpretive sketch by fellow student.	60
Figure 116 - interpretive sketch by fellow student.	60



Figure 117 - interpretive sketch by fellow student.	60
Figure 118 - interpretive sketch by fellow student.	60
Figure 119 - interpretive sketch by fellow student.	60
Figure 120 - interpretive sketch by fellow student.	60
Figure 121 - volumetric interpretation of fellow students sketches.	61
Figure 123 - volumetric interpretation of fellow students sketches.	61
Figure 124 - volumetric interpretation of fellow students sketches.	61
Figure 122 - interpretation of model.	61
5	
Figure 125 - sectional diagram of hard edge.	66
Figure 126 - diagram indicating temporary structures to be demolished. Aerial photo from Geology Department, University of Pretoria, 2009.	67
Figure 127 - diagram indicating the implementation of strong street edges. Aerial photo from Geology Department, University of Pretoria, 2009.	67
Figure 128 - diagram indicating pedestrian crossing over visagie street. Aerial photo from Geology Department, University of Pretoria, 2009.	68
Figure 129 - diagram indicating positioning of the main landscaped area. Aerial photo from Geology Department, University of Pretoria, 2009.	68
Figure 130 - diagram indicating pedestrian movement cutting through the city block. Aerial photo from Geology Department, University of Pretoria, 2009	9. 68
Figure 131 - diagram indicating the overlaying of the contemporary and the classical.	69
Figure 134 - conceptual sketch by architect. MIralles & Tagliabue, 2004. New Scottish Parliament. Available on http://www.mirallestagliabue.com/project	:t_
media.asp?id=55&idd=1319#. Accessed on 09/09.	70
Figure 132 - plan of scottish parliament indicating the 'old' versus the new'. MIralles & Tagliabue, 2004. New Scottish Parliament. Available on http://www	W.
mirallestagliabue.com/project_media.asp?id=55&idd=1319#. Accessed on 09/09.	70
Figure 133 - diagram indicating the relationship between landscape (land) and building.	70
Figure 135 - image of scottish parliament with 'old' versus 'new' indicated. MIralles & Tagliabue, 2004. New Scottish Parliament. Available on http://www	v.
mirallestagliabue.com/project_media.asp?id=55&idd=1319#. Accessed on 09/09.	70
Figure 136 - sectional diagram indicating the relationship between existing and new ('alien').	71
Figure 138 - image of Kunsthaus. Spacelab, 2003. Kunsthaus Graz. Available on http://en.wikipedia.org/wiki/Kunsthaus_Graz. Accessed on 09/09.	71
Figure 137 - plans and section of Kunsthaus with 'old' versus 'new' indicated. Spacelab, 2003. Kunsthaus Graz. Available on http://en.wikipedia.org/wiki	/
Kunsthaus_Graz. Accessed on 09/09.	71
Figure 139 - image of Kunsthaus. Spacelab, 2003. Kunsthaus Graz. Available on http://en.wikipedia.org/wiki/Kunsthaus_Graz. Accessed on 09/09.	71
Figure 140 - diagram indicating the proposed organisation of variety of performance and urban spaces. Aerial photo from Geology Department, University	ity of
Pretoria, 2009.	72
Figure 141 - diagram indicating 'pause' space before 'rush' of CBD .	73
Figure 142 - diagram of active ground floor .	73
Figure 143 - diagram indicating the proposed urban design for site.	73
Figure 144 - diagram indicating the relevant existing buildings. Aerial photo from Geology Department, University of Pretoria, 2009.	76
Figure 145 - image of St. Peters – Evangelic Lutheran Church.	77
Figure 146 - image of Unisa Little Theatre.	77
Figure 147 - image of residential blocks.	77
Figure 148 - diagram of relationship between existing and proposed.	77
Figure 151 - section indicating the relationship between the existing apartment building and the proposed landscape.	77
Figure 149 - plan indicating the response with the Unisa Little Theatre.	77
Figure 150 - section indicating the response with the Unisa Little Theatre.	77
Figure 152 - diagram indicating the positioning of contemporary dance	78

UNIVERSITEIT VAN PRETORIA UNIVERSITY OF PRETORIA YUNIBESITHI YA PRETORIA

page 9

Figure 153 - sectional diagram indicating the arrangement of space within the contemporary dance company.	78
Figure 154 - diagram indicating the positioning of the proposed main performance area.	79
Figure 155 - sectional diagram indicating the relationship between the proposed main performance building and the site.	79
Figure 156 - sectional diagram indicating the back and front of house, performance area and eatery in relation to public environment.	80
Figure 159 - image of Wyly Theatre, Dallas. OMA, 2009. Wyly Theatre. Available on http://www.archdaily.com/12521/wyly-theatre. Accessed on 06/09.	81
Figure 157 - sectional diagram indicating the typical arrangement and the proposed arrangement of the Wyly Theatre, Dallas. OMA, 2009. Wyly Theatre	
Available on http://www.archdaily.com/12521/wyly-theatre. Accessed on 06/09.	81
Figure 158 - sections indicating the proposed arrangement of the Wyly Theatre, Dallas. OMA, 2009. Wyly Theatre. Available on http://www.archdaily.	
com/12521/wyly-theatre. Accessed on 06/09.	81
Figure 160 - image of Wyly Theatre, Dallas. OMA, 2009. Wyly Theatre. Available on http://www.archdaily.com/12521/wyly-theatre. Accessed on 06/09.	81
Figure 161 - diagram of lines generated from sketches in chapter four placed on site.	82
Figure 162 - concept sketch of ground floor plans	82
Figure 163 - conceptual section of proposed dance company.	83
Figure 164 - conceptual section of proposed 'black box' performance area and eatery.	83
Figure 166 - diagram exploring the spatial relationship between two or more buildings.	83
Figure 165 - perspective of proposed movement through site in relation to the proposed contemporary dance company.	83
Figure 167 - sectional diagram exploring studio space and floor surface.	83
Figure 168 - sectional diagram of conceptual spatial planning for 'Black Box' theatre.	84
Figure 169 - conceptual section of proposed 'Black Box' theatre.	84
Figure 170 - conceptual section of proposed Contemporary Dance Company.	84
Figure 171 - sketch exploring vertical circulation as celebrated event.	84
Figure 172 -conceptual sketch of ground floor plans and site layout.	85
Figure 175 - perspective sketch of outside performance space and pedestrian movement in between the Unisa Little Theatre and the proposed Contemp	porary
Dance Theatre.	85
Figure 173 - conceptual section of proposed Contemporary Dance Company	85
Figure 174 - perspective sketch of ground floor open-air performance stage	85
Figure 176 - conceptual physical model exploring contrasting materials and tectonics.	86
Figure 177 - conceptual physical model exploring contrasting materials and tectonics.	86
Figure 178 - sketch exploring of the positioning of the 'Black Box' performance space on the south west corner of the site.	87
Figure 180 - sketch exploring of the positioning of the 'Black Box' performance space on the south west corner of the site.	87
Figure 181 - conceptual section exploring vertical movement from basement to ground floor and front of house.	87
Figure 179 - conceptual exploration of ground floor plans and site layout for both new proposed buildings.	87
Figure 182 - conceptual exploration of upper floor plans and site layout for both new proposed buildings.	87
Figure 183 - sectional sketch exploring the ground floor open air stage.	88
Figure 184 - section exploring the relationship between the existing Unisa Little Theatre and the proposed Contemporary Dance Company.	88
Figure 185 - sectional sketch of proposed landscape and hard edge.	88
Figure 186 - plan of exploration for landscaped area.	88
Figure 188 - conceptual physical model constructed from modeling clay.	89
Figure 187 - conceptual physical model constructed from modeling clay.	89
Figure 189 - sectional sketch of proposed elevated open air stage projecting onto the public square.	90
Figure 190 - perspective of proposed focal point when approaching the public square from Visagie street side.	90
Figure 191 - drawing of proposed site plan.	91
Figure 192 - image of models superimposed onto site plan.	91
Figure 193 - perspective drawing of proposed intervention viewed frc	92



Figure 195 - sectional diagram of basement drainage areas and an indication of natural ventilation opening.	106
Figure 194 - diagram indicating drainage areas and directions of basement levels.	106
Figure 196 - sectional diagram reinforced concrete column supporting dressing room area.	107
Figure 197 - diagram of the supporting steel beam structure used to support the primary trusses of the 'Black Box' theatre.	108
Figure 199 - diagram of secondary steel trusses spanning the length of the structure. trusses are supported on both sides.	108
Figure 201 - diagram indicating rigid floor position.	108
Figure 198 - diagram of primary trusses spanning the width of the building and supported by the steel beam structure on the one side.	108
Figure 200 - diagram of supporting steel frames used to fix cladding to and to make structure rigid.	108
Figure 202 - diagram indicating cladding covering the structure.	108
Figure 203 - diagram indicating the relationship of the 'contemporary' versus the 'classical'.	109
Figure 204 - image of application of GRP's in the Bus Station, Hoofddorp, Netherlands by NIO Architects 2003. NIO, 2003. Bus station.	
Available on http://www.galinsky.com/buildings/hoofddorpbus/index.htm. Accessed on 10/09.	110
Figure 205 - image of application of GRP's in the Bus Station, Hoofddorp, Netherlands by NIO Architects 2003. NIO, 2003. Bus station.	
Available on http://www.galinsky.com/buildings/hoofddorpbus/index.htm. Accessed on 10/09.	110
Figure 206 - images of application of GRP's in the Bus Station, Hoofddorp, Netherlands by NIO Architects 2003. NIO, 2003. Bus station	
Available on http://www.galinsky.com/buildings/hoofddorpbus/index.htm. Accessed on 10/09.	110
Figure 207 - image of fibreglass mold for boat construction. Bauteck Marine, 2009. Fibreglass Boat. Available on www.bauteck.com/	
manufacture/Manufacture1.htm. Accessed on 10/09.	111
Figure 208 - image of gel coat being applied. Bauteck Marine, 2009. Fibreglass Boat. Available on www.bauteck.com/manufacture/	
Manufacture1.htm. Accessed on 10/09.	111
Figure 209 - image of first layer of fibreglass being sprayed on. Bauteck Marine, 2009. Fibreglass Boat. Available on www.bauteck.com/	
manufacture/Manufacture1.htm. Accessed on 10/09.	111
Figure 210 - image of 'core' material being added for stability and bulk. Bauteck Marine, 2009. Fibreglass Boat. Available on www.baute	ck.com/
manufacture/Manufacture1.htm. Accessed on 10/09.	111
Figure 211 - proposed detail of typical GRP panel connection and composition of.	112
Figure 212 - sketch indicating, as an example, the layered effect on facade.	113
Figure 215 - proposed detail of hot dipped galvanised steel mesh panels, polycarbonate sheet and louvre system roof light connection.	113
Figure 213 - image of similar stainless steel cladding used in Kew House, Melbourne, Australia by Sean Godsell 1996-1997. Godsell, S.	1997.
Kew House. Available on www.architecture.rmit.edu.au/About/Images. Accessed on 10/09.	113
Figure 214 - image of similar stainless steel cladding used in Kew House, Melbourne, Australia by Sean Godsell 1996-1997. Godsell, S.	1997.
Kew House. Available on www.architecture.rmit.edu.au/About/Images. Accessed on 10/09.	113
Figure 217 - example of temporary stage systems. SISCO Catalogue, 2006.	114
Figure 219 - proposed detail of 'QC' flooring system as solid base with example of floor finish for studios.	114
Figure 216 - example of temporary stage systems assemble and storage. SISCO Catalogue, 2006.	114
Figure 218 - example of temporary seating system. SISCO Catalogue, 2006.	114
Figure 220 - proposed detail of light being used as 'divider' between two opposing material.	115
Figure 221 - sectional diagram indicating vertical circulation from basement levels to ground floor and upper levels.	116
Figure 222 - sectional diagram indicating vertical circulation from basement levels to ground floor and upper levels	116








Figure 1 - scene from cage and cunningham documentary.



abstract

Contemporary art manifested as a reaction or addition to preceding arts. It either developed as a stark opposing contrast, or borrowed from the original in attempts to expand. This is equally true for all branches of art, including architecture and dance.

This dissertation investigates dance and the role of the choreographer, as spatial informant for architecture. The author used selected dance performances as design generators. This process was largely based on the work of the architectural firm, UN Studio. It expands on the freedom of the architectural design process and defines a balance between 'fantasy' and 'reality'.

A contemporary dance company and adjoining performance areas was proposed within the urban environment of the Pretoria Central Business District (CBD). The site selection was supported by the proximity of an existing theatre. The proposed project responds to the guidelines as formulated by the student urban framework, entitled SchizoCity. SchizoCity suggests a new pedestrian layer and explores the 'opening' of existing arcane city blocks by adding alien programs or forms.