

References

- Abbas, A. K., Murphy, K. M. & Sher, A. (1996). Functional diversity of helper T lymphocytes. *Nature* **383**, 787-93.
- Actor, J. K., Olsen, M., Jagannath, C. & Hunter, R. L. (1999). Relationship of survival, organism containment, and granuloma formation in acute murine tuberculosis. *J Interferon Cytokine Res* **19**, 1183-93.
- Aleshina, G. M., Novikova, N. S., Tyrnova, E. V., Shenderova, R. I., Yakunova O. A., Kokryakov, V. N. (1998) Innate immunity alteration in patients with pulmonary tuberculosis, *Pathophysiology*, Volume 5, Supplement 1, 146
- Altare, F., Durandy, A., Lammas, D., Emile, J. F., Lamhamedi, S., Le Deist, F., Drysdale, P., Jouanguy, E., Doffinger, R., Bernaudin, F., Jeppsson, O., Gollob, J. A., Meini, E., Segal, A. W., Fischer, A., Kumararatne, D. & Casanova, J. L. (1998). Impairment of mycobacterial immunity in human interleukin-12 receptor deficiency. *Science* **280**, 1432-5.
- Amigorena, S. & Bonnerot, C. (1999). Fc receptor signaling and trafficking: a connection for antigen processing. *Immunol Rev* **172**, 279-84.
- Andersen, P. (1997). Host responses and antigens involved in protective immunity to Mycobacterium tuberculosis. *Scand J Immunol* **45**, 115-31.
- Antonucci, G., Girardi, E., Raviglione, M. C. & Ippolito, G. (1995). Risk factors for tuberculosis in HIV-infected persons. A prospective cohort study. The Gruppo Italiano di Studio Tubercolosi e AIDS (GISTA). *JAMA* **274**, 143-8.
- Arias, M., Zabaleta, J., Rodriguez, J. I., Rojas, M., Paris, S. C. & Garcia, L. F. (1997). Failure to induce nitric oxide production by human monocyte-derived macrophages. Manipulation of biochemical pathways. *Allergol Immunopathol (Madr)* **25**, 280-8.
- Astarie-Dequeker, C., N'Diaye, E. N., Le Cabec, V., Rittig, M. G., Prandi, J. & Maridonneau-Parini, I. (1999). The mannose receptor mediates uptake of pathogenic and nonpathogenic mycobacteria and bypasses bactericidal responses in human macrophages. *Infect Immun* **67**, 469-77.
- Attwood, D., Elworthy, P. H. & Lawrence, M. J. (1989). Effect of structural variations of non-ionic surfactants on micellar properties and solubilization: surfactants with semi-polar hydrophobes. *J Pharm Pharmacol* **41**, 585-9.
- Bakouche, O. & Gerlier, D. (1986). Enhancement of immunogenicity of tumour virus antigen by liposomes: the effect of lipid composition. *Immunology* **58**, 507-13.

- Ball, R. Y., Carpenter, K. L. & Mitchinson, M. J. (1988). Ceroid accumulation by murine peritoneal macrophages exposed to artificial lipoproteins: ultrastructural observations. *Br J Exp Pathol* **69**, 43-56.
- Bangham, A. D. (1983) A Historical Perspective in Liposomes. In: Liposomes (Ed Ostro M.J.) New York : Dekker, 27
- Bangham, A. D., Standish, M. M. & Weissmann, G. (1965). The action of steroids and streptolysin S on the permeability of phospholipid structures to cations. *J Mol Biol* **13**, 253-9.
- Barnes, P. F., Fong, S. J., Brennan, P. J., Twomey, P. E., Mazumder, A. & Modlin, R. L. (1990). Local production of tumor necrosis factor and IFN-gamma in tuberculous pleuritis. *J Immunol* **145**, 149-54.
- Barnes, P. F. & Modlin, R. L. (1996). Human cellular immune responses to Mycobacterium tuberculosis. *Curr Top Microbiol Immunol* **215**, 197-219.
- BASF Solutol information sheath, Pharmaceutical specialities, 1997.
- Beatty, W. L., Rhoades, E. R., Ullrich, H., Chatterjee, D., Heuser, J. E., Russell, D. G. (2000). Trafficking and Release of Mycobacterial Lipids from Infected Macrophages *Traffic* **1**(3), 235-247.
- Beckman, E. M., Porcelli, S. A., Morita, C. T., Behar, S. M., Furlong, S. T. & Brenner, M. B. (1994). Recognition of a lipid antigen by CD1-restricted alpha beta+ T cells. *Nature* **372**, 691-4.
- Behar, S. M., Dascher, C. C., Grusby, M. J., Wang, C. R. & Brenner, M. B. (1999). Susceptibility of mice deficient in CD1D or TAP1 to infection with Mycobacterium tuberculosis. *J Exp Med* **189**, 1973-80.
- Bellamine, A., Mangla, A. T., Nes, W. D. & Waterman, M. R. (1999). Characterization and catalytic properties of the sterol 14alpha- demethylase from Mycobacterium tuberculosis. *Proc Natl Acad Sci U S A* **96**, 8937-42.
- Bertagnolli, M. M., Lin, B. Y., Young, D. & Herrmann, S. H. (1992). IL-12 augments antigen-dependent proliferation of activated T lymphocytes. *J Immunol* **149**, 3778-83.
- Besra, G. S., Sievert, T., Lee, R. E., Slayden, R. A., Brennan, P. J. & Takayama, K. (1994). Identification of the apparent carrier in mycolic acid synthesis. *Proc Natl Acad Sci U S A* **91**, 12735-9.
- Bhatia, R. S. (2000). Tuberculosis and acquired immunodeficiency syndrome. *J Assoc Physicians India* **48**, 613-6.



Biwa, T., Hakamata, H., Sakai, M., Miyazaki, A., Suzuki, H., Kodama, T., Shichiri, M. & Horiuchi, S. (1998). Induction of murine macrophage growth by oxidized low density lipoprotein is mediated by granulocyte macrophage colony-stimulating factor. *J Biol Chem* **273**, 28305-13.

Biwa, T., Sakai, M., Shichiri, M. & Horiuchi, S. (2000). Granulocyte/macrophage colony-stimulating factor plays an essential role in oxidized low density lipoprotein-induced macrophage proliferation. *J Atheroscler Thromb* **7**, 14-20.

Bloom, B. R., Flynn, J., McDonough, K., Kress, Y. & Chan, J. (1994). Experimental approaches to mechanisms of protection and pathogenesis in M. tuberculosis infection. *Immunobiol* **191**, 526-36.

Bloom, B. R. & McKinney, J. D. (1999). The death and resurrection of tuberculosis. *Nature Med* **5**, 872-4.

Blume, G., Cevc, G., Crommelin, M. D., Bakker-Woudenberg, I. A., Kluft, C. & Storm, G. (1993). Specific targeting with poly(ethylene glycol)-modified liposomes: coupling of homing devices to the ends of the polymeric chains combines effective target binding with long circulation times. *Biochim Biophys Acta* **1149**, 180-4.

Boehm, U., Klamp, T., Groot, M. & Howard, J. C. (1997). Cellular responses to interferon-gamma. *Annu Rev Immunol* **15**, 749-95.

Borelli, V., Banfi, E., Perrotta, M. G. & Zabucchi, G. (1999). Myeloperoxidase exerts microbicidal activity against Mycobacterium tuberculosis. *Infect Immun* **67**, 4149-52.

Brennan, P. J. & Nikaido, H. (1995). The envelope of mycobacteria. *Annu Rev Biochem* **64**, 29-63.

Brennan, M. L., Anderson, M. M., Shih, D. M., Qu, X. D., Wang, X., Mehta, A. C., Lim, L. L., Shi, W., Hazen, S. L., Jacob, J. S., Crowley, J. R., Heinecke, J. W. & Lulis, A. J. (2001). Increased atherosclerosis in myeloperoxidase-deficient mice. *J Clin Invest* **107**, 419-30.

Brewer, J. M., Tetley, L., Richmond, J., Liew, F. Y. & Alexander, J. (1998). Lipid vesicle size determines the Th1 or Th2 response to entrapped antigen. *J Immunol* **161**, 4000-7.

Brewer, H. B., Jr. (2000). The lipid-laden foam cell: an elusive target for therapeutic intervention. *J Clin Invest* **105**, 703-5.

Brossay, L., Jullien, D., Cardell, S., Sydora, B. C., Burdin, N., Modlin, R. L. & Kronenberg, M. (1997). Mouse CD1 is mainly expressed on hemopoietic-derived cells. *J Immunol* **159**, 1216-24.

Brossay, L., Tangri, S., Bix, M., Cardell, S., Locksley, R. & Kronenberg, M. (1998). Mouse CD1-autoreactive T cells have diverse patterns of reactivity to CD1+ targets. *J Immunol* **160**, 3681-8.

Brown, M. S. & Goldstein, J. L. (1984). How LDL receptors influence cholesterol and atherosclerosis. *Sci Am* **251**, 58-66.

Burdin, N., Brossay, L., Degano, M., Iijima, H., Gui, M., Wilson, I. A. & Kronenberg, M. (2000). Structural requirements for antigen presentation by mouse CD1. *Proc Natl Acad Sci U S A* **97**, 10156-61.

Burdon, R.H., Alliangana, D., Gill, V. (1995). Hydrogen peroxide and the proliferation of BHK-21 cells. *Free Radic Res.* **23**(5), 471-86

Calara, F., Dimayuga, P., Niemann, A., Thyberg, J., Diczfalusy, U., Witztum, J. L., Palinski, W., Shah, P. K., Cercek, B., Nilsson, J. & Regnstrom, J. (1998). An animal model to study local oxidation of LDL and its biological effects in the arterial wall. *Arterioscler Thromb Vasc Biol* **18**, 884-93.

Canaday, D. H., Wilkinson, R. J., Li, Q., Harding, C. V., Silver, R. F. & Boom, W. H. (2001). CD4(+) and CD8(+) T cells kill intracellular Mycobacterium tuberculosis by a perforin and Fas/Fas ligand-independent mechanism. *J Immunol* **167**, 2734-42.

Chatterjee, D., Lowell, K., Rivoire, B., McNeil, M. R. & Brennan, P. J. (1992). Lipoarabinomannan of Mycobacterium tuberculosis. Capping with mannosyl residues in some strains. *J Biol Chem* **267**, 6234-9.

Chensue, S. W., Warmington, K. S., Ruth, J. H., Sanghi, P. S., Lincoln, P. & Kunkel, S. L. (1996). Role of monocyte chemoattractant protein-1 (MCP-1) in Th1 (mycobacterial) and Th2 (schistosomal) antigen-induced granuloma formation: relationship to local inflammation, Th cell expression, and IL-12 production. *J Immunol* **157**, 4602-8.

Chisolm, G. M., 3rd, Hazen, S. L., Fox, P. L. & Cathcart, M. K. (1999). The oxidation of lipoproteins by monocytes-macrophages. Biochemical and biological mechanisms. *J Biol Chem* **274**, 25959-62.

Claus, V., Jahraus, A., Tjelle, T., Berg, T., Kirschke, H., Faulstich, H. & Griffiths, G. (1998). Lysosomal enzyme trafficking between phagosomes, endosomes, and lysosomes in J774 macrophages. Enrichment of cathepsin H in early endosomes. *J Biol Chem* **273**, 9842-51

Cleland, J. L., Powell, M. F., Lim, A., Barron, L., Berman, P. W., Eastman, D. J., Nunberg, J. H., Wrin, T. & Vennari, J. C. (1994). Development of a single-shot subunit vaccine for HIV-1. *AIDS Res Hum Retroviruses* **10**, S21-6.

Clemens, D. L. & Horwitz, M. A. (1995). Characterization of the Mycobacterium tuberculosis phagosome and evidence that phagosomal maturation is inhibited. *J Exp Med* **181**, 257-70.

Clemens, D. L., Lee, B. Y. & Horwitz, M. A. (2000). Mycobacterium tuberculosis and Legionella pneumophila phagosomes exhibit arrested maturation despite acquisition of Rab7. *Infect Immun* **68**, 5154-66.

Coglan, A. and Concar, D. (2001). Coming home. *New Scientist*, 7 July, 28-33

Cole, S. T. & Barrell, B. G. (1998). Analysis of the genome of Mycobacterium tuberculosis H37Rv. *Novartis Found Symp* **217**, 160-72.

Cole, S. T. (1998). Comparative mycobacterial genomics. *Curr Opin Microbiol* **1**, 567-71.

Constant, S. L. & Bottomly, K. (1997). Induction of Th1 and Th2 CD4+ T cell responses: the alternative approaches. *Annu Rev Immunol* **15**, 297-322.

Coon, J. S., Wang, Y. Z., Bines, S. D., Markham, P. N., Chong, A. S. & Gebel, H. M. (1991). Multidrug resistance activity in human lymphocytes. *Hum Immunol* **32**, 134-40.

Corbett, E. L. & De Cock, K. M. (2001). The clinical significance of interactions between HIV and TB: more questions than answers. *Int J Tuberc Lung Dis* **5**, 205-7.

Crowle, A. J., Dahl, R., Ross, E. & May, M. H. (1991). Evidence that vesicles containing living, virulent Mycobacterium tuberculosis or Mycobacterium avium in cultured human macrophages are not acidic. *Infect Immun* **59**, 1823-31.

D'Andrea, A., Rengaraju, M., Valiante, N. M., Chehimi, J., Kubin, M., Aste, M., Chan, S. H., Kobayashi, M., Young, D., Nickbarg, E. & et al. (1992). Production of natural killer cell stimulatory factor (interleukin 12) by peripheral blood mononuclear cells. *J Exp Med* **176**, 1387-98.

Daffe, M. & Draper, P. (1998). The envelope layers of mycobacteria with reference to their pathogenicity. *Adv Microb Physiol* **39**, 131-203.

Dams, E. T., Laverman, P., Oyen, W. J., Storm, G., Scherphof, G. L., van Der Meer, J. W., Corstens, F. H. & Boerman, O. C. (2000). Accelerated blood clearance and altered biodistribution of repeated injections of sterically stabilized liposomes. *J Pharmacol Exp Ther* **292**, 1071-9.

Dancey, G. F., Yasuda, T. & Kinsky, S. C. (1978). Effect of liposomal model membrane composition on immunogenicity. *J Immunol* **120**, 1109-13.

De Winther, M. P. & Hofker, M. H. (2000). Scavenging new insights into atherogenesis. *J Clin Invest* **105**, 1039-41.

Deamer, D. W. & Gavino, V. (1983). Lysophosphatidylcholine acyltransferase: purification and applications in membrane studies. *Ann N Y Acad Sci* **414**, 90-6.

Deretic, V., Via, L. E., Fratti, R. A. & Deretic, D. (1997). Mycobacterial phagosome maturation, rab proteins, and intracellular trafficking. *Electrophoresis* **18**, 2542-7.

Dinarello, C. A. (1984). Interleukin-1 and the pathogenesis of the acute-phase response. *N Engl J Med* **311**, 1413-8.

Donnelly, J. J., Ulmer, J. B. & Liu, M. A. (1994). Immunization with DNA. *J Immunol Meth* **176**, 145-52.

Duma, R.J. and Akers, M.J. (1984). Parental drugs administration : Route, Precautions, Problems, and complications. *In Pharmaceutical dosage forms: Parental medications*, Edited by Avis, K.E., Lachman, L., Lieberman, H. A. Marcel Dekker, New York, USA. 13-44.

Durek, C., Brandau, S., Ulmer, A. J., Flad, H. D., Jocham, D. & Bohle, A. (1999). Bacillus-Calmette-Guerin (BCG) and 3D tumors: an in vitro model for the study of adhesion and invasion. *J Urol* **162**, 600-5.

Eldridge, J. H., Staas, J. K., Meulbroek, J. A., Tice, T. R. & Gilley, R. M. (1991). Biodegradable and biocompatible poly(DL-lactide-co-glycolide) microspheres as an adjuvant for staphylococcal enterotoxin B toxoid which enhances the level of toxin-neutralizing antibodies. *Infect Immun* **59**, 2978-86.

Elomaa, O., Sankala, M., Pikkarainen, T., Bergmann, U., Tuuttila, A., Raatikainen-Ahokas, A., Sariola, H. & Tryggvason, K. (1998). Structure of the human macrophage MARCO receptor and characterization of its bacteria-binding region. *J Biol Chem* **273**, 4530-8.

Emeson, E. E., Shen, M. L., Bell, C. G. & Qureshi, A. (1996). Inhibition of atherosclerosis in CD4 T-cell-ablated and nude (nu/nu) C57BL/6 hyperlipidemic mice. *Am J Pathol* **149**, 675-85.

Epstein, S. E., Zhou, Y. F. & Zhu, J. (1999). Infection and atherosclerosis: emerging mechanistic paradigms. *Circulation* **100**, e20-8.

Esterbauer, H., Schmidt, R. & Hayn, M. (1997). Relationships among oxidation of low-density lipoprotein, antioxidant protection, and atherosclerosis. *Adv Pharmacol* **38**, 425-56.

Fairhurst, R. M., Wang, C. X., Sieling, P. A., Modlin, R. L. & Braun, J. (1998). CD1 presents antigens from a gram-negative bacterium, *Haemophilus influenzae* type B. *Infect Immun* **66**, 3523-6.

Farhood, H., Serbina, N. & Huang, L. (1995). The role of dioleoyl phosphatidylethanolamine in cationic liposome mediated gene transfer. *Biochim Biophys Acta* **1235**, 289-95.

Farombi, E. O. & Britton, G. (1999). Antioxidant activity of palm oil carotenes in peroxy radical-mediated peroxidation of phosphatidyl choline liposomes. *Redox Rep* **4**, 61-8.

Fenton, M. J. & Vermeulen, M. W. (1996). Immunopathology of tuberculosis: roles of macrophages and monocytes. *Infect Immun* **64**, 683-90.

Filley, E. A. & Rook, G. A. (1991). Effect of mycobacteria on sensitivity to the cytotoxic effects of tumor necrosis factor. *Infect Immun* **59**, 2567-72.

Fine, P. E., Sterne, J. A., Ponnighaus, J. M. & Rees, R. J. (1994). Delayed-type hypersensitivity, mycobacterial vaccines and protective immunity. *Lancet* **344**, 1245-9.

Florence, A. T. & Rogers, J. A. (1971). Emulsion stabilization by non-ionic surfactants: experiment and theory. *J Pharm Pharmacol* **23**, 233-51 concl.

Flynn, J. L., Chan, J., Triebold, K. J., Dalton, D. K., Stewart, T. A. & Bloom, B. R. (1993). An essential role for interferon gamma in resistance to *Mycobacterium tuberculosis* infection. *J Exp Med* **178**, 2249-54.

Flynn, J. L., Goldstein, M. M., Triebold, K. J., Sypek, J., Wolf, S. & Bloom, B. R. (1995b). IL-12 increases resistance of BALB/c mice to *Mycobacterium tuberculosis* infection. *J Immunol* **155**, 2515-24.

Flynn, J. L., Goldstein, M. M., Chan, J., Triebold, K. J., Pfeffer, K., Lowenstein, C. J., Schreiber, R., Mak, T. W. & Bloom, B. R. (1995a). Tumor necrosis factor- α is required in the protective immune response against *Mycobacterium tuberculosis* in mice. *Immunity* **2**, 561-72.

- Flynn, J. L. (1999). Why is IFN-gamma insufficient to control tuberculosis? *Trends Microbiol* **7**, 477-8; discussion 478-9.
- Fogelman, A. M., Shechter, I., Seager, J., Hokom, M., Child, J. S. & Edwards, P. A. (1980). Malondialdehyde alteration of low density lipoproteins leads to cholesteryl ester accumulation in human monocyte-macrophages. *Proc Natl Acad Sci U S A* **77**, 2214-8.
- Fromming K., Kraus, C., Mehnert, W., (1990) Physico-chemical properties of the mixed micellar system of solutol HS 15 and sodium deoxycholate. PhD at Institute for Pharmacia from the Free University of Berlin. 214-220
- Fulton, S. A., Johnsen, J. M., Wolf, S. F., Sieburth, D. S. & Boom, W. H. (1996). Interleukin-12 production by human monocytes infected with Mycobacterium tuberculosis: role of phagocytosis. *Infect Immun* **64**, 2523-31.
- Fultz, M. J., Barber, S. A., Dieffenbach, C. W. & Vogel, S. N. (1993). Induction of IFN-gamma in macrophages by lipopolysaccharide. *Int Immunol* **5**, 1383-92.
- Fultz, M. J. & Vogel, S. N. (1998). Analysis of the antagonist effect of IFN-alpha on IFN-gamma-induced interferon consensus sequence binding protein messenger RNA in murine macrophages. *J Inflamm* **48**, 28-39.
- Gabizon, A. & Papahadjopoulos, D. (1992). The role of surface charge and hydrophilic groups on liposome clearance in vivo. *Biochim Biophys Acta* **1103**, 94-100.
- Gately, M. K., Gubler, U., Brunda, M. J., Nadeau, R. R., Anderson, T. D., Lipman, J. M. & Sarmiento, U. (1994). Interleukin-12: a cytokine with therapeutic potential in oncology and infectious diseases. *Ther Immunol* **1**, 187-96.
- Gessani, S. & Belardelli, F. (1998). IFN-gamma expression in macrophages and its possible biological significance. *Cytokine Growth Factor Rev* **9**, 117-23.
- Goerdts, S. & Orfanos, C. E. (1999). Other functions, other genes: alternative activation of antigen-presenting cells. *Immunity* **10**, 137-42.
- Goerdts, S., Politz, O., Schledzewski, K., Birk, R., Gratchev, A., Guillot, P., Hakiy, N., Klemke, C. D., Dippel, E., Kodelja, V. & Orfanos, C. E. (1999). Alternative versus classical activation of macrophages. *Pathobiology* **67**, 222-6.
- Gomez-Munoz, A., O'Brien, L., Hundal, R. & Steinbrecher, U. P. (1999). Lysophosphatidylcholine stimulates phospholipase D activity in mouse peritoneal macrophages. *J Lipid Res* **40**, 988-93.

Gong, J. H., Zhang, M., Modlin, R. L., Linsley, P. S., Iyer, D., Lin, Y. & Barnes, P. F. (1996). Interleukin-10 downregulates Mycobacterium tuberculosis-induced Th1 responses and CTLA-4 expression. *Infect Immun* **64**, 913-8.

Goodrum, M. A., Siko, D. G., Niehues, T., Eichelbauer, D. & Verschoor, J. A. (2001). Mycolic acids from Mycobacterium tuberculosis: purification by countercurrent distribution and T-cell stimulation. *Microbios* **106**, 55-67.

Gorden, P., Carpentier, J. L., Freychet, P. O. & Orci, L. (1980). Internalization of polypeptide hormones: mechanism, intracellular localization and significance. *Diabetologia* **18**, 263-74.

Grange, J. M. & Stanford, J. L. (1994). Current trends in the management of tuberculosis. *J R Soc Med* **87**, 733-6.

Guleria, I., Teitelbaum, R., McAdam, R. A., Kalpana, G., Jacobs, W. R., Jr. & Bloom, B. R. (1996). Auxotrophic vaccines for tuberculosis. *Nat Med* **2**, 334-7.

Hajjar, D. P. & Haberland, M. E. (1997). Lipoprotein trafficking in vascular cells. Molecular Trojan horses and cellular saboteurs. *J Biol Chem* **272**, 22975-8.

Hamilton, J. A., Myers, D., Jessup, W., Cochrane, F., Byrne, R., Whitty, G. & Moss, S. (1999). Oxidized LDL can induce macrophage survival, DNA synthesis, and enhanced proliferative response to CSF-1 and GM-CSF. *Arterioscler Thromb Vasc Biol* **19**, 98-105.

Heinemann, D. E., Peters, J. H. & Gahr, M. (1997). A human in vitro granuloma model using heat killed *Candida albicans* cells immobilized on plastic culture wells. *Scand J Immunol* **45**, 596-604.

Hernandez-Pando, R. & Rook, G. A. (1994). The role of TNF-alpha in T-cell-mediated inflammation depends on the Th1/Th2 cytokine balance. *Immunology* **82**, 591-5.

Hirano, T., Akira, S., Taga, T. & Kishimoto, T. (1990). Biological and clinical aspects of interleukin 6. *Immunol Today* **11**, 443-9.

Huh, H. Y., Pearce, S. F., Yesner, L. M., Schindler, J. L. & Silverstein, R. L. (1996). Regulated expression of CD36 during monocyte-to-macrophage differentiation: potential role of CD36 in foam cell formation. *Blood* **87**, 2020-8.

Ishihara, T., Matsumoto, N., Okuzono, Y., Yamashita, Y., Nagasawa, T., Kawano, H., Yokota, T. & Uchino, F. (1986). Foamy cell syndrome associated with repeated platelet transfusions. *Acta Pathol Jpn* **36**, 1863-9.

- Janeway, C. A., Jr. (1992). The immune system evolved to discriminate infectious nonself from noninfectious self. *Immunol Today* **13**, 11-6.
- Janeway, C. A., Jr. & Bottomly, K. (1994). Signals and signs for lymphocyte responses. *Cell* **76**, 275-85.
- Jerlich, A., Horakova, L., Fabjan, J. S., Giessauf, A., Jurgens, G. & Schaur, R. J. (1999). Correlation of low-density lipoprotein modification by myeloperoxidase with hypochlorous acid formation. *Int J Clin Lab Res* **29**, 155-61.
- Joyce, S., Woods, A. S., Yewdell, J. W., Bennink, J. R., De Silva, A. D., Boesteanu, A., Balk, S. P., Cotter, R. J. & Brutkiewicz, R. R. (1998). Natural ligand of mouse CD1d1: cellular glycosylphosphatidylinositol. *Science* **279**, 1541-4.
- Kalayoglu, M. V. & Byrne, G. I. (1998). A *Chlamydia pneumoniae* component that induces macrophage foam cell formation is chlamydial lipopolysaccharide. *Infect Immun* **66**, 5067-72.
- Kambashi, B., Mbulo, G., McNerney, R., Tembwe, R., Kambashi, A., Tihon, V. & Godfrey-Faussett, P. (2001). Utility of nucleic acid amplification techniques for the diagnosis of pulmonary tuberculosis in sub-Saharan Africa. *Int J Tuberc Lung Dis* **5**, 364-9.
- Kaplan, G., Van Voorhis, W. C., Sarno, E. N., Nogueira, N. & Cohn, Z. A. (1983). The cutaneous infiltrates of leprosy. A transmission electron microscopy study. *J Exp Med* **158**, 1145-59.
- Kaplan, G. & Freedman, V. H. (1996). The role of cytokines in the immune response to tuberculosis. *Res Immunol* **147**, 565-72.
- Kaufmann, S. H. & Ladel, C. H. (1994). Role of T cell subsets in immunity against intracellular bacteria: experimental infections of knock-out mice with *Listeria monocytogenes* and *Mycobacterium bovis* BCG. *Immunobiol* **191**, 509-19.
- Kaufmann, S. H. (1995). [Immunology of tuberculosis]. *Pneumologie* **49 Suppl 3**, 643-8.
- Kaufmann, S. H. & Andersen, P. (1998). Immunity to mycobacteria with emphasis on tuberculosis: implications for rational design of an effective tuberculosis vaccine. *Chem Immunol* **70**, 21-59.
- Kindler, V., Sappino, A. P., Grau, G. E., Piguet, P. F. & Vassalli, P. (1989). The inducing role of tumor necrosis factor in the development of bactericidal granulomas during BCG infection. *Cell* **56**, 731-40.

Kobayashi, M. (1989). [Epidemiological study on tuberculosis in Tochigi Prefecture. Part I: Factor relating to the onset of tuberculosis in three health centers of Tochigi Prefecture]. *Kekkaku* **64**, 605-12.

Kruth, H. S., Chang, J., Ifrim, I. & Zhang, W. Y. (1999). Characterization of patocytosis: endocytosis into macrophage surface- connected compartments. *Eur J Cell Biol* **78**, 91-9.

Kuby, J. (1997). Overview of the immunesystem. In: *Immunology*, third edition. (Ed Allen, D.) Freeman and company, New York, 3-82

Kunsch, C. & Medford, R. M. (1999). Oxidative stress as a regulator of gene expression in the vasculature. *Circ Res* **85**, 753-66.

Ladel, C. H., Szalay, G., Riedel, D. & Kaufmann, S. H. (1997). Interleukin-12 secretion by Mycobacterium tuberculosis-infected macrophages. *Infect Immun* **65**, 1936-8.

Lalvani, A. & Hill, A. V. (1998). Cytotoxic T-lymphocytes against malaria and tuberculosis: from natural immunity to vaccine design. *Clin Sci (Colch)* **95**, 531-8.

Laochumroonvorapong, P., Paul, S., Elkon, K. B. & Kaplan, G. (1996). H₂O₂ induces monocyte apoptosis and reduces viability of Mycobacterium avium-M. intracellulare within cultured human monocytes. *Infect Immun* **64**, 452-9.

Lawrence, H.B. (1989) Emulsions and microemulsions. In: *Pharmaceutical dosage forms: Disperse forms Vol. 2* (Ed Lieberman, H.A., Reiger, M.M., Banker, G.S.) Marcel Dekker, New York. 335-369.

Lee, G.R., Bithhell, T.C., Foerster, J., Athens, J.W., Lukens, J.N. (1993). Granulocytes-Neutrophils. In: *Wintrobe's clinical hematology*, 9 ed. (Ed Athens, J.W. Lea and Febiger, Pennsylvania, USA. 223-259.

Lee, M. K., Choi, L., Kim, M. H. & Kim, C. K. (1999). Pharmacokinetics and organ distribution of cyclosporin A incorporated in liposomes and mixed micelles. *Int J Pharm* **191**, 87-93.

Levin, M. & Newport, M. (1999). Understanding the genetic basis of susceptibility to mycobacterial infection. *Proc Assoc Am Physicians* **111**, 308-12.

Li, B., Bassiri, H., Rossman, M. D., Kramer, P., Eyuboglu, A. F., Torres, M., Sada, E., Imir, T. & Carding, S. R. (1998). Involvement of the Fas/Fas ligand pathway in activation-induced cell death of mycobacteria-reactive human gamma delta T cells: a mechanism for the loss of gamma delta T cells in patients with pulmonary tuberculosis. *J Immunol* **161**, 1558-67.

- Liberman, E. & Yen, T. S. (1997). Foamy macrophages in acquired immunodeficiency syndrome cholangiopathy with *Encephalitozoon intestinalis*. *Arch Pathol Lab Med* **121**, 985-8.
- Lindberg, A. A. (1999). Glycoprotein conjugate vaccines. *Vaccine* **17 Suppl 2**, S28-36.
- Lipton, B. A., Parthasarathy, S., Ord, V. A., Clinton, S. K., Libby, P. & Rosenfeld, M. E. (1995). Components of the protein fraction of oxidized low density lipoprotein stimulate interleukin-1 alpha production by rabbit arterial macrophage-derived foam cells. *J Lipid Res* **36**, 2232-42.
- Liu, J., Barry, C. E., 3rd, Besra, G. S. & Nikaido, H. (1996). Mycolic acid structure determines the fluidity of the mycobacterial cell wall. *J Biol Chem* **271**, 29545-51.
- Lowrie, D. B., Tascon, R. E., Colston, M. J. & Silva, C. L. (1994). Towards a DNA vaccine against tuberculosis. *Vaccine* **12**, 1537-40.
- Lowrie, D. B. (1999). DNA vaccines against tuberculosis. *Curr Opin Mol Ther* **1**, 30-3.
- Mahley, R. W., Innerarity, T. L., Weisgraber, K. B. & Oh, S. Y. (1979). Altered metabolism (in vivo and in vitro) of plasma lipoproteins after selective chemical modification of lysine residues of the apoproteins. *J Clin Invest* **64**, 743-50.
- Malhotra, R., Haurum, J. S., Thiel, S. & Sim, R. B. (1994). Binding of human collectins (SP-A and MBP) to influenza virus. *Biochem J* **304**, 455-61.
- Manca, C., Paul, S., Barry, C. E., 3rd, Freedman, V. H. & Kaplan, G. (1999). Mycobacterium tuberculosis catalase and peroxidase activities and resistance to oxidative killing in human monocytes in vitro. *Infect Immun* **67**, 74-9.
- Manfredi, A. A., Heltai, S., Rovere, P., Sciorati, C., Paolucci, C., Galati, G., Rugarli, C., Vaiani, R., Clementi, E. & Ferrarini, M. (1998). Mycobacterium tuberculosis exploits the CD95/CD95 ligand system of gamma delta T cells to cause apoptosis. *Eur J Immunol* **28**, 1798-806.
- McMurray, D. N. (2001). Disease model: pulmonary tuberculosis. *Trends Mol Med* **7**, 135-7.
- McNeil, M., Daffe, M. & Brennan, P. J. (1991). Location of the mycolyl ester substituents in the cell walls of mycobacteria. *J Biol Chem* **266**, 13217-23.

Meiner, V. L., Cases, S., Myers, H. M., Sande, E. R., Bellosta, S., Schambelan, M., Pitas, R. E., McGuire, J., Herz, J. & Farese, R. V. (1996). Disruption of the acyl-CoA:cholesterol acyltransferase gene in mice: evidence suggesting multiple cholesterol esterification enzymes in mammals. *Proc Natl Acad Sci U S A* **93**, 14041-6.

Melian, A., Geng, Y. J., Sukhova, G. K., Libby, P. & Porcelli, S. A. (1999). CD1 expression in human atherosclerosis. A potential mechanism for T cell activation by foam cells. *Am J Pathol* **155**, 775-86.

Melian, A., Watts, G. F., Shamshiev, A., De Libero, G., Clatworthy, A., Vincent, M., Brenner, M. B., Behar, S., Niazi, K., Modlin, R. L., Almo, S., Ostrov, D., Nathenson, S. G. & Porcelli, S. A. (2000). Molecular recognition of human CD1b antigen complexes: evidence for a common pattern of interaction with alpha beta TCRs. *J Immunol* **165**, 4494-504.

Middlebrook, G., Reggiardo, Z. & Tigertt, W. D. (1977). Automatable radiometric detection of growth of Mycobacterium tuberculosis in selective media. *Am Rev Respir Dis* **115**, 1066-9.

Miller, C. R., Bondurant, B., McLean, S. D., McGovern, K. A. & O'Brien, D. F. (1998). Liposome-cell interactions in vitro: effect of liposome surface charge on the binding and endocytosis of conventional and sterically stabilized liposomes. *Biochemistry* **37**, 12875-83.

Minnikin, D. E. & Goodfellow, M. (1980). Lipid composition in the classification and identification of acid-fast bacteria. *Soc Appl Bacteriol Symp Ser* **8**, 189-256.

Mochizuki, Y., Oishi, M., Nishiyama, C. & Iida, T. (1996). Active leprosy treated effectively with ofloxacin. *Intern Med* **35**, 749-51.

Mogensen, S. C. & Virelizier, J. L. (1987). The interferon-macrophage alliance. *Interferon* **8**, 55-84.

Moody, D. B., Besra, G. S., Wilson, I. A. & Porcelli, S. A. (1999). The molecular basis of CD1-mediated presentation of lipid antigens. *Immunol Rev* **172**, 285-96.

Mukherjee, P. S., DeSilva, K. H. & Karnes, H. T. (1995). 5-Bromomethyl fluorescein (5-BMF) for derivatization of carboxyl containing analytes for use with laser-induced fluorescence detection. *Pharm Res* **12**, 930-6.

Nancy, V., Wolthuis, R. M., de Tand, M. F., Janoueix-Lerosey, I., Bos, J. L. & de Gunzburg, J. (1999). Identification and characterization of potential effector molecules of the Ras-related GTPase Rap2. *J Biol Chem* **274**, 8737-45.

Nardell, E. A. (1993). Environmental control of tuberculosis. *Med Clin North Am* **77**, 1315-34.

Nathan, C. F. (1983). Mechanisms of macrophage antimicrobial activity. *Trans R Soc Trop Med Hyg* **77**, 620-30.

Ng, K., Zhao, L., Liu, Y. & Mahapatro, M. (2000). The effects of polyethyleneglycol (PEG)-derived lipid on the activity of target-sensitive immunoliposome. *Int J Pharm* **193**, 157-66.

Oddo, M., Renno, T., Attinger, A., Bakker, T., MacDonald, H. R. & Meylan, P. R. (1998). Fas ligand-induced apoptosis of infected human macrophages reduces the viability of intracellular Mycobacterium tuberculosis. *J Immunol* **160**, 5448-54.

Orme, I. M. (1987). The dynamics of infection following BCG and Mycobacterium tuberculosis challenge in T-cell-deficient mice. *Tubercle* **68**, 277-83.

Orme, I. M. (1996). Immune responses in animal models. *Curr Top Microbiol Immunol* **215**, 181-96.

Orme, I. M. & Cooper, A. M. (1999). Cytokine/chemokine cascades in immunity to tuberculosis. *Immunol Today* **20**, 307-12.

Ortaldo, J. R., Mason, A. T., O'Shea, J. J., Smyth, M. J., Falk, L. A., Kennedy, I. C., Longo, D. L. & Ruscetti, F. W. (1991). Mechanistic studies of transforming growth factor-beta inhibition of IL-2-dependent activation of CD3- large granular lymphocyte functions. Regulation of IL-2R beta (p75) signal transduction. *J Immunol* **146**, 3791-8.

Oswald, I. P., Gazzinelli, R. T., Sher, A. & James, S. L. (1992). IL-10 synergizes with IL-4 and transforming growth factor-beta to inhibit macrophage cytotoxic activity. *J Immunol* **148**, 3578-82.

Oussoren, C., Magnani, M., Fraternali, A., Casabianca, A., Chiarantini, L., Ingebrigsten, R., Underberg, W. J. & Storm, G. (1999). Liposomes as carriers of the antiretroviral agent dideoxycytidine-5'- triphosphate. *Int J Pharm* **180**, 261-70.

Panousis, C. G. & Zuckerman, S. H. (2000). Regulation of cholesterol distribution in macrophage-derived foam cells by interferon-gamma. *J Lipid Res* **41**, 75-83.

Pearson, A. M. (1996). Scavenger receptors in innate immunity. *Curr Opin Immunol* **8**, 20-8.

Piersimoni, C., Scarparo, C., Callegaro, A., Tosi, C. P., Nista, D., Bornigia, S., Scagnelli, M., Rigon, A., Ruggiero, G. & Goglio, A. (2001). Comparison of mb/bact alert 3d system with radiometric bactec system and lowenstein-jensen medium for recovery and identification of mycobacteria from clinical specimens: a multicenter study. *J Clin Microbiol* **39**, 651-7.

Pietzyk, B. & Henschke, K. (2000). Degradation of phosphatidylcholine in liposomes containing carboplatin in dependence on composition and storage conditions. *Int J Pharm* **196**, 215-8.

Platanias, L. C. & Vogelzang, N. J. (1990). Interleukin-1: biology, pathophysiology, and clinical prospects. *Am J Med* **89**, 621-9.

Podrez, E. A., Schmitt, D., Hoff, H. F. & Hazen, S. L. (1999). Myeloperoxidase-generated reactive nitrogen species convert LDL into an atherogenic form in vitro. *J Clin Invest* **103**, 1547-60.

Podrez, E. A., Abu-Soud, H. M. & Hazen, S. L. (2000). Myeloperoxidase-generated oxidants and atherosclerosis. *Free Radic Biol Med* **28**, 1717-25.

Porcelli, S. A., Segelke, B. W., Sugita, M., Wilson, I. A. & Brenner, M. B. (1998). The CD1 family of lipid antigen-presenting molecules. *Immunol Today* **19**, 362-8.

Porcelli, S. A. & Modlin, R. L. (1999). The CD1 system: antigen-presenting molecules for T cell recognition of lipids and glycolipids. *Annu Rev Immunol* **17**, 297-329.

Powell, J. J., Harvey, R. S. & Thompson, R. P. (1996). Microparticles in Crohn's disease--has the dust settled? *Gut* **39**, 340-1.

Pretorius, A. (1999). Humoral and cellular immunogenicity of mycobacterial mycolic acids in tuberculosis. (MSc thesis, University of Pretoria).

Quinn, M. T., Parthasarathy, S., Fong, L. G. & Steinberg, D. (1987). Oxidatively modified low density lipoproteins: a potential role in recruitment and retention of monocyte/macrophages during atherogenesis. *Proc Natl Acad Sci U S A* **84**, 2995-8.

Rajavashisth, T. B., Andalibi, A., Territo, M. C., Berliner, J. A., Navab, M., Fogelman, A. M. & Lusis, A. J. (1990). Induction of endothelial cell expression of granulocyte and macrophage colony-stimulating factors by modified low-density lipoproteins. *Nature* **344**, 254-7.

Raviglione, M. C., Snider, D. E., Jr. & Kochi, A. (1995). Global epidemiology of tuberculosis. Morbidity and mortality of a worldwide epidemic. *JAMA* **273**, 220-6.

- Reid, V. C., Mitchinson, M. J. & Skepper, J. N. (1993). Cytotoxicity of oxidized low-density lipoprotein to mouse peritoneal macrophages: an ultrastructural study. *J Pathol* **171**, 321-8.
- Rhoades, E. R., Cooper, A. M. & Orme, I. M. (1995). Chemokine response in mice infected with *Mycobacterium tuberculosis*. *Infect Immun* **63**, 3871-7.
- Rieder, H. L. (1994). [Tuberculosis and HIV infection]. *Pneumologie* **48**, 144-50.
- Roitt, I., Brostoff, J., Male, D. (2000). Immunity to bacteria. In: Immunology, Fifth edition. (Ed Crowe, L.), Butler and Tanner Ltd, London, 229-240.
- Rosoff, P. M., Savage, N. & Dinarello, C. A. (1988). Interleukin-1 stimulates diacylglycerol production in T lymphocytes by a novel mechanism. *Cell* **54**, 73-81.
- Russell, D. G., Dant, J. & Sturgill-Koszycki, S. (1996). *Mycobacterium avium*- and *Mycobacterium tuberculosis*-containing vacuoles are dynamic, fusion-competent vesicles that are accessible to glycosphingolipids from the host cell plasmalemma. *J Immunol* **156**, 4764-73.
- Saita, N., Fujiwara, N., Yano, I., Soejima, K. & Kobayashi, K. (2000). Trehalose 6,6'-dimycolate (cord factor) of *Mycobacterium tuberculosis* induces corneal angiogenesis in rats. *Infect Immun* **68**, 5991-7.
- Saran, M., Beck-Speier, I., Fellerhoff, B. & Bauer, G. (1999). Phagocytic killing of microorganisms by radical processes: consequences of the reaction of hydroxyl radicals with chloride yielding chlorine atoms. *Free Radic Biol Med* **26**, 482-90.
- Schlesinger, L. S., Bellinger-Kawahara, C. G., Payne, N. R. & Horwitz, M. A. (1990). Phagocytosis of *Mycobacterium tuberculosis* is mediated by human monocyte complement receptors and complement component C3. *J Immunol* **144**, 2771-80.
- Sciorati, C., Rovere, P., Ferrarini, M., Paolucci, C., Heltai, S., Vaiani, R., Clementi, E. & Manfredi, A. A. (1999). Generation of nitric oxide by the inducible nitric oxide synthase protects gamma delta T cells from *Mycobacterium tuberculosis*-induced apoptosis. *J Immunol* **163**, 1570-6.
- Shresta, S., Pham, C. T., Thomas, D. A., Graubert, T. A. & Ley, T. J. (1998). How do cytotoxic lymphocytes kill their targets? *Curr Opin Immunol* **10**, 581-7.
- Sieling, P. A., Chatterjee, D., Porcelli, S. A., Prigozy, T. I., Mazzaccaro, R. J., Soriano, T., Bloom, B. R., Brenner, M. B., Kronenberg, M., Brennan, P. J. & et al. (1995). CD1-restricted T cell recognition of microbial lipoglycan antigens. *Science* **269**, 227-30.

Sieling, P. A., Jullien, D., Dahlem, M., Tedder, T. F., Rea, T. H., Modlin, R. L. & Porcelli, S. A. (1999). CD1 expression by dendritic cells in human leprosy lesions: correlation with effective host immunity. *J Immunol* **162**, 1851-8.

Sparrow, C. P. & Olszewski, J. (1992). Cellular oxidative modification of low density lipoprotein does not require lipoxygenases. *Proc Natl Acad Sci U S A* **89**, 128-31.

Steinberg, D. (1996). Oxidized low density lipoprotein--an extreme example of lipoprotein heterogeneity. *Isr J Med Sci* **32**, 469-72.

Steinbrecher, U. P., Parthasarathy, S., Leake, D. S., Witztum, J. L. & Steinberg, D. (1984). Modification of low density lipoprotein by endothelial cells involves lipid peroxidation and degradation of low density lipoprotein phospholipids. *Proc Natl Acad Sci U S A* **81**, 3883-7.

Stenger, S. & Modlin, R. L. (1998). Cytotoxic T cell responses to intracellular pathogens. *Curr Opin Immunol* **10**, 471-7.

Stenger, S. & Modlin, R. L. (1999). T cell mediated immunity to Mycobacterium tuberculosis. *Curr Opin Microbiol* **2**, 89-93.

Storrie, B. & Desjardins, M. (1996). The biogenesis of lysosomes: is it a kiss and run, continuous fusion and fission process? *Bioessays* **18**, 895-903.

Swaminathan, S. (2000). Treatment of tuberculosis. *Indian J Pediatr* **67**, S14-20.

Szalay, G., Zugel, U., Ladel, C. H. & Kaufmann, S. H. (1999). Participation of group 2 CD1 molecules in the control of murine tuberculosis. *Microbes Infect* **1**, 1153-7.

Szejtli József. (1988). Cyclodextrins in pharmaceuticals. In: Cyclodextrin technology / Boston : Kluwer Academic Publishers Milan, Italy Houston, U.S.A : Giovanni Lorenzini Medical Foundation,

Tan, J. S., Canaday, D. H., Boom, W. H., Balaji, K. N., Schwander, S. K. & Rich, E. A. (1997). Human alveolar T lymphocyte responses to Mycobacterium tuberculosis antigens: role for CD4+ and CD8+ cytotoxic T cells and relative resistance of alveolar macrophages to lysis. *J Immunol* **159**, 290-7.

Tascon, R. E., Colston, M. J., Ragno, S., Stavropoulos, E., Gregory, D. & Lowrie, D. B. (1996). Vaccination against tuberculosis by DNA injection. *Nature Med* **2**, 888-92.

- Tascon, R. E., Stavropoulos, E., Lukacs, K. V. & Colston, M. J. (1998). Protection against *Mycobacterium tuberculosis* infection by CD8⁺ T cells requires the production of gamma interferon. *Infect Immun* **66**, 830-4.
- Ten Wolde, S., Engels, F., Miltenburg, A. M., Kuijpers, E. A., Struijk-Wielinga, G. I. & Dijkmans, B. A. (1997). Sesame oil in injectable gold: two drugs in one? *Br J Rheumatol* **36**, 1012-5.
- Tessema, T. A., Hamasur, B., Bjun, G., Svenson, S. & Bjorvatn, B. (2001). Diagnostic evaluation of urinary lipoarabinomannan at an Ethiopian tuberculosis centre. *Scand J Infect Dis* **33**, 279-84.
- Toossi, Z., Gogate, P., Shiratsuchi, H., Young, T. & Ellner, J. J. (1995). Enhanced production of TGF-beta by blood monocytes from patients with active tuberculosis and presence of TGF-beta in tuberculous granulomatous lung lesions. *J Immunol* **154**, 465-73.
- Toossi, Z., Mincek, M., Seeholtzer, E., Fulton, S. A., Hamilton, B. D. & Hirsch, C. S. (1997). Modulation of IL-12 by transforming growth factor-beta (TGF-beta) in *Mycobacterium tuberculosis*-infected mononuclear phagocytes and in patients with active tuberculosis. *J Clin Lab Immunol* **49**, 59-75.
- Toossi, Z. & Ellner, J. J. (1998). The role of TGF beta in the pathogenesis of human tuberculosis. *Clin Immunol Immunopathol* **87**, 107-14.
- Tracey, K. J. & Cerami, A. (1994). Tumor necrosis factor: a pleiotropic cytokine and therapeutic target. *Annu Rev Med* **45**, 491-503.
- Tsakaguchi, K., Balaji, K. N. & Boom, W. H. (1995). CD4⁺ alpha beta T cell and gamma delta T cell responses to *Mycobacterium tuberculosis*. Similarities and differences in Ag recognition, cytotoxic effector function, and cytokine production. *J Immunol* **154**, 1786-96.
- Ulrichs, T. & Porcelli, S. A. (2000). CD1 proteins: targets of T cell recognition in innate and adaptive immunity. *Rev Immunogenet* **2**, 416-32.
- Underhill, D. M., Ozinsky, A., Hajjar, A. M., Stevens, A., Wilson, C. B., Bassetti, M. & Aderem, A. (1999). The Toll-like receptor 2 is recruited to macrophage phagosomes and discriminates between pathogens. *Nature* **401**, 811-5.
- Valone, S. E., Rich, E. A., Wallis, R. S. & Ellner, J. J. (1988). Expression of tumor necrosis factor in vitro by human mononuclear phagocytes stimulated with whole *Mycobacterium bovis* BCG and mycobacterial antigens. *Infect Immun* **56**, 3313-5.

- Van Bergen, J., Ossendorp, F., Jordens, R., Mommaas, A. M., Drijfhout, J. W. & Koning, F. (1999). Get into the groove! Targeting antigens to MHC class II. *Immunol Rev* **172**, 87-96.
- VanHeyningen, T. K., Collins, H. L. & Russell, D. G. (1997). IL-6 produced by macrophages infected with *Mycobacterium* species suppresses T cell responses. *J Immunol* **158**, 330-7.
- Verschoor, J. A. & Onyebujoh, P. (1999). The menace of the AIDS-tuberculosis combo: any solutions? *Bioessays* **21**, 365-6.
- Verschoor, J. A. and Bey, S.N. (1995) PCT Patent Application No GB 95/3077: "A method for detecting the presence of a *Mycobacterium* species and a kit and antibodies for use therein";
- Verschoor, J. A, Lenaerts, A., Johannsen, E. (1998) PCT Patent Application No GB 98/1773: "A composition comprising a carrier and a purified mycobacterial lipid cell-wall component and its use in the prevention, treatment and diagnosis of tuberculosis
- Via, L. E., Fratti, R. A., McFalone, M., Pagan-Ramos, E., Deretic, D. & Deretic, V. (1998). Effects of cytokines on mycobacterial phagosome maturation. *J Cell Sci* **111**, 897-905.
- Volc-Platzer, B., Kremsner, P., Stemberger, H. & Wiedermann, G. (1990). Restoration of defective cytokine activity within lepromatous leprosy lesions. *Zentralbl Bakteriol* **272**, 458-66.
- Wallis, R. S., Amir-Tahmasseb, M. & Ellner, J. J. (1990). Induction of interleukin 1 and tumor necrosis factor by mycobacterial proteins: the monocyte western blot. *Proc Natl Acad Sci U S A* **87**, 3348-52.
- WHO Fact sheet no 104, 2000.
- Wiker, H. G., Nagai, S., Harboe, M. & Ljungqvist, L. (1992). A family of cross-reacting proteins secreted by *Mycobacterium tuberculosis*. *Scand J Immunol* **36**, 307-19.
- Wilckens, T. & De Rijk, R. (1997). Glucocorticoids and immune function: unknown dimensions and new frontiers. *Immunol Today* **18**, 418-24.
- Wright, S. D., Rao, P. E., Van Voorhis, W. C., Craigmyle, L. S., Iida, K., Talle, M. A., Westberg, E. F., Goldstein, G. & Silverstein, S. C. (1983). Identification of the C3bi receptor of human monocytes and macrophages by using monoclonal antibodies. *Proc Natl Acad Sci U S A* **80**, 5699-703.

- Yancey, P. G. & Jerome, W. G. (1998). Lysosomal sequestration of free and esterified cholesterol from oxidized low density lipoprotein in macrophages of different species. *J Lipid Res* **39**, 1349-61.
- Yasuda, T., Tadakuma, T., Pierce, C. W. & Kinsky, S. C. (1979). Primary in vitro immunogenicity of liposomal model membranes in mouse spleen cell cultures. *J Immunol* **123**, 1535-9.
- Yuan, X. M., Li, W., Brunk, U. T., Dalen, H., Chang, Y. H. & Sevanian, A. (2000). Lysosomal destabilization during macrophage damage induced by cholesterol oxidation products. *Free Radic Biol Med* **28**, 208-18.
- Yuasa, K. & Kanazawa, T. (1995). [Foamy alveolar macrophages in various lung diseases, and their origin in rabbit lungs]. *Nihon Kyobu Shikkan Gakkai Zasshi* **33**, 715-22.
- Yudkin, J. S., Kumari, M., Humphries, S. E. & Mohamed-Ali, V. (2000). Inflammation, obesity, stress and coronary heart disease: is interleukin-6 the link? *Atherosclerosis* **148**, 209-14.
- Zeng, Z., Castano, A. R., Segelke, B. W., Stura, E. A., Peterson, P. A. & Wilson, I. A. (1997). Crystal structure of mouse CD1: An MHC-like fold with a large hydrophobic binding groove. *Science* **277**, 339-45.
- Zhang, Y. & Rom, W. N. (1993). Regulation of the interleukin-1 beta (IL-1 beta) gene by mycobacterial components and lipopolysaccharide is mediated by two nuclear factor-IL6 motifs. *Mol Cell Biol* **13**, 3831-7.
- Zhang, M., Gately, M. K., Wang, E., Gong, J., Wolf, S. F., Lu, S., Modlin, R. L. & Barnes, P. F. (1994b). Interleukin 12 at the site of disease in tuberculosis. *J Clin Invest* **93**, 1733-9.
- Zhang, Y., Broser, M. & Rom, W. N. (1994a). Activation of the interleukin 6 gene by Mycobacterium tuberculosis or lipopolysaccharide is mediated by nuclear factors NF-IL6 and NF-kappa B. *Proc Natl Acad Sci U S A* **91**, 2225-9.
- Zimmerli, S., S. Edwards, Ernst, J.D. (1996) Selective receptor blockade during phagocytosis does not alter the survival and growth of *Mycobacterium tuberculosis* in human macrophages. *American Journal of Respiratory Cell and Molecular Biology* **15**: 760-770.