

Supplementary Material for:

McIntyre, T. *Trends in the tagging of marine mammals: a review of marine mammal biologging studies*

African Journal of Marine Science 2014, 36(4): 409–422; doi: 10.2989/1814232X.2014.976655

Bibliography

Aarts G, MacKenzie M, McConnell B, Fedak M, Matthiopoulos J (2009) Estimating space-use and habitat preference from wildlife telemetry data. *Ecography* 31: 140–160.

Acevedo-Gutierrez A, Croll DA, Tershy BR (2002) High feeding costs limit dive time in the largest whales. *The Journal of Experimental Biology* 205: 1747–1753.

Aguilar Soto N, Johnson MP, Madsen PT, Diaz F, Dominguez I, Brito A, Tyack P (2008) Cheetahs of the deep sea: deep foraging sprints in short-finned pilot whales off Tenerife (Canary Islands). *Journal of Animal Ecology* 77: 936–947.

Akamatsu T, Teilmann J, Miller LA, Tougaard J, Dietz R, Wang D, Wang K, Siebert U, Naito Y (2007) Comparison of echolocation behaviour between coastal and riverine porpoises. *Deep Sea Research Part II* 54: 290–297.

Akamatsu T, Wang D, Wang K, Li S, Dong S (2010) Scanning sonar of rolling porpoises during prey capture dives. *The Journal of Experimental Biology* 213: 146–152.

Alves F, Dinis A, Cascão I, Freitas L (2010) Bryde's whale (*Balaenoptera brydei*) stable associations and dive profiles: New insights into foraging behavior. *Marine Mammal Science* 26: 202–212.

Alves F, Dinis A, Ribeiro C, Nicolau C, Kaufmann M, Fortuna CM, Freitas L (2013) Daytime dive characteristics from six short-finned pilot whales *Globicephala macrorhynchus* off Madeira Island. *Arquipelago - Life and Marine Sciences* 31: 1–8.

Amano M, Yoshioka M (2003) Sperm whale diving behavior monitored using a suction-cup attached TDR tag. *Marine Ecology Progress Series* 258: 291–295.

Andrews RD (1998) Remotely releasable instruments for monitoring the foraging behaviour of pinnipeds. *Marine Ecology Progress Series* 175: 289–294.

Andrews RD, Costa DP, Le Boeuf BJL, Jones DR (2000) Breathing frequencies of northern elephant seals at sea and on land revealed by heart rate spectral analysis. *Respiration Physiology* 123: 71–85.

Andrews RD, Jones DR, Williams JD, Thorson PH, Oliver GW, Costa DP, Le Boeuf BJ (1997) Heart rates of northern elephant seals diving at sea and resting on the beach. *The Journal of Experimental Biology* 200: 2083–95.

- Andrews RD, Pitman RL, Ballance LT (2008) Satellite tracking reveals distinct movement patterns for Type B and Type C killer whales in the southern Ross Sea, Antarctica. *Polar Biology* 31: 1461–1468.
- Andrews-Goff V, Hindell MA, Field IC, Wheatley KE, Charrassin J-B (2010) Factors influencing the winter haulout behaviour of Weddell seals: consequences for satellite telemetry. *Endangered Species Research* 10: 83–92.
- Antonelis GA, Stewart BS, Perryman WF (1990) Foraging characteristics of female northern fur seals (*Callorhinus ursinus*) and California sea lions (*Zalophus californianus*). *Canadian Journal of Zoology* 68: 150–158.
- Aoki K, Amano M, Yoshioka M, Mori K, Tokuda D, Miyazaki N (2007) Diel diving behavior of sperm whales off Japan. *Marine Ecology Progress Series*: 277–287.
- Aoki K, Watanabe YY, Crocker DE, Robinson PW, Biuw M, Costa DP, Miyazaki N, Fedak MA, Miller PJO (2011) Northern elephant seals adjust gliding and stroking patterns with changes in buoyancy: validation of at-sea metrics of body density. *The Journal of Experimental Biology* 214: 2973–2987.
- Arnould JPY, Boyd IL, Speakman JR (1996) The relationship between foraging behaviour and energy expenditure in Antarctic fur seals. *Journal of Zoology* 239: 769–782.
- Arnould JPY, Hindell MA (2001) Dive behaviour, foraging locations, and maternal attendance patterns of Australian fur seals (*Arctocephalus pusillus doriferus*). *Canadian Journal of Zoology* 79: 35–48.
- Arnould JPY, Kirkwood R (2008) Habitat selection by female Australian fur seals (*Arctocephalus pusillus doriferus*). *Aquatic Conservation: Marine and Freshwater Ecosystems* 17: S53–S67.
- Årthun M, Nicholls KW, Makinson K, Fedak MA, Boehme L (2012) Seasonal inflow of warm water onto the southern Weddell Sea continental shelf, Antarctica. *Geophysical Research Letters* 39: 2–7.
- Augé AA, Chilvers BL, Davis LS, Moore AB (2011) In the shallow end : diving behaviour of recolonising female New Zealand sea lions (*Phocarctos hookeri*) around the Otago Peninsula. *Canadian Journal of Zoology* 1205: 1195–1205.
- Augé AA, Chilvers BL, Moore AB, Davis LS (2011) Foraging behaviour indicates marginal marine habitat for New Zealand sea lions: remnant versus recolonising populations. *Marine Ecology Progress Series* 432: 247–256.
- Austin D, Bowen WD, McMillan JI (2004) Intraspecific variation in movement patterns: modeling individual behaviour in a large marine predator. *Oikos* 105: 15–30.

- Austin D, Bowen WD, McMillan JI, Boness DJ (2006) Stomach temperature telemetry reveals temporal patterns of foraging success in a free-ranging marine mammal. *Journal of Animal Ecology* 75: 408–420.
- Austin D, Bowen WD, Mcmillan JI, Iverson SJ, Mcmillan I, Iverson J (2006) Linking movement, diving, and habitat to foraging success in a large marine predator. *Ecology* 87: 3095–3108.
- Austin D, McMillan JI, Bowen WD (2003) A three-stage algorithm for filtering erroneous Argos satellite locations. *Marine Mammal Science* 19: 371–383.
- Baechler J, Beck CA, Bowen WD (2002) Dive shapes reveal temporal changes in the foraging behaviour of different age and sex classes of harbour seals (*Phoca vitulina*). *Canadian Journal of Zoology* 80: 1569–1577.
- Bailey H, Mate BR, Palacios DM, Irvine L, Bograd SJ, Costa DP (2010) Behavioural estimation of blue whale movements in the Northeast Pacific from state-space model analysis of satellite tracks. *Endangered Species Research* 10: 93–106.
- Bailleul F, Authier M, Ducatez S, Roquet F, Charrassin J-B, Cherel Y, Guinet C (2010) Looking at the unseen: combining animal bio-logging and stable isotopes to reveal a shift in the ecological niche of a deep diving predator. *Ecography* 33: 709–719.
- Bailleul F, Charrassin J-B, Ezraty R, Girard-Ardhuin F, McMahan CR, Field IC, Guinet C (2007) Southern elephant seals from Kerguelen Islands confronted by Antarctic Sea ice. Changes in movements and in diving behaviour. *Deep Sea Research Part II* 54: 343–355.
- Bailleul F, Charrassin J-B, Monestiez P, Roquet F, Biuw M, Guinet C (2007) Successful foraging zones of southern elephant seals from the Kerguelen Islands in relation to oceanographic conditions. *Philosophical Transactions of the Royal Society B* 362: 2169–2181.
- Bailleul F, Cotté C, Guinet C (2010) Mesoscale eddies as foraging area of a deep-diving predator, the southern elephant seal. *Marine Ecology Progress Series* 408: 251–264.
- Bailleul F, Lesage V, Power M, Doidge DW, Hammill MO (2012) Migration phenology of beluga whales in a changing Arctic. *Climate Research* 53: 169–178.
- Bailleul F, Luque SP, Dubroca L, Arnould JPY, Guinet C (2005) Differences in foraging strategy and maternal behaviour between two sympatric fur seal species at the Crozet Islands. *Marine Ecology Progress Series* 293: 273–282.
- Bailleul F, Pinaud D, Hindell M, Charrassin J-B, Guinet C (2008) Assessment of scale-dependent foraging behaviour in southern elephant seals incorporating the vertical dimension: a development of the First Passage Time method. *Journal of Animal Ecology* 77: 948–957.

- Baird RW, Borsani JF, Hanson B, Tyack PL (2002) Diving and night-time behavior of long-finned pilot whales in the Ligurian Sea. *Marine Ecology Progress Series* 237: 301–305.
- Baird RW, Hanson MB, Dill LM (2005) Factors influencing the diving behaviour of fish eating killer whales: sex differences and diel and interannual variation in diving rates. *Canadian Journal of Zoology* 83: 257–267.
- Baird RW, Ligon AD, Hooker SK, Gorgone AM (2001) Subsurface and nighttime behaviour of pantropical spotted dolphins in Hawai'i. *Canadian Journal of Zoology* 79: 988–996.
- Baird RW, Schorr GS, Webster DL, Mahaffy SD, McSweeney DJ, Hanson MB, Andrews RD (2011) Open-ocean movements of a satellite-tagged Blainville's beaked whale (*Mesoplodon densirostris*): Evidence for an offshore population in Hawai'i? *Aquatic Mammals* 37: 506–511.
- Baird RW, Schorr GS, Webster DL, McSweeney DJ, Hanson MB, Andrews RD (2010) Movements and habitat use of satellite-tagged false killer whales around the main Hawaiian Islands. *Endangered Species Research* 10: 107–121.
- Baird RW, Schorr GS, Webster DL, McSweeney DJ, Hanson MB, Andrews RD (2011) Movements of two satellite-tagged pygmy killer whales (*Feresa attenuata*) off the island of Hawai'i. *Marine Mammal Science* 27: E332–E337.
- Baird RW, Webster DL, Mcsweeney DJ, Ligon AD, Schorr GS, Barlow J (2006) Diving behaviour of Cuvier's (*Ziphius cavirostris*) and Blainville's (*Mesoplodon densirostris*) beaked whales in Hawai'i. *Canadian Journal of Zoology* 84: 1120–1128.
- Baird RW, Webster DL, Schorr GS, McSweeney DJ, Barlow J (2008) Diel variation in beaked whale diving behavior. *Marine Mammal Science* 24: 630–642.
- Bajzak CE, Bernhardt W, Mosnier A, Hammill MO, Stirling I (2013) Habitat use by harbour seals (*Phoca vitulina*) in a seasonally ice-covered region, the western Hudson Bay. *Polar Biology* 36: 477–491.
- Bajzak CE, Côté SD, Hammill MO, Stenson G (2009) Intersexual differences in the postbreeding foraging behaviour of the Northwest Atlantic hooded seal. *Marine Ecology Progress Series* 385: 285–294.
- Baker JD (2007) Post-weaning migration of northern fur seal *Callorhinus ursinus* pups from the Pribilof Islands, Alaska. *Marine Ecology Progress Series* 341: 243–255.
- Balmer BC, Schwacke LH, Wells RS (2010) Linking dive behavior to satellite-linked tag condition for a bottlenose dolphin (*Tursiops truncatus*) along Florida's Northern Gulf of Mexico coast. *Aquatic Mammals* 36: 1–8.

- Barlow KE, Boyd IL, Croxall JP, Reid K, Staniland IJ, Brierley AS (2002) Are penguins and seals in competition for Antarctic krill at South Georgia? *Marine Biology* 140: 205–213.
- Baumgartner M, Mate B (2003) Summertime foraging ecology of North Atlantic right whales. *Marine Ecology Progress Series* 264: 123–135
- Baylis AMM, Page B, Goldsworthy SD (2008) Colony-specific foraging areas of lactating New Zealand fur seals. *Marine Ecology Progress Series* 361: 279–290.
- Baylis AMM, Page B, Goldsworthy SD (2008) Effect of seasonal changes in upwelling activity on the foraging locations of a wide-ranging central-place forager, the New Zealand fur seal. *Canadian Journal of Zoology* 86: 774–789.
- Baylis AMM, Page B, McKenzie J, Goldsworthy SD (2012) Individual foraging site fidelity in lactating New Zealand fur seals: Continental shelf vs. oceanic habitats. *Marine Mammal Science* 28: 276–294.
- Baylis AMM, Page B, Peters K, McIntosh R, McKenzie J, Goldsworthy SD (2005) The ontogeny of diving behaviour in New Zealand fur seal pups (*Arctocephalus forsteri*). *Canadian Journal of Zoology* 83: 1149–1161.
- Beauplet G, Dubroca L, Guinet C, Cherel Y, Dabin W, Gagne C, Hindell M (2004) Foraging ecology of subantarctic fur seals *Arctocephalus tropicalis* breeding on Amsterdam Island: seasonal changes in relation to maternal characteristics and pup growth. *Marine Ecology Progress Series* 273: 211–225.
- Beck CA, Bowen WD, Iverson SJ (2000) Seasonal changes in buoyancy and diving behaviour of adult Grey seals. *The Journal of Experimental Biology* 203: 2323–2330.
- Beck CA, Bowen WD, McMillan JI, Iverson SJ (2003a) Sex differences in diving at multiple temporal scales in a size-dimorphic capital breeder. *Journal of Animal Ecology* 72: 979–993.
- Beck CA, Bowen WD, McMillan JI, Iverson SJ (2003b) Sex differences in the diving behaviour of a size-dimorphic capital breeder: the grey seal. *Animal Behaviour* 66: 777–789.
- Beck CA, McMillan JI, Bowen WD (2002) An algorithm to improve geolocation positions using sea surface temperature and diving depth. *Marine Mammal Science* 18: 940–951.
- Bengtson JL, Stewart BS (1992) Diving and haulout behavior of crabeater seals in the Weddell Sea, Antarctica, during March 1986. *Polar Biology* 12: 635–644.
- Bengtson JL, Stewart BS (1997) Diving patterns of a Ross seal (*Ommatophoca rossii*) near the eastern coast of the Antarctic Peninsula. *Polar Biology* 18: 214–218.

- Bennett KA, McConnell BJ, Fedak M (2001) Diurnal and seasonal variations in the duration and depth of the longest dives in southern elephant seals (*Mirounga leonina*): possible physiological and behavioural constraints. *The Journal of Experimental Biology* 204: 649–662.
- Bennett KA, McConnell BJ, Moss SEW, Speakman JR, Pomeroy PP, Fedak MA (2010) Effects of age and body mass on development of diving capabilities of gray seal pups: costs and benefits of the postweaning fast. *Physiological and Biochemical Zoology* 83: 911–923.
- Bentaleb I, Martin C, Vrac M, Mate B, Mayzaud P, Siret D, De Stephanis R, Guinet C (2011) Foraging ecology of Mediterranean fin whales in a changing environment elucidated by satellite-tracking and baleen plate stable isotopes. *Marine Ecology Progress Series* 438: 285–302.
- Bester MN, Pansegrouw HM (1992) Ranging behaviour of southern elephant seal cows from Marion Island. *South African Journal of Science* 88: 574–575.
- Bestley S, Jonsen ID, Hindell MA, Guinet C, Charrassin J-B (2013) Integrative modelling of animal movement : incorporating *in situ* habitat and behavioural information for a migratory marine predator. *Proceedings of the Royal Society B* 280: 20122262.
- Biuw M, Boehme L, Guinet C, Hindell MA, Costa DP, Charrassin J-B et al. (2007) Variations in behavior and condition of a Southern Ocean top predator in relation to *in situ* oceanographic conditions. *Proceedings of the National Academy of Sciences, USA* 104: 13705–13710.
- Biuw M, Krafft BA, Hofmeyr GJG, Lydersen C, Kovacs KM (2009) Time budgets and at-sea behaviour of lactating female Antarctic fur seals *Arctocephalus gazella* at Bouvetøya. *Marine Ecology Progress Series* 385: 271–284.
- Biuw M, McConnell BJ, Bradshaw CJA, Burton HR, Fedak M (2003) Blubber and buoyancy: monitoring the body condition of free-ranging seals using simple dive characteristics. *The Journal of Experimental Biology* 206: 3405–3423.
- Biuw M, Nøst OA, Stien A, Zhou Q, Lydersen C, Kovacs KM (2010) Effects of hydrographic variability on the spatial, seasonal and diel diving patterns of southern elephant seals in the eastern Weddell Sea. *PLoS ONE* 5: e13816.
- Bjørge A, Thompson D, Hammond P, Fedak M, Bryant E, Aarefjord H, Roen R, Olsen M (1995) Habitat use and diving behaviour of harbour seals in a coastal archipelago in Norway. *Developments in Marine Biology* 4: 211–223.
- Blackwell SB, Haveri CA, Le Boeuf BJ, Costa DP (1999) A method for calibrating swim-speed recorders. *Marine Mammal Science* 15: 894–905.

- Blain S, Renaut S, Xing X, Claustre H, Guinet C (2013) Instrumented elephant seals reveal the seasonality in chlorophyll and light-mixing regime in the iron-fertilized Southern Ocean. *Geophysical Research Letters* 40: 1–5.
- Blanchet M, Biuw M, Hofmeyr GJG, Bruyn PJN De, Lydersen C, Kovacs KM (2013) At-sea behaviour of three krill predators breeding at Bouvetøya — Antarctic fur seals, macaroni penguins and chinstrap penguins. *Marine Ecology Progress Series* 477: 285–302.
- Blix AS, Nordøy ES (2007) Ross seal (*Ommatophoca rossii*) annual distribution, diving behaviour, breeding and moulting, off Queen Maud Land, Antarctica. *Polar Biology* 30: 1449–1458.
- Block BA, Jonsen ID, Jorgensen SJ, Winship AJ, Shaffer SA, Bograd SJ et al. (2011) Tracking apex marine predator movements in a dynamic ocean. *Nature* 475: 86–90.
- Blundell GM, Womble JN, Pendleton GW, Karpovich SA, Gende SM, Herreman JK (2011) Use of glacial and terrestrial habitats by harbor seals in Glacier Bay, Alaska: costs and benefits. *Marine Ecology Progress Series* 429: 277–290.
- Bodkin J, Ballachey B, Coletti H, Esslinger G, Kloecker K, Rice S, Reed J, Monson D (2012) Long-term effects of the “Exxon Valdez” oil spill: sea otter foraging in the intertidal as a pathway of exposure to lingering oil. *Marine Ecology Progress Series* 447: 273–287.
- Bodkin JL, Monson DH, Esslinger GG (2007) Activity budgets derived from time–depth recorders in a diving mammal. *The Journal of Wildlife Management* 71: 2034–2044.
- Boehlert GW, Costa DP, Crocker DE, Green P, O’Brien T, Levitus S, Le Boeuf BJ (2001) Autonomous pinniped environmental samplers: using instrumented animals as oceanographic data collectors. *Journal of Atmospheric and Oceanic Technology* 18: 1882–1893.
- Boehme L, Meredith M, Thorpe SE, Biuw M, Fedak M (2008) Antarctic Circumpolar Current frontal system in the South Atlantic: Monitoring using merged Argo and animal-borne sensor data. *Journal of Geophysical Research* 113: C09012.
- Boehme L, Thorpe S, Biuw M, Fedak M, Meredith MP (2008) Monitoring Drake Passage with elephant seals: Frontal structures and snapshots of transport. *Limnology and Oceanography* 53: 2350–2360.
- Bonadonna F, Lea M-A, Dehorter O, Guinet C (2001) Foraging ground fidelity and route-choice tactics of a marine predator: the Antarctic fur seal *Arctocephalus gazella*. *Marine Ecology Progress Series* 223: 287–297.
- Bonadonna F, Lea M-A, Guinet C (2000) Foraging routes of Antarctic fur seals (*Arctocephalus gazella*) investigated by the concurrent use of satellite tracking and time-depth recorders. *Polar Biology* 23: 149–159.

- Boness DJ, Bowen D, Buhleier BM, Marshall GJ (2006) Mating tactics and mating system of an aquatic-mating pinniped: the harbor seal, *Phoca vitulina*. *Behavioral Ecology and Sociobiology* 61: 119–130.
- Born EW, Teilmann J, Acquarone M, Riget FF (2004) Habitat use of Ringed seals (*Phoca hispida*) in the North Water Area (North Baffin Bay). *Arctic* 57: 129–142.
- Born EW, Teilmann J, Riget F (2002) Haul-out activity of ringed seals (*Phoca hispida*) determined from satellite telemetry. *Marine Mammal Science* 18: 167–181.
- Born EW, Wiig Ø, Thomassen J (1997) Seasonal and annual movements of radio-collared polar bears (*Ursus maritimus*) in northeast Greenland. *Journal of Marine Systems* 10: 67–77.
- Bornemann H, Kreyscher M, Ramdohr S, Martin T, Carlini AR, Sellmann L, Plötz J (2000) Southern elephant seal movements and Antarctic sea ice. *Antarctic Science* 12: 3–15.
- Bornemann H, Mohr E, Plötz J, Krause G (1998) The tide as zeitgeber for Weddell seals. *Polar Biology* 20: 396–403.
- Bowen WD, Boness DJ, Iverson SJ (1999) Diving behaviour of lactating harbour seals and their pups during maternal foraging trips. *Canadian Journal of Zoology* 77: 978–988.
- Bowen WD, Iverson SJ, Boness DJ, Oftedal OT (2001) Foraging effort, food intake and lactation performance depend on maternal mass in a small phocid seal. *Functional Ecology* 15: 325–334.
- Bowen WD, Tully D, Boness DJ, Bulheier BM, Marshall GJ (2002) Prey-dependent foraging tactics and prey profitability in a marine mammal. *Marine Ecology Progress Series* 244: 235–245.
- Boyd IL (1993) Selecting sampling frequency for measuring dive behaviour. *Marine Mammal Science* 9: 424–430.
- Boyd IL (1996) Temporal scales of foraging in a marine predator. *Ecology* 77: 426–434.
- Boyd IL (2000) Skin temperatures during free-ranging swimming and diving in Antarctic fur seals. *The Journal of Experimental Biology* 203: 1907–14.
- Boyd IL, Arnborn T (1991) Diving behaviour in relation to water temperature in the southern elephant seal: foraging implications. *Polar Biology* 11: 259–266.
- Boyd IL, Arnould JPY, Barton T, Croxall JP (1994) Foraging behaviour of Antarctic fur seals during periods of contrasting prey abundance. *Journal of Animal Ecology* 63: 703–713.
- Boyd IL, Bevan RM, Woakes AJ, Butler PJ (1999) Heart rate and behavior of fur seals : implications for measurement of field energetics. *American Journal of Physiology - Heart and Circulatory Physiology* 276: H844–H857.

- Boyd IL, Croxall JP (1992) Diving behaviour of lactating Antarctic fur seals. *Canadian Journal of Zoology* 70: 919–928.
- Boyd IL, Croxall JP (1996) Dive durations in pinnipeds and seabirds. *Canadian Journal of Zoology* 74: 1696–1705.
- Boyd IL, Hawker EJ, Brandon MA, Staniland IJ (2001) Measurement of ocean temperatures using instruments carried by Antarctic fur seals. *Journal of Marine Systems* 27: 277–288.
- Boyd IL, Lunn NJ, Barton T (1991) Time budgets and foraging characteristics of lactating Antarctic fur seals. *Journal of Animal Ecology* 60: 577–592.
- Boyd IL, McCafferty DJ, Reid K, Taylor R, Walker TR (1998) Dispersal of male and female Antarctic fur seals (*Arctocephalus gazella*). *Canadian Journal of Fisheries and Aquatic Sciences* 55: 845–852.
- Boyd IL, McCafferty DJ, Walker TG (1997) Variation in foraging effort by lactating Antarctic fur seals: response to simulated increased foraging costs. *Behavioral Ecology and Sociobiology* 40: 135–144.
- Boyd IL, Reid K, Bevan RM (1995) Swimming speed and allocation of time during the dive cycle in Antarctic fur seals. *Animal Behaviour* 50: 769–784.
- Boyd IL, Staniland IJ, Martin AR (2002) Distribution of foraging by female Antarctic fur seals. *Marine Ecology Progress Series* 242: 285–294.
- Bradshaw CJA, Higgins J, Michael KJ, Wotherspoon SJ, Hindell MA (2004) At-sea distribution of female southern elephant seals relative to variation in ocean surface properties. *ICES Journal of Marine Science* 61: 1014–1027.
- Bradshaw CJA, Hindell MA, Best NJ, Philip KL, Wilson G, Nichols PD (2003) You are what you eat: describing the foraging ecology of southern elephant seals (*Mirounga leonina*) using blubber fatty acids. *Proceedings of the Royal Society B* 270: 1283–1292.
- Bradshaw CJA, Hindell MA, Michael KJ, Sumner MD (2002) The optimal spatial scale for the analysis of elephant seal foraging as determined by geo-location in relation to sea surface temperatures. *ICES Journal of Marine Science* 59: 770–781.
- Bradshaw CJA, Hindell MA, Sumner MD, Michael KJ (2004) Loyalty pays: potential life history consequences of fidelity to marine foraging regions by southern elephant seals. *Animal Behaviour* 68: 1349–1360.
- Breed GA, Bowen WD, Leonard ML (2011) Development of foraging strategies with age in a long-lived marine predator. *Marine Ecology Progress Series* 431: 267–279.

- Breed GA, Bowen WD, Leonard ML (2013) Behavioral signature of intraspecific competition and density dependence in colony-breeding marine predators. *Ecology and Evolution* 3: 3838–3854.
- Breed GA, Bowen WD, McMillan JI, Leonard ML (2006) Sexual segregation of seasonal foraging habitats in a non-migratory marine mammal. *Proceedings of the Royal Society B* 273: 2319–2326.
- Breed GA., Costa DP, Jonsen ID, Robinson PW, Mills-Flemming J (2012) State-space methods for more completely capturing behavioral dynamics from animal tracks. *Ecological Modelling* 235-236: 49–58.
- Breed GA, Jonsen ID, Myers RA, Bowen WD, Leonard ML (2009) Sex-specific, seasonal foraging tactics of adult grey seals (*Halichoerus grypus*) revealed by state–space analysis. *Ecology* 90: 3209–3221.
- Brillinger DR, Stewart BS (1998) Elephant-seal movements: Modelling migration. *The Canadian Journal of Statistics* 26: 431–443.
- Burgess WC, Tyack PL, Le Boeuf BJ, Costa DP (1998) A programmable acoustic recording tag and first results from free-ranging northern elephant seals. *Deep Sea Research Part II* 45: 1327–1351.
- Burns JM (1999) The development of diving behavior in juvenile Weddell seals: pushing physiological limits in order to survive. *Canadian Journal of Zoology* 77: 737–747.
- Burns JM, Castellini MA. (1996) Physiological and behavioral determinants of the aerobic dive limit in Weddell seal (*Leptonychotes weddellii*) pups. *Journal of Comparative Physiology B* 166: 473–483.
- Burns JM, Castellini MA (1998) Dive data from satellite tags and time-depth recorders: a comparison in Weddell seal pups. *Marine Mammal Science* 14: 750–764.
- Burns JM, Castellini MA, Testa JW (1999) Movements and diving behavior of weaned Weddell seal (*Leptonychotes weddellii*) pups. *Polar Biology* 21: 23–36.
- Burns JM, Costa DP, Fedak M, Hindell MA, Bradshaw CJA, Gales NJ, McDonald B, Trumble SJ, Crocker DE (2004) Winter habitat use and foraging behavior of crabeater seals along the Western Antarctic Peninsula. *Deep Sea Research Part II* 51: 2279–2303.
- Burns JM, Hindell MA, Bradshaw CJA, Costa DP (2008) Fine-scale habitat selection of crabeater seals as determined by diving behavior. *Deep Sea Research Part II* 55: 500–514.
- Burns JM, Schreer JF, Castellini MA (1997) Physiological effects on dive patterns and foraging strategies in yearling Weddell seals (*Leptonychotes weddellii*). *Canadian Journal of Zoology* 75: 1796–1810.

- Call KA, Ream RR, Johnson D, Sterling JT, Towell RG (2008) Foraging route tactics and site fidelity of adult female northern fur seal (*Callorhinus ursinus*) around the Pribilof Islands. *Deep Sea Research Part II* 55: 1883–1896.
- Campagna C, Le Boeuf BJ, Blackwell SB, Crocker DE, Quintana F (1995) Diving behaviour and foraging location of female southern elephant seals from Patagonia. *Journal of Zoology, London* 236: 55–71.
- Campagna C, Dignani J, Blackwell SB, Rosa Marin M (2001) Detecting bioluminescence with an irradiance time-depth recorder deployed on southern elephant seals. *Marine Mammal Science* 17: 402–414.
- Campagna C, Fedak M, McConnell BJ (1999) Post-breeding distribution and diving behavior of adult male southern elephant seals from Patagonia. *Journal of Mammalogy* 80: 1341–1352.
- Campagna C, Piola AR, Rosa Marin M, Lewis M, Fernandez T (2006) Southern elephant seal trajectories, fronts and eddies in the Brazil/Malvinas Confluence. *Deep Sea Research I* 53: 1907–1924.
- Campagna C, Piola AR, Rosa Marin M, Lewis M, Zajaczkovski U, Fernandez T (2007) Deep divers in shallow seas: Southern elephant seals on the Patagonian shelf. *Deep Sea Research I* 54: 1792–1814.
- Campagna C, Rivas AL, Rosa Marin M (2000) Temperature and depth profiles recorded during dives of elephant seals reflect distinct ocean environments. *Journal of Marine Systems* 24: 299–312.
- Campagna C, Werner R, Karesh W, Rosa Marin M, Koontz F, Cook R, Koontz C (2001) Movements and location at sea of South American sea lions (*Otaria flavescens*). *Journal of Zoology, London* 257: 205–220.
- Canning C, Crain D, Eaton S, Nuessly K, Friedlaender A, Hurst T et al. (2011) Population-level lateralized feeding behaviour in North Atlantic humpback whales, *Megaptera novaeangliae*. *Animal Behaviour* 82: 901–909.
- Casper RM, Sumner MD, Hindell MA, Gales NJ, Staniland IJ, Goldsworthy SD (2010) The influence of diet on foraging habitat models: a case study using nursing Antarctic fur seals. *Ecography* 33: 748–759.
- Castellini MA, Kooyman GL, Ponganis PJ (1992) Metabolic rates of freely diving Weddell seals: correlations with oxygen stores, swim velocity and diving duration. *The Journal of Experimental Biology* 165: 181–94.

- Charrassin J-B, Hindell M, Rintoul SR, Roquet F, Sokolov S, Biuw M et al. (2008) Southern Ocean frontal structure and sea-ice formation rates revealed by elephant seals. *Proceedings of the National Academy of Sciences, USA* 105: 11634–11639.
- Cherry SG, Derocher AE, Thiemann GW, Lunn NJ (2013) Migration phenology and seasonal fidelity of an Arctic marine predator in relation to sea ice dynamics. *Journal of Animal Ecology* 82: 912–921.
- Chilvers BL (2008) Foraging site fidelity of lactating New Zealand sea lions. *Journal of Zoology, London* 276: 28–36.
- Chilvers BL (2009) Foraging locations of female New Zealand sea lions (*Phocarctos hookeri*) from a declining colony. *New Zealand Journal of Ecology* 33: 106–113.
- Chilvers BL, Arney JM, Huckstadt LA, Costa DP (2011) Investigating foraging utilization distribution of female New Zealand sea lions, Auckland Islands. *Polar Biology* 34: 565–574.
- Chilvers BL, Childerhouse SJ, Gales NJ (2013) Winter foraging behaviour of lactating New Zealand sea lions (*Phocarctos hookeri*). *New Zealand Journal of Marine and Freshwater Research* 47: 37–41.
- Chilvers BL, Delean S, Gales NJ, Holley DK, Lawler IR, Marsh H, Preen AR (2004) Diving behaviour of dugongs, *Dugong dugon*. *Journal of Experimental Marine Biology and Ecology* 304: 203–224.
- Chilvers BL, Wilkinson IS (2009) Diverse foraging strategies in lactating New Zealand sea lions. *Marine Ecology Progress Series* 378: 299–308.
- Chilvers BL, Wilkinson IS, Duignan PJ, Gemmell NJ (2005) Summer foraging areas for lactating New Zealand sea lions *Phocarctos hookeri*. *Marine Ecology Progress Series* 304: 235–247.
- Chilvers BL, Wilkinson IS, Duignan PJ, Gemmell NJ (2006) Diving to extremes: are New Zealand sea lions (*Phocarctos hookeri*) pushing their limits in a marginal habitat? *Journal of Zoology, London* 269: 233–240.
- Citta JJ, Suydam RS, Quakenbush LT, Frost KJ, Corry-Crowe GMO (2013) Dive Behavior of Eastern Chukchi Beluga Whales (*Delphinapterus leucas*), 1998 – 2008. *Arctic* 66: 389–406.
- Cordes LS, Duck CD, Mackey BL, Hall AJ, Thompson PM (2011) Long-term patterns in harbour seal site-use and the consequences for managing protected areas. *Animal Conservation* 14: 430–438.

- Costa DP, Crocker DE, Gedamke J, Webb PM, Houser DS, Blackwell SB, Waples D, Hayes SA, Le Boeuf BJ (2003) The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *The Journal of the Acoustical Society of America* 113: 1155.
- Costa DP, Gales NJ (2000) Foraging energetics and diving behavior of lactating New Zealand sea lions, *Phocarcos hookeri*. *The Journal of Experimental Biology* 203: 3655–65.
- Costa DP, Gales NJ (2003) Energetics of a benthic diver: seasonal foraging ecology of the Australian sea lion, *Neophoca cinerea*. *Ecological Monographs* 73: 27–43.
- Costa DP, Huckstadt LA, Crocker DE, McDonald BI, Goebel ME, Fedak MA (2010) Approaches to studying climatic change and its role on the habitat selection of Antarctic pinnipeds. *Integrative and Comparative Biology* 50: 1018–1030.
- Costa DP, Klinck JM, Hofmann EE, Dinniman MS, Burns JM (2008) Upper ocean variability in West Antarctic Peninsula continental shelf waters as measured using instrumented seals. *Deep Sea Research Part II* 55: 323–337.
- Costa DP, Kuhn CE, Weise MJ, Shaffer SA, Arnould JPY (2004) When does physiology limit the foraging behaviour of freely diving mammals? *International Congress Series* 1275: 359–366.
- Costa DP, Robinson PW, Arnould JPY, Harrison A-L, Simmons SE, Hassrick JL et al. (2010) Accuracy of ARGOS locations of pinnipeds at-sea estimated using Fastloc GPS. *PLoS ONE* 5: e8677.
- Cotte C, Guinet C, Taupier-Letage I, Mate B, Petiau E (2009) Scale-dependent habitat use by a large free-ranging predator, the Mediterranean fin whale. *Deep Sea Research I* 56: 801–811.
- Crawford JA, Frost KJ, Quakenbush LT, Whiting A (2011) Different habitat use strategies by subadult and adult ringed seals (*Phoca hispida*) in the Bering and Chukchi seas. *Polar Biology* 35: 241–255.
- Crocker DE, Le Boeuf BJ, Costa DP (1997) Drift diving in female northern elephant seals: implications for food processing. *Canadian Journal of Zoology* 75: 27–39.
- Crocker DE, Costa DP, Le Boeuf BJ, Webb PM, Houser DS (2006) Impact of El Niño on the foraging behavior of female northern elephant seals. *Marine Ecology Progress Series* 309: 1–10.
- Crocker DE, Gales NJ, Costa DP (2001) Swimming speed and foraging strategies of New Zealand sea lions (*Phocarcos hookeri*). *Journal of Zoology* 254: 267–277.

- Croll DA, Acevedo-Gutiérrez A, Tershy BR, Urbán-Ramírez J (2001) The diving behavior of blue and fin whales: is dive duration shorter than expected based on oxygen stores? *Comparative Biochemistry and Physiology Part A* 129: 797–809.
- Cronin MA, McConnell BJ (2008) SMS seal: A new technique to measure haul-out behaviour in marine vertebrates. *Journal of Experimental Marine Biology and Ecology* 362: 43–48.
- Cronin M, Zuur A, Rogan E, McConnell B (2009) Using mobile phone telemetry to investigate the haul-out behaviour of harbour seals *Phoca vitulina vitulina*. *Endangered Species Research* 10: 255–267.
- Croxall JP, Everson I, Kooyman GL, Ricketts C, Davis RW (1985) Fur seal diving behaviour in relation to vertical distribution of krill. *Journal of Animal Ecology* 54: 1–8.
- Cunningham L, Baxter JM, Boyd IL, Duck CD, Lonergan M, Moss SE, McConnell B (2009) Harbour seal movements and haul-out patterns : implications for monitoring and management. *Aquatic Conservation: Marine and Freshwater Ecosystems* 19: 398–407.
- Dalla Rosa L, Secchi ER, Maia YG, Zerbini AN, Heide-Jorgensen MP (2008) Movements of satellite-monitored humpback whales on their feeding ground along the Antarctic Peninsula. *Polar Biology* 31: 771–781.
- Davis RW, Fuiman LA, Madden KM, Williams TM (2013) Classification and behavior of free-ranging Weddell seal dives based on three-dimensional movements and video-recorded observations. *Deep Sea Research Part II* 88-89: 65–77.
- Davis RW, Fuiman LA, Williams TM, Le Boeuf BJ (2001) Three-dimensional movements and swimming activity of a northern elephant seal. *Comparative Biochemistry and Physiology Part A* 129: 759–770.
- Davis RW, Fuiman LA, Williams TM, Collier SO, Hagey WP, Kanatous SB, Kohin S, Horning M (1999) Hunting behavior of a marine mammal beneath the Antarctic fast ice. *Science* 283: 993–996.
- Davis RW, Fuiman LA, Williams TM, Horning M, Hagey W (2003) Classification of Weddell seal dives based on 3-dimensional movements and video-recorded observations. *Marine Ecology Progress Series* 264: 109–122.
- Davis RW, Hagey W, Horning M (2004) Monitoring the behavior and multi-dimensional movements of Weddell seals using an animal-borne video and data recorder. *Memoirs of the National Institute of Polar Research, Special Issue* 58: 150–156.
- Davis RW, Jaquet N, Gendron D, Markaida U, Bazzino G, Gilly W (2007) Diving behavior of sperm whales in relation to behavior of a major prey species, the jumbo squid, in the Gulf of California, Mexico. *Marine Ecology Progress Series* 333: 291–302.

- de Bruyn PJN, Tosh CA, Bester MN, Cameron EZ, McIntyre T, Wilkinson IS (2011) Sex at sea: alternative mating system in an extremely polygynous mammal. *Animal Behaviour* 82: 445–451.
- de Bruyn PJN, Tosh CA, Oosthuizen WC, Bester MN, Arnould JPY (2009) Bathymetry and frontal system interactions influence seasonal foraging movements of lactating subantarctic fur seals from Marion Island. *Marine Ecology Progress Series* 394: 263–276.
- Del Villar-Guerra D, Cronin M, Dabrowski T, Bartlett D (2012) Seals as collectors of oceanographic data in the coastal zone. *Estuarine, Coastal and Shelf Science* 115: 272–281.
- Delong RL, Kooyman GL, Gilmartin WG, Loughlin TR (1984) Hawaiian monk seal diving behavior. *Acta Zoologica Fennica* 172: 129–131.
- Delong RL, Stewart BS (1991) Diving patterns of northern elephant seal bulls. *Marine Mammal Science* 7: 369–384.
- Dendrinou P, Karamanlidis AA, Androukaki E, McConnell BJ (2007) Diving development and behavior of a rehabilitated Mediterranean monk seal (*Monachus monachus*). *Marine Mammal Science* 23: 387–397.
- Deruiter SL, Southall BL, Calambokidis J, Zimmer WMX, Sadykova D, Falcone EA et al. (2013) First direct measurements of behavioural responses by Cuvier's beaked whales to mid-frequency active sonar. *Biology Letters* 9: 20130223.
- Dietz R, Heide-Jørgensen MP, Richard P, Orr J, Laidre K, Schmidt HC (2008) Movements of narwhals (*Monodon monoceros*) from Admiralty Inlet monitored by satellite telemetry. *Polar Biology* 31: 1295–1306.
- Dietz R, Shapiro AD, Bakhtiari M, Orr J, Tyack PL, Richard P, Eskesen IG, Marshall G (2007) Upside-down swimming behaviour of free-ranging narwhals. *BMC Ecology* 7: 14.
- Dietz R, Teilmann J, Andersen SM, Riget F, Olsen MT (2013) Movements and site fidelity of harbour seals (*Phoca vitulina*) in Kattegat, Denmark, with implications for the epidemiology of the phocine distemper virus. *ICES Journal of Marine Science* 70: 186–195.
- Doniol-Valcroze T, Lesage V, Giard J, Michaud R (2011) Optimal foraging theory predicts diving and feeding strategies of the largest marine predator. *Behavioral Ecology* 22: 880–888.
- Dragon A-C, Bar-Hen A, Monestiez P, Guinet C (2012) Horizontal and vertical movements as predictors of foraging success in a marine predator. *Marine Ecology Progress Series* 447: 243–257.

- Dragon A, Bar-Hen A, Monestiez P, Guinet C (2012) Comparative analysis of methods for inferring successful foraging areas from Argos and GPS tracking data. *Marine Ecology Progress Series* 452: 253–267.
- Dragon A-C, Monestiez P, Bar-Hen A, Guinet C (2010) Linking foraging behaviour to physical oceanographic structures: Southern elephant seals and mesoscale eddies east of Kerguelen Islands. *Progress in Oceanography* 87: 61–71.
- Durner GM, Whiteman JP, Harlow HJ, Amstrup SC, Regehr E V, Ben-David M (2011) Consequences of long-distance swimming and travel over deep-water pack ice for a female polar bear during a year of extreme sea ice retreat. *Polar Biology* 34: 975–984.
- Eder EB, Lewis MN, Marín MR, Campagna C (2011) On- and off-shelf diving effort of juvenile elephant seals from Península Valdés determined by light loggers. *Journal of Mammalogy* 92: 811–818.
- Edwards HH, Pollock KH, Ackerman BB, Reynolds JE, Powell JA (2007) Estimation of detection probability in manatee aerial surveys at a winter aggregation site. *Journal of Wildlife Management* 71: 2052–2060.
- Eguchi T, Harvey JT (2005) Diving behavior of the Pacific harbor seal (*Phoca vitulina richardii*) in Monterey Bay, California. *Marine Mammal Science* 21: 283–295.
- Eisert R, Oftedal OT, Lever M, Ramdohr S, Breier BH, Barrell GK (2005) Detection of food intake in a marine mammal using marine osmolytes and their analogues as dietary biomarkers. *Marine Ecology Progress Series* 300: 213–228.
- Elwen S, Meýer MA, Best PB, Kotze PGH, Thornton M, Swanson S (2006) Range and movements of female Heaviside's dolphins (*Cephalorhynchus heavisidii*), as determined by satellite-linked telemetry. *Journal of Mammalogy* 87: 866–877.
- Evans WE (1971) Orientation behavior of delphinids: radio telemetric studies. *Annals of the New York Academy of Sciences* 188: 142–160.
- Fadely BS, Robson BW, Sterling JT, Greig A, Call KA (2005) Immature Steller sea lion (*Eumetopias jubatus*) dive activity in relation to habitat features of the eastern Aleutian Islands. *Fisheries Oceanography* 14 (Suppl. 1): 243–258.
- Falke KJ, Hill RD, Qvist J, Schneider RC, Guppy M, Liggins GC, Hochachka PW, Elliott RE, Zapol WM (1985) Seal lungs collapse during free diving: evidence from arterial nitrogen tensions. *Science* 229: 556–558.
- Fedak MA, Anderson SS, Curry MG (1983) Attachment of a radio tag to the fur of seals. *Journal of Zoology, London* 200: 298–300.

- Feldkamp SD, DeLong RL, Antonelis GA (1989) Diving patterns of California sea lions, *Zalophus californianus*. *Canadian Journal of Zoology* 67: 872–883.
- Ferguson SH, Dueck L, Loseto LL, Luque SP (2010) Bowhead whale *Balaena mysticetus* seasonal selection of sea ice. *Marine Ecology Progress Series* 411: 285–297.
- Ferguson SH, Taylor MK, Born EW, Messier F (1998) Fractals, sea-ice landscape and spatial patterns of polar bears. *Journal of Biogeography* 25: 1081–1092.
- Ferguson SH, Taylor MK, Born EW, Rosing-Asvid A, Messier F (1999) Determinants of home range size for polar bears (*Ursus maritimus*). *Ecology Letters* 2: 311–318.
- Ferguson SH, Taylor MK, Born EW, Rosing-Asvid A, Messier F (2001) Activity and movement patterns of polar bears inhabiting consolidated versus active pack ice. *Arctic* 54: 49–54.
- Ferguson SH, Taylor MK, Messier F (1997) Space use by polar bears in and around Auyuittuq National Park, Northwest Territories, during the ice-free period. *Canadian Journal of Zoology* 75: 1585–1594.
- Field I, Bradshaw CJA, Burton HR, Hindell MA (2004) Seasonal use of oceanographic and fisheries management zones by juvenile southern elephant seals (*Mirounga leonina*) from Macquarie Island. *Polar Biology* 27: 432–440.
- Field IC, Bradshaw CJA, Burton HR, Sumner MD, Hindell MA (2005) Resource partitioning through oceanic segregation of foraging juvenile southern elephant seals (*Mirounga leonina*). *Oecologia* 142: 127–135.
- Field IC, Harcourt RG, Boehme L, de Bruyn PJN, Charrassin J-B, McMahon CR, Bester MN, Fedak MA., Hindell MA. (2012) Refining instrument attachment on phocid seals. *Marine Mammal Science* 28: E325–E332.
- Field I, Hindell MA, Slip D, Michael KJ (2001) Foraging strategies of southern elephant seals (*Mirounga leonina*) in relation to frontal zones and water masses. *Antarctic Science* 13: 371–379.
- Flamm RO, Weigle BL, Wright IE, Ross M, Aglietti S (2005) Estimation of manatee (*Trichechus manatus latirostris*) places and movements corridors using telemetry data. *Ecological Applications* 15: 1415–1426.
- Fletcher S, Le Boeuf BJ, Costa DP, Tyack PL, Blackwell SB (1996) Onboard acoustic recording from diving northern elephant seals. *The Journal of the Acoustical Society of America* 100: 2531–2539.
- Folkow LP, Blix AS (1999) Diving behaviour of hooded seals (*Cystophora cristata*) in the Greenland and Norwegian Seas. *Polar Biology* 22: 61–74.

- Folkow LP, Mårtensson P-E, Blix AS (1996) Annual distribution of hooded seals (*Cystophora cristata*) in the Greenland and Norwegian Seas. *Polar Biology* 16: 179–189.
- Folkow LP, Nordøy ES, Blix AS (2004) Distribution and diving behaviour of harp seals (*Pagophilus groenlandicus*) from the Greenland Sea stock. *Polar Biology* 27: 281–298.
- Folkow LP, Nordøy ES, Blix AS (2010) Remarkable development of diving performance and migrations of hooded seals (*Cystophora cristata*) during their first year of life. *Polar Biology* 33: 433–441.
- Ford JKB, Durban JW, Ellis GM, Towers JR, Pilkington JF, Barrett-Lennard L, Andrews RD (2013) New insights into the northward migration route of gray whales between Vancouver Island, British Columbia, and southeastern Alaska. *Marine Mammal Science* 29: 325–337.
- Fowler SL, Costa DP, Arnould JPY (2007) Ontogeny of movements and foraging ranges in the Australian sea lion. *Marine Mammal Science* 23: 598–614.
- Fowler SL, Costa DP, Arnould JPY, Gales NJ, Kuhn CE (2006) Ontogeny of diving behaviour in the Australian sea lion: trials of adolescence in a late bloomer. *Journal of Animal Ecology* 75: 358–367.
- Freitas C, Kovacs K, Andersen M, Aars J, Sandven S, Skern-Mauritzen M, Pavlova O, Lydersen C (2012) Importance of fast ice and glacier fronts for female polar bears and their cubs during spring in Svalbard, Norway. *Marine Ecology Progress Series* 447: 289–304.
- Freitas C, Kovacs KM, Ims RA, Fedak MA, Lydersen C (2008) Ringed seal post-moulting movement tactics and habitat selection. *Oecologia* 155: 193–204.
- Freitas C, Kovacs KM, Ims RA, Fedak MA, Lydersen C (2009) Deep into the ice: over-wintering and habitat selection in male Atlantic walruses. *Marine Ecology Progress Series* 375: 247–261.
- Freitas C, Kovacs KM, Ims RA, Lydersen C (2008) Predicting habitat use by ringed seals (*Phoca hispida*) in a warming Arctic. *Ecological Modelling* 217: 18–32.
- Freitas C, Kovacs KM, Lydersen C, Ims RA (2008) A novel method for quantifying habitat selection and predicting habitat use. *Journal of Applied Ecology* 45: 1213–1220.
- Freitas C, Lydersen C, Fedak M, Kovacs KM (2008) A simple new algorithm to filter marine mammal Argos locations. *Marine Mammal Science* 24: 315–325.
- Frid A, Burns J, Baker GG, Thorne RE (2009) Predicting synergistic effects of resources and predators on foraging decisions by juvenile Steller sea lions. *Oecologia* 158: 775–786.

- Friedlaender AS, Johnston DW, Fraser WR, Burns J, Patrick N. H, Costa DP (2011) Ecological niche modeling of sympatric krill predators around Marguerite Bay, Western Antarctic Peninsula. *Deep Sea Research Part II* 58: 1729–1740.
- Fuiman A, Davis W, Williams M (2002) Behavior of midwater fishes under the Antarctic ice : observations by a predator. *Marine Biology* 140: 815–822.
- Fuiman LA, Madden KM, Williams TM, Davis RW (2007) Structure of foraging dives by Weddell seals at an offshore isolated hole in the Antarctic fast-ice environment. *Deep Sea Research Part II* 54: 270–289.
- Fujimoto Y (2010) Tracking of spotted seals (*Phoca largha*) in Hokkaido using satellite transmitters. *The Japanese Journal of Veterinary Research* 58: 75–76.
- Gales R, Alderman R, Thalmann S, Carlyon K (2012) Satellite tracking of long-finned pilot whales (*Globicephala melas*) following stranding and release in Tasmania, Australia. *Wildlife Research* 39: 520–531.
- Gallon S, Bailleul F, Charrassin J-B, Guinet C, Bost C-A., Handrich Y, Hindell M (2013) Identifying foraging events in deep diving southern elephant seals, *Mirounga leonina*, using acceleration data loggers. *Deep Sea Research Part II* 88-89: 14-22.
- Gastebois C, Viviant M, Guinet C (2011) Ontogeny of aquatic behaviours in Antarctic fur seal (*Arctocephalus gazella*) pups in relation to growth performances at Kerguelen Islands. *Polar Biology* 34: 1097–1103.
- Gaydos JK, Vilchis LI, Lance MM, Jeffries SJ, Thomas A, Greenwood V, Harner P, Ziccardi MH (2013) Postrelease movement of rehabilitated harbor seal (*Phoca vitulina richardii*) pups compared with cohort-matched wild seal pups. *Marine Mammal Science* 29: 282–294.
- Gazo M, Lydersen C, Aguilar A (2006) Diving behaviour of Mediterranean monk seal pups during lactation and post weaning. *Marine Ecology Progress Series* 308: 303–309.
- Georges J-Y, Bonadonna F, Guinet C (2000) Foraging habitat and diving activity of lactating Subantarctic fur seals in relation to sea-surface temperatures at Amsterdam Island. *Marine Ecology Progress Series* 196: 291–304.
- Georges J-Y, Tremblay Y, Guinet C (2000) Seasonal diving behaviour in lactating subantarctic fur seals on Amsterdam Island. *Polar Biology* 23: 59–69.
- Gerpe M, Rodriguez D, Moreno V, Bastida R, Aizpun J (2007) Copper, zinc, cadmium, and mercury in southern sea lions (*Otaria flavescens*) from Argentina. *Aquatic Mammals* 33: 223–228.

- Geschke K, Chilvers BL (2009) Managing big boys: a case study on remote anaesthesia and satellite tracking of adult male New Zealand sea lions (*Phocarctos hookeri*). *Wildlife Research* 36: 666–674.
- Gjertz I, Griffiths D, Krafft B a., Lydersen C, Wiig Ø (2001) Diving and haul-out patterns of walrus *Odobenus rosmarus* on Svalbard. *Polar Biology* 24: 314–319.
- Gjertz I, Kovacs KM, Lydersen C, Wiig Ø (2000a) Movements and diving of adult ringed seals (*Phoca hispida*) in Svalbard. *Polar Biology* 23: 651–656.
- Gjertz I, Kovacs KM, Lydersen C, Wiig Ø (2000b) Movements and diving of bearded seal (*Erignathus barbatus*) mothers and pups during lactation and post-weaning. *Polar Biology* 23: 559–566.
- Gjertz I, Lydersen C, Wiig Ø (2001) Distribution and diving of harbour seals (*Phoca vitulina*) in Svalbard. *Polar Biology* 24: 209–214.
- Goldbogen JA, Calambokidis J, Friedlaender AS, Francis J, Deruiter SL, Stimpert AK et al. (2013) Underwater acrobatics by the world’s largest predator: 360° rolling manoeuvres by lunge-feeding blue whales. *Biology Letters* 9: 20120986.
- Goldsworthy SD, Page B, Welling A, Chambellant M, Bradshaw CJA (2010) Selection of diving strategy by Antarctic fur seals depends on where and when foraging takes place. *Marine Ecology Progress Series* 409: 255–266.
- Gomez JJ, Cassini MH (2013) Analysis of environmental correlates of sexual segregation in northern elephant seals using species distribution models. *Marine Biology* 161:481-487.
- Greaves DK, Hughson RL, Topor Z, Schreer JF, Burns JM, Hammill MO (2004) Changes in heart rate variability during diving in young harbor seals, *Phoca vitulina*. *Marine Mammal Science* 20: 861–871.
- Greaves DK, Schreer JF, Hammill MO, Burns JM (2005) Diving heart rate development in postnatal harbour seals, *Phoca vitulina*. *Physiological and Biochemical Zoology* 78: 9–17.
- Grigg EK, Allen SG, Craven-Green DE, Klimley AP, Markowitz H, Elliott-Fisk DL (2012) Foraging distribution of Pacific harbor seals (*Phoca vitulina richardii*) in a highly impacted estuary. *Journal of Mammalogy* 93: 282–293.
- Grist JP, Josey SA, Boehme L, Meredith MP, Davidson FJM, Stenson GB, Hammill MO (2011) Temperature signature of high latitude Atlantic boundary currents revealed by marine mammal-borne sensor and Argo data. *Geophysical Research Letters* 38: L15601.
- Guinet C, Dubroca L, Lea M-A, Goldsworthy SD, Cherel Y, Duhamel G, Bonadonna F, Donnay J-P (2001) Spatial distribution of foraging in female Antarctic fur seals *Arctocephalus*

gazella in relation to oceanographic variables: a scale-dependent approach using geographic information systems. *Marine Ecology Progress Series* 219: 251–264.

- Guinet C, Servera N, Deville T, Beauplet GI (2005) Changes in subantarctic fur seal pups' activity budget and diving behaviours throughout the rearing period. *Canadian Journal of Zoology* 83: 962–970.
- Gurarie E, Andrews RD, Laidre KL (2009) A novel method for identifying behavioural changes in animal movement data. *Ecology Letters* 12: 395–408.
- Hagihara R, Jones RE, Sheppard JK, Hodgson AJ, Marsh H (2011) Minimizing errors in the analysis of dive recordings from shallow-diving animals. *Journal of Experimental Marine Biology and Ecology* 399: 173–181.
- Hakoyama H, Le Boeuf BJ, Naito Y, Sakamoto W (1994) Diving behavior in relation to ambient water temperature in northern elephant seals. *Canadian Journal of Zoology* 72: 643–651.
- Hammill MO, Kovacs KM, Lydersen C (1994) Local movements by nursing bearded seal (*Erignathus barbatus*) pups in Kongsfjorden, Svalbard. *Polar Biology* 14: 569–570.
- Hammill MO, Lesage V, Lobb G, Carter P (1999) A remote release mechanism to recover time-depth recorders from marine mammals. *Marine Mammal Science* 15: 584–588.
- Han J, Lu Z, Tian J, Ma Z, Wang Z, Yang Y, Wang Q, Song X, Peng Z (2013) Release studies on spotted seals (*Phoca largha*) using satellite telemetry tracking technique. *Acta Theriologica Sinica* 33: 300–307.
- Hanson MB, Baird RW (1998) Dall's porpoise reactions to tagging attempts using a remotely-deployed suction-cup tag. *Marine Technology Society Journal* 32: 18–23.
- Hanson N, Thompson D, Duck C, Moss S, Lonergan M (2013) Pup Mortality in a rapidly declining harbour seal (*Phoca vitulina*) population. *PLoS ONE* 8: e80727.
- Harcourt RG, Bradshaw CJA, Davis LS (2001) Summer foraging behaviour of a generalist predator, the New Zealand fur seal (*Arctocephalus forsteri*). *Wildlife Research* 28: 599–606.
- Harcourt RG, Bradshaw CJA, Dickson K, Davis LS (2002) Foraging ecology of a generalist predator, the female New Zealand fur seal. *Marine Ecology Progress Series* 227: 11–24.
- Harcourt RG, Hindell MA, Bell DG, Waas JR (2000) Three-dimensional dive profiles of free-ranging Weddell seals. *Polar Biology* 23: 479–487.
- Harcourt RG, Kingston JJ, Waas JR, Hindell MA (2008) Foraging while breeding: alternative mating strategies by male Weddell seals? *Aquatic Conservation: Marine and Freshwater Ecosystems* 17: S68–S78.

- Harcourt RG, Schulman AM, Davis LS, Trillmich F (1995) Summer foraging by lactating female New Zealand fur seals (*Arctocephalus forsteri*) off Otago Peninsula, New Zealand. *Canadian Journal of Zoology* 73: 678–690.
- Harvey V, Hammill M, Swain D, Breed G, Lydersen C, Kovacs K (2012) Winter foraging by a top predator, the grey seal *Halichoerus grypus*, in relation to the distribution of prey. *Marine Ecology Progress Series* 462: 273–286.
- Hassrick JL, Crocker DE, Costa DP (2013) Effects of maternal age and mass on foraging behaviour and foraging success in the northern elephant seal. *Functional Ecology* 27: 1055–1063.
- Hassrick JL, Crocker DE, Teutschel NM, McDonald BI, Robinsons PW, Simmons SE, Costa DP (2010) Condition and mass impact oxygen stores and dive duration in adult female northern elephant seals. *The Journal of Experimental Biology* 213: 585–592.
- Hassrick JL, Crocker DE, Zeno RL, Blackwell SB, Costa DP, Le Boeuf BJ (2007) Swimming speed and foraging strategies of northern elephant seals. *Deep Sea Research Part II* 54: 369–383.
- Hastings KK, Frost KJ, Simpkins MA, Pendleton GW, Swain UG, Small RJ (2004) Regional differences in diving behavior of harbor seals in the Gulf of Alaska. *Canadian Journal of Zoology* 82: 1755–1773.
- Hayes SA, Costa DP, Harvey JT, Le Boeuf B JL (2004) Aquatic mating strategies of the male Pacific harbor seal (*Phoca vitulina richardii*): are males defending the hotspot? *Marine Mammal Science* 20: 639–656.
- Hazen EL, Friedlaender AS, Thompson MA, Ware CR, Weinrich MT, Halpin PN, Wiley DN (2009) Fine-scale prey aggregations and foraging ecology of humpback whales *Megaptera novaeangliae*. *Marine Ecology Progress Series* 395: 75–89.
- Heaslip SG, Hooker SK (2008) Effect of animal-borne camera and flash on the diving behaviour of the female Antarctic fur seal (*Arctocephalus gazella*). *Deep Sea Research Part I* 55: 1179–1192.
- Heerah K, Andrews-Goff V, Williams G, Sultan E, Hindell M, Patterson T, Charrassin J-B (2013) Ecology of Weddell seals during winter: Influence of environmental parameters on their foraging behaviour. *Deep Sea Research Part II* 88-89: 23-33.
- Heide-Jørgensen AMP, Dietz R, Laidre KL, Nicklen P, Garde E, Richard P, Orr J (2008) Resighting of narwhal (*Monodon monoceros*) instrumented with a satellite transmitter. *Arctic* 61: 395–398.

- Heide-Jørgensen MP, Kleivane L, Øien N, Laidre KL, Jensen M V (2001) A new technique for deploying satellite transmitters on baleen whales: tracking a blue whale (*Balaenoptera musculus*) in the North Atlantic. *Marine Mammal Science* 17: 949–954.
- Heide-Jørgensen MP, Laidre KL, Jensen M V, Dueck L, Postma LD (2006) Dissolving stock discreteness with satellite tracking: bowhead whales in Baffin Bay. *Marine Mammal Science* 22: 34–45.
- Heide-Jørgensen MP, Laidre KL, Litovka D, Villum Jensen M, Grebmeier JM, Sirenko BI (2012) Identifying gray whale (*Eschrichtius robustus*) foraging grounds along the Chukotka Peninsula, Russia, using satellite telemetry. *Polar Biology* 35: 1035–1045.
- Heide-Jørgensen MP, Laidre KL, Nielsen NH, Hansen RG, Røstad A (2013) Winter and spring diving behavior of bowhead whales relative to prey. *Animal Biotelemetry* 1: 15.
- Heide-Jørgensen MP, Laidre KL, Quakenbush LT, Citta JJ (2012) The Northwest Passage opens for bowhead whales. *Biology Letters* 8: 270–273.
- Heide-Jørgensen MP, Laidre KL, Richard P (2002) Autumn movements, home ranges, and winter density of narwhals (*Monodon monoceros*) tagged in Tremblay Sound, Baffin Island. *Polar Biology* 25: 331–341.
- Heide-Jørgensen MP, Richard P, Dietz R, Laidre KL, Orr J, Schmidt HC (2003) An estimate of the fraction of belugas (*Delphinapterus leucas*) in the Canadian high Arctic that winter in West Greenland. *Polar Biology* 26: 318–326.
- Heide-Jørgensen MP, Stewart BS, Leatherwood S (1992) Satellite tracking of ringed seals *Phoca hispida* off northwest Greenland. *Ecography* 15: 56–61.
- Hindell MA, Bradshaw CJA, Sumner MD, Michael KJ, Burton HR (2003) Dispersal of female southern elephant seals and their prey consumption during the austral summer: relevance to management and oceanographic zones. *Journal of Applied Ecology* 40: 703–715.
- Hindell MA, Burton HR, Slip DJ (1991) Foraging areas of southern elephant seals, *Mirounga leonina*, as inferred from water temperature data. *Australian Journal of Marine and Freshwater Research* 42: 115–128.
- Hindell M, Harcourt R, Waas J, Thompson D (2002) Fine-scale three-dimensional spatial use by diving, lactating female Weddell seals *Leptonychotes weddellii*. *Marine Ecology Progress Series* 242: 275–284.
- Hindell M, Lea M-A (1998) Heart rate, swimming speed, and estimated oxygen consumption of a free-ranging southern elephant seal. *Physiological Zoology* 71: 74–84.

- Hindell MA, Lea M-A, Morrice MG, McMahon CR (2000) Metabolic limits on dive duration and swimming speed in the southern elephant seal *Mirounga leonina*. *Physiological and Biochemical Zoology* 73: 790–798.
- Hindell MA, McConnell BJ, Fedak M, Slip D, Burton HR, Reijnders PJH, McMahon CR (1999) Environmental and physiological determinants of successful foraging by naive southern elephant seal pups during their first trip to sea. *Canadian Journal of Zoology* 77: 1807–1821.
- Hindell MA, Pemberton D (1997) Successful use of a translocation program to investigate diving behavior in a male Australian fur seal, *Arctocephalus pusillus doriferus*. *Marine Mammal Science* 13: 219–228.
- Hindell MA, Slip DJ, Burton HR (1991) The diving behaviour of adult male and female southern elephant seals, *Mirounga leonina* (Pinnipedia: Phocidae). *Australian Journal of Zoology* 39: 595–619.
- Hindell MA, Slip DJ, Burton HR, Bryden MM (1992) Physiological implications of continuous, prolonged, and deep dives of the southern elephant seal (*Mirounga leonina*). *Canadian Journal of Zoology* 70: 370–379.
- Hindle AG, Rosen DAS, Trites AW (2010) Swimming depth and ocean currents affect transit costs in Steller sea lions *Eumetopias jubatus*. *Aquatic Biology* 10: 139–148.
- Hindle AG, Young BL, Rosen DAS, Haulena M, Trites AW (2010) Dive response differs between shallow- and deep-diving Steller sea lions (*Eumetopias jubatus*). *Journal of Experimental Marine Biology and Ecology* 394: 141–148.
- Hobbs RC, Laidre KL, Vos DJ, Mahoney BA, Eagleton M (2005) Movements and area use of belugas, *Delphinapterus leucas*, in a subarctic Alaskan estuary. *Arctic* 58: 331–340.
- Hooker SK, Baird RW (1999) Deep-diving behaviour of the northern bottlenose whale, *Hyperoodon ampullatus* (Cetacea: Ziphiidae). *Proceedings of the Royal Society B* 266: 671–676.
- Hooker SK, Baird RW, Fahlman A (2009) Could beaked whales get the bends? Effect of diving behaviour and physiology on modelled gas exchange for three species: *Ziphius cavirostris*, *Mesoplodon densirostris* and *Hyperoodon ampullatus*. *Respiratory Physiology & Neurobiology* 167: 235–246.
- Hooker SK, Boyd IL (2003) Salinity sensors on seals: use of marine predators to carry CTD data loggers. *Deep Sea Research Part I* 50: 927–939.
- Hooker SK, Boyd IL, Jessop M, Cox O, Blackwell J, Boveng PL, Bengtson JL (2002) Monitoring the prey-field of marine predators: combining digital imaging with datalogging tags. *Marine Mammal Science* 18: 680–697.

- Hooker SK, Heaslip SG, Matthiopoulos J, Cox O, Boyd IL (2008) Data sampling options for animal-borne video cameras: considerations based on deployments with Antarctic fur seals. *Marine Technology Society Journal* 42: 65–75.
- Hooker SK, Miller PJO, Johnson MP, Cox OP, Boyd IL (2005) Ascent exhalations of Antarctic fur seals: a behavioural adaptation for breath-hold diving? *Proceedings of the Royal Society B* 272: 355–363.
- Hooker SK, Whitehead H, Gowans S, Baird RW (2002) Fluctuations in distribution and patterns of individual range use of northern bottlenose whales. *Marine Ecology Progress Series* 225: 287–297.
- Horning M, Haulena M, Tuomi PA, Mellish J-AE (2008) Intraperitoneal implantation of life-long telemetry transmitters in otariids. *BMC Veterinary Research* 4: 51 doi:10.1186/1746-6148-4-51
- Horning M, Hill RD (2005) Designing an archival satellite transmitter for life-long deployments on oceanic vertebrates: The life history transmitter. *IEEE Journal of Oceanic Engineering* 30: 807–817.
- Horning M, Trillmich F (1997) Ontogeny of diving behaviour in the Galápagos fur seal. *Behaviour* 134: 1211–1257.
- Horning M, Trillmich F (1999) Lunar cycles in diel prey migrations exert a stronger effect on the diving of juveniles than adult Galápagos fur seals. *Proceedings of the Royal Society B* 266: 1127–1132.
- Horsburgh JM, Morrice M, Lea M-A, Hindell MA (2008) Determining feeding events and prey encounter rates in a southern elephant seal: a method using swim speed and stomach temperature. *Marine Mammal Science* 24: 207–217.
- Hoskins AJ, Arnould JPY (2013) Temporal allocation of foraging effort in female Australian fur seals (*Arctocephalus pusillus doriferus*). *PLoS ONE* 8: e79484.
- Hückstädt LA, Koch PL, McDonald BI, Goebel ME, Crocker DE, Costa DP (2012) Stable isotope analyses reveal individual variability in the trophic ecology of a top marine predator, the southern elephant seal. *Oecologia* 169: 395–406.
- Ichii T, Bengtson JL, Boveng PL, Takao Y, Jansen JK, Hiruki-Raring LM et al. (2007) Provisioning strategies of Antarctic fur seals and chinstrap penguins produce different responses to distribution of common prey and habitat. *Marine Ecology Progress Series* 344: 277–297.
- Insley SJ, Robson BW, Yack T, Ream RR, Burgess WC (2008) Acoustic determination of activity and flipper stroke rate in foraging northern fur seal females. *Endangered Species Research* 4: 147–155.

- Irvine LG, Hindell MA, Van den Hoff J, Burton HR (2000) The influence of body size on dive duration of underyearling southern elephant seals (*Mirounga leonina*). *Journal of Zoology, London* 251: 463–471.
- Iwata T, Sakamoto KQ, Takahashi A, Edwards EWJ, Staniland IJ, Trathan PN, Naito Y (2012) Using a mandible accelerometer to study fine-scale foraging behavior of free-ranging Antarctic fur seals. *Marine Mammal Science* 28: 345–357.
- James BS, McIntyre T, Tosh CA, Bornemann H, Plötz J, Bester MN (2012) Inter-population differences in diving behaviour of adult male southern elephant seals (*Mirounga leonina*). *Polar Biology* 35: 1759–1766.
- Jaud T, Dragon A-C, Garcia JV, Guinet C (2012) Relationship between chlorophyll a concentration, light attenuation and diving depth of the Southern elephant seal *Mirounga leonina*. *PloS ONE* 7: e47444.
- Jay CV, Garner GW (2002) Performance of a satellite-linked GPS on Pacific walruses (*Odobenus rosmarus divergens*). *Polar Biology* 25: 235–237.
- Jeglinski JWE, Goetz KT, Werner C, Costa DP, Trillmich F (2013) Same size – same niche ? Foraging niche separation between sympatric juvenile Galapagos sea lions and adult Galapagos fur seals. *Journal of Animal Ecology* 82: 694–706.
- Jeglinski JWE, Werner C, Robinson PW, Costa DP, Trillmich F (2012) Age, body mass and environmental variation shape the foraging ontogeny of Galapagos sea lions. *Marine Ecology Progress Series* 453: 279–296
- Jensen FH, Marrero Perez J, Johnson M, Aguilar Soto N, Madsen PT (2011) Calling under pressure: short-finned pilot whales make social calls during deep foraging dives. *Proceedings of the Royal Society B* 278: 3017–3025.
- Jessopp M, Cronin M, Hart T (2013) Habitat-mediated dive behavior in free-ranging Grey Seals. *PLoS ONE* 8: e63720.
- Johnson DS, Hooten MB, Kuhn CE (2013) Estimating animal resource selection from telemetry data using point process models. *Journal of Animal Ecology* 82: 1155–1164.
- Johnson DS, London JM, Lea M-A, Durban JW (2008) Continuous-time correlated random walk model for animal telemetry data. *Ecology* 89: 1208–1215.
- Jonker FC, Bester MN (1994) The diving behaviour of adult southern elephant seal, *Mirounga leonina*, cows from Marion Island. *South African Journal of Antarctic Research* 24: 75–93.
- Jonker FC, Bester MN (1998) Seasonal movements and foraging areas of adult southern female elephant seals, *Mirounga leonina*, from Marion Island. *Antarctic Science* 10: 21–30.

- Jonsen ID, Flemming JM, Myers RA (2005) Robust state-space modeling of animal movement data. *Ecology* 86: 2874–2880.
- Jørgensen C, Lydersen C, Brix O, Kovacs KM (2001) Diving development in nursing harbour seal pups. *The Journal of Experimental Biology* 204: 3993–4004.
- Kelly BP, Badajos OH, Kunnsaranta M, Moran JR, Martinez-Bakker M, Wartzok D, Boveng P (2010) Seasonal home ranges and fidelity to breeding sites among ringed seals. *Polar Biology* 33: 1095–1109.
- Kikuchi M, Sakamoto KQ, Sato K (2010) Acquisition of gliding skills by Weddell seal (*Leptonychotes weddellii*) pups during lactation. *Polar Biology* 33: 1429–1435.
- Kirkwood R, Arnould JPY (2011) Foraging trip strategies and habitat use during late pup rearing by lactating Australian fur seals. *Australian Journal of Zoology* 59: 216.
- Kooyman GL (1965) Techniques used in measuring diving capabilities of Weddell seals. *Polar Record* 12: 391–394.
- Kooyman GL (1966) Maximum diving capacities of the Weddell seal (*Leptonychotes weddellii*). *Science* 151: 1553–1554.
- Kooyman GL, Campbell WB (1972) Heart rates in freely diving Weddell Seals, *Leptonychotes weddelli*. *Comparative Biochemistry and Physiology A* 43: 31–36.
- Kooyman GL, Castellini MA, Davis RW, Maue RA (1983) Aerobic diving limits of immature Weddell seals. *Journal of Comparative Physiology B* 151: 171–174.
- Kooyman GL, Gentry RL, Urquhart DL (1976) Northern fur seal diving behavior: a new approach to its study. *Science* 193: 411–412.
- Kooyman GL, Wahrenbrock EA, Castellini MA, Davis RW, Sinnett EE (1980) Metabolism during voluntary diving in Weddell seals : evidence of preferred pathways from blood chemistry and behavior. *Journal of Comparative Physiology B* 138: 335–346.
- Krafft BA, Lydersen C, Gjertz I, Kovacs KM (2002) Diving behaviour of sub-adult harbour seals (*Phoca vitulina*) at Prins Karls Forland, Svalbard. *Polar Biology* 25: 230–234.
- Krafft BA, Lydersen C, Kovacs KM, Gjertz I, Haug T (2000) Diving behaviour of lactating bearded seals (*Erignathus barbatus*) in the Svalbard area. *Canadian Journal of Zoology* 78: 1408–1418.
- Krutzikowsky GK, Mate BR (2000) Dive and surfacing characteristics of bowhead whales (*Balaena mysticetus*) in the Beaufort and Chukchi seas. *Canadian Journal of Zoology* 78: 1182–1198.

- Kuhn CE (2011) The influence of subsurface thermal structure on the diving behavior of northern fur seals (*Callorhinus ursinus*) during the breeding season. *Marine Biology* 158: 649–663.
- Kuhn CE, Crocker DE, Tremblay Y, Costa DP (2009) Time to eat: measurements of feeding behaviour in a large marine predator, the northern elephant seal *Mirounga angustirostris*. *Journal of Animal Ecology* 78: 513–523.
- Kuhn CE, Johnson DS, Ream RR, Gelatt TS (2009) Advances in the tracking of marine species: using GPS locations to evaluate satellite track data and a continuous-time movement model. *Marine Ecology Progress Series* 393: 97–109.
- Kuhn CE, McDonald BI, Shaffer SA, Barnes J, Crocker DE, Burns J, Costa DP (2006) Diving physiology and winter foraging behavior of a juvenile leopard seal (*Hydrurga leptonyx*). *Polar Biology* 29: 303–307.
- Kuhn CE, Tremblay Y, Ream RR, Gelatt TS (2010) Coupling GPS tracking with dive behavior to examine the relationship between foraging strategy and fine-scale movements of northern fur seals. *Endangered Species Research* 12: 125–139.
- Lagerquist BA, Mate BR, Ortega-Ortiz JG, Winsor M, Urbán-Ramirez J (2008) Migratory movements and surfacing rates of humpback whales (*Megaptera novaeangliae*) satellite tagged at Socorro Island, Mexico. *Marine Mammal Science* 24: 815–830.
- Lagerquist BA, Stafford KM, Mate BR (2000) Dive characteristics of satellite-monitored blue whales (*Balaenoptera musculus*) off the central California coast. *Marine Mammal Science* 16: 375–391.
- Laidre KL, Born EW, Gurarie E, Wiig Ø, Dietz R, Stern H (2013) Females roam while males patrol: divergence in breeding season movements of pack-ice polar bears (*Ursus maritimus*). *Proceedings of the Royal Society B* 280: 20122371.
- Laidre KL, Heide-Jørgensen MP (2012) Spring partitioning of Disko Bay, West Greenland, by Arctic and Subarctic baleen whales. *ICES Journal of Marine Science* 69: 1226–1233.
- Laidre KL, Heide-Jørgensen MP (2005) Arctic sea ice trends and narwhal vulnerability. *Biological Conservation* 121: 509–517.
- Laidre K, Heide-Jørgensen MP (2007) Using narwhals as ocean-observing platforms in the high Arctic. *Oceanography* 20: 30–35
- Laidre KL, Heide-Jørgensen MP, Dietz R (2002) Diving behaviour of narwhals (*Monodon monoceros*) at two coastal localities in the Canadian High Arctic. *Canadian Journal of Zoology* 80: 624–635.

- Laidre KL, Heide-Jørgensen MP, Dietz R, Hobbs RC, Jørgensen OA (2003) Deep-diving by narwhals *Monodon monoceros*: differences in foraging behavior between wintering areas? *Marine Ecology Progress Series* 261: 269–281.
- Laidre KL, Heide-Jørgensen MP, Ermold W, Steele M (2010) Narwhals document continued warming of southern Baffin Bay. *Journal of Geophysical Research* 115: C10049.
- Laidre KL, Heide-Jørgensen MP, Logsdon ML, Hobbs RC, Heagerty P, Dietz R, Jørgensen OA, Treble MA (2004) Seasonal narwhal habitat associations in the high Arctic. *Marine Biology* 145: 821–831.
- Laidre KL, Heide-Jørgensen MP, Logsdon ML, Delwiche L, Nielsen TG (2010) A whale of an opportunity: Examining the vertical structure of chlorophyll- α in high Arctic waters using instrumented marine predators. *Marine Biology Research* 6: 519–529.
- Laidre KL, Heide-Jørgensen MP, Logsdon ML, Hobbs RC, Dietz R, Van Blaricom GR (2004) Fractal analysis of narwhal space use patterns. *Zoology* 107: 3–11.
- Laidre KL, Jameson RJ, Gurarie E, Jeffries SJ, Allen H (2009) Spatial habitat use patterns of sea otters in coastal Washington. *Journal of Mammalogy* 90: 906–917.
- Lake S, Burton H, Wotherspoon S (2006) Movements of adult female Weddell seals during the winter months. *Polar Biology* 29: 270–279.
- Lander ME, Gulland FMD (2003) Rehabilitation and post-release monitoring of Steller sea lion pups raised in captivity. *Wildlife Society Bulletin* 31: 1047–1053.
- Lander ME, Harvey JT, Hanni KD, Morgan LE (2002) Behavior, movements, and apparent survival of rehabilitated and free-ranging harbor seal pups. *The Journal of Wildlife Management* 66: 19–28.
- Lander ME, Haulena M, Gulland FMD, Harvey JT (2005) Implantation of subcutaneous radio transmitters in the harbor seal (*Phoca vitulina*). *Marine Mammal Science* 21: 154–161.
- Lander ME, Loughlin TR, Logsdon MG, Van Blaricom GR, Fadely BS, Fritz LW (2009) Regional differences in the spatial and temporal heterogeneity of oceanographic habitat used by Steller sea lions. *Ecological Applications* 16: 1645–1659.
- Lander ME, Loughlin TR, Logsdon MG, Van Blaricom GR, Fadely BS (2010) Foraging effort of juvenile Steller sea lions *Eumetopias jubatus* with respect to heterogeneity of sea surface temperature. *Endangered Species Research* 10: 145–158.
- Le Boeuf BJ, Costa DP, Huntley AC, Feldkamp SD (1988) Continuous, deep diving in female northern elephant seals, *Mirounga angustirostris*. *Canadian Journal of Zoology* 66: 446–458.

- Le Boeuf BJ, Costa DP, Huntley AC, Kooyman GL, Davis RW (1986) Pattern and depth of dives in Northern elephant seals, *Mirounga angustirostris*. *Journal of Zoology, London* 208: 1–7.
- Le Boeuf BJ, Crocker DE, Costa DP, Blackwell SB, Webb PM, Houser DS (2000) Foraging ecology of northern elephant seals. *Ecological Monographs* 70: 353–382.
- Le Boeuf BJ, Crocker DE, Grayson J, Gedamke J, Webb PM, Blackwell SB, Costa DP (2000) Respiration and heart rate at the surface between dives in northern elephant seals. *The Journal of Experimental Biology* 203: 3265–3274.
- Le Boeuf BJ, Morris PA, Blackwell SB, Crocker DE, Costa DP (1996) Diving behavior of juvenile northern elephant seals. *Canadian Journal of Zoology* 74: 1632–1644.
- Le Boeuf BJL, Naito Y, Asaga T, Crocker D, Costa DP (1992) Swim speed in a female northern elephant seal: metabolic and foraging implications. *Canadian Journal of Zoology* 70: 786–795.
- Le Boeuf BJ, Naito Y, Huntley AC, Asaga T (1989) Prolonged, continuous, deep diving by northern elephant seals. *Canadian Journal of Zoology* 67: 2514–2519.
- Lea M-A, Dubroca L (2003) Fine-scale linkages between the diving behaviour of Antarctic fur seals and oceanographic features in the southern Indian Ocean. *ICES Journal of Marine Science* 60: 990–1002.
- Lea M-A, Guinet C, Cherel Y, Duhamel G, Dubroca L, Pruvost P, Hindell MA (2006) Impacts of climatic anomalies on provisioning strategies of a Southern Ocean predator. *Marine Ecology Progress Series* 310: 77–94.
- Lea M-A, Guinet C, Cherel Y, Hindell MA, Dubroca L, Thalmann S (2008) Colony-based foraging segregation by Antarctic fur seals at the Kerguelen Archipelago. *Marine Ecology Progress Series* 358: 273–287.
- Lea M-A, Hindell MA, Guinet C, Goldsworthy SD (2002) Variability in the diving activity of Antarctic fur seals, *Arctocephalus gazella*, at Iles Kerguelen. *Polar Biology* 25: 269–279.
- Lea M-A, Johnson D, Melin S, Ream R, Gelatt T (2010) Diving ontogeny and lunar responses in a highly migratory mammal, the northern fur seal *Callorhinus ursinus*. *Marine Ecology Progress Series* 419: 233–247.
- Lea M-A, Johnson D, Ream R, Sterling J, Melin S, Gelatt T (2009) Extreme weather events influence dispersal of naive northern fur seals. *Biology Letters* 5: 252–257.
- Lesage V, Hammill MO, Kovacs KM (1999) Functional classification of harbor seal (*Phoca vitulina*) dives using depth profiles, swimming velocity, and an index of foraging success. *Canadian Journal of Zoology* 77: 74–87.

- Lesage V, Hammill MO, Kovacs KM (2004) Long-distance movements of harbour seals (*Phoca vitulina*) from a seasonally ice-covered area, the St. Lawrence River estuary, Canada. *Canadian Journal of Zoology* 82: 1070–1081.
- Leung ES, Augé AA, Chilvers BL, Moore AB, Robertson BC (2013) Foraging behaviour of juvenile female New Zealand sea lions (*Phocarctos hookeri*) in contrasting environments. *PLoS ONE* 8: e62728.
- Leung ES, Chilvers BL, Moore AB, Robertson BC (2013) Mass and bathymetry influences on the foraging behaviour of dependent yearling New Zealand sea lions (*Phocarctos hookeri*). *New Zealand Journal of Marine and Freshwater Research* 47: 38–50.
- Leung ES, Chilvers BL, Nakagawa S, Moore AB, Robertson BC (2012) Sexual segregation in juvenile New Zealand sea lion foraging ranges: implications for intraspecific competition, population dynamics and conservation. *PloS ONE* 7: e45389.
- Lidgard DC, Boness DJ, Bowen WD, McMillan JI (2003) Diving behaviour during the breeding season in the terrestrially breeding male grey seal: implications for alternative mating tactics. *Canadian Journal of Zoology* 81: 1025–1033.
- Lidgard DC, Bowen WD, Jonsen ID, Iverson SJ (2012) Animal-borne acoustic transceivers reveal patterns of at-sea associations in an upper-trophic level predator. *PloS ONE* 7: e48962.
- Liebsch N, Wilson RP, Bornemann H, Adelung D, Plötz J (2007) Mouthing off about fish capture: Jaw movement in pinnipeds reveals the real secrets of ingestion. *Deep Sea Research Part II* 54: 256–269.
- Lonergan M, Duck C, Moss S, Morris C, Thompson D (2013) Rescaling of aerial survey data with information from small numbers of telemetry tags to estimate the size of a declining harbour seal population. *Aquatic Conservation: Marine and Freshwater Ecosystems* 144: 135–144.
- Lonergan M, Fedak M, McConnell B (2009) The effects of interpolation error and location quality on animal track reconstruction. *Marine Mammal Science* 25: 275–282.
- Lowry LF, Burkanov VN, Frost KJ, Simpkins MA, Davis R, DeMaster DP, Suydam R, Springer A (2000) Habitat use and habitat selection by spotted seals (*Phoca largha*) in the Bering sea. *Canadian Journal of Zoology* 78: 1959–1971.
- Lowry LF, Frost KJ, Davis R, DeMaster DP, Suydam RS (1998) Movements and behavior of satellite-tagged spotted seals (*Phoca largha*) in the Bering and Chukchi Seas. *Polar Biology* 19: 221–230.
- Lowther AD, Goldsworthy SD (2012) Head start: Australian sea lion pups gain experience of adult foraging grounds before weaning. *Marine Biology*: 2687–2696.

- Lowther A, Harcourt R, Hamer D, Goldsworthy S (2011) Creatures of habit: foraging habitat fidelity of adult female Australian sea lions. *Marine Ecology Progress Series* 443: 249–263.
- Lowther AD, Harcourt RG, Page B, Goldsworthy SD (2013) Steady as he goes: at-sea movement of adult male Australian sea lions in a dynamic marine environment. *PloS ONE* 8: e74348.
- Luque SP, Arnould JPY, Guinet C (2008) Temporal structure of diving behaviour in sympatric Antarctic and subantarctic fur seals. *Marine Ecology Progress Series* 372: 277–287.
- Luque SP, Arnould JPY, Miller EH, Cherel Y, Guinet C (2007) Foraging behaviour of sympatric Antarctic and subantarctic fur seals: does their contrasting duration of lactation make a difference? *Marine Biology* 152: 213–224.
- Luque SP, Fried R (2011) Recursive filtering for zero offset correction of diving depth time series with GNU R package diveMove. *PloS ONE* 6: e15850.
- Luque SP, Guinet C (2007) A maximum likelihood approach for identifying dive bouts improves accuracy, precision and objectivity. *Behaviour* 144: 1315–1332.
- Lydersen C (1991) Monitoring ringed seal (*Phoca hispida*) activity by means of acoustic telemetry. *Canadian Journal of Zoology* 69: 1178–1182.
- Lydersen C, Anders Nost O, Kovacs KM, Fedak MA (2004) Temperature data from Norwegian and Russian waters of the northern Barents Sea collected by free-living ringed seals. *Journal of Marine Systems* 46: 99–108.
- Lydersen C, Anders Nøst O, Lovell P, McConnell BJ, Gammelsrød T, Hunter C, Fedak MA, Kovacs KM (2002) Salinity and temperature structure of a freezing Arctic fjord—monitored by white whales (*Delphinapterus leucas*). *Geophysical Research Letters* 29: 1–4.
- Lydersen C, Freitas C, Wiig Ø, Bachmann L, Heide-Jorgensen M, Swift R, Kovacs K (2012) Lost highway not forgotten: satellite tracking of a bowhead whale (*Balaena mysticetus*) from the critically endangered Spitsbergen stock. *Arctic* 65: 76–86.
- Lydersen C, Hammill MO (1993a) Diving in ringed seal (*Phoca hispida*) pups during the nursing period. *Canadian Journal of Zoology* 71: 991–996.
- Lydersen C, Hammill MO (1993b) Activity, milk intake and energy consumption in free-living ringed seal (*Phoca hispida*) pups. *Journal of Comparative Physiology B* 163: 433–438.
- Lydersen C, Hammill MO, Kovacs KM (1994) Diving activity in nursing bearded seal (*Erignathus barbatus*) pups. *Canadian Journal of Zoology* 72: 96–103.

- Lydersen C, Kovacs KM (1993) Diving behaviour of lactating harp seal, *Phoca groenlandica*, females from the Gulf of St Lawrence, Canada. *Animal Behaviour* 46: 1213–1221.
- Lydersen C, Kovacs KM, Ries S, Knauth M (2002) Precocial diving and patent foramen ovale in bearded seal (*Erignathus barbatus*) pups. *Journal of Comparative Physiology B* 172: 713–717.
- Lydersen C, Martin AR, Gjertz I, Kovacs KM (2007) Satellite tracking and diving behaviour of sub-adult narwhals (*Monodon monoceros*) in Svalbard, Norway. *Polar Biology* 30: 437–442.
- Lydersen C, Martin AR, Kovacs KM, Gjertz I (2001) Summer and autumn movements of white whales *Delphinapterus leucas* in Svalbard, Norway. *Marine Ecology Progress Series* 219: 265–274.
- Madden KM, Fuiman LA, Williams TM, Davis RW (2008) Identification of foraging dives in free-ranging Weddell seals *Leptonychotes weddellii*: confirmation using video records. *Marine Ecology Progress Series* 365: 263–275.
- Martin AR, Hall P, Richard PR (2001) Dive behaviour of belugas (*Delphinapterus leucas*) in the shallow waters of western Hudson Bay. *Arctic* 54: 276–283.
- Martin AR, Smith TG (1999) Strategy and capability of wild belugas, *Delphinapterus leucas*, during deep, benthic diving. *Canadian Journal of Zoology* 77: 1783–1793.
- Martinez-Bakker ME, Sell SK, Swanson BJ, Kelly BP, Tallmon DA (2013) Combined genetic and telemetry data reveal high rates of gene flow, migration, and long-distance dispersal potential in Arctic ringed seals (*Pusa hispida*). *PLoS ONE* 8: e77125.
- Mate BR, Best PB, Lagerquist BA, Winsor MH (2011) Coastal, offshore, and migratory movements of South African right whales revealed by satellite telemetry. *Marine Mammal Science* 27: 455–476
- Mate BR, Gisiner R, Mobley J (1998) Local and migratory movements of Hawaiian humpback whales tracked by satellite telemetry. *Canadian Journal of Zoology* 76: 863–868.
- Mate BR, Krutzikowsky GK, Winsor MH (2000) Satellite-monitored movements of radio-tagged bowhead whales in the Beaufort and Chukchi seas during the late-summer feeding season and fall migration. *Canadian Journal of Zoology* 78: 1168–1181
- Mate BR, Lagerquist BA, Calambokidis J (1999) Movements of North Pacific blue whales during the feeding season off Southern California and their southern fall migration. *Marine Mammal Science* 15: 1246–1257.

- Mate BR, Lagerquist BA, Winsor M, Geraci J, Prescott JH (2005) Movements and dive habits of a satellite-monitored longfinned pilot whale (*Globicephala melas*) in the northwest Atlantic. *Marine Mammal Science* 21: 136–144.
- Mate BR, Nieukirk SL, Kraus SD (1997) Satellite-Monitored movements of the Northern Right whale. *The Journal of Wildlife Management* 61: 1393–1405.
- Mate BR, Rossbach KA, Nieukirk SL, Wells RS, Irvine AB, Scott MD, Read AJ (1995) Satellite-monitored movements and dive behavior of a bottlenose dolphin (*Tursiops truncatus*) in Tampa Bay, Florida. *Marine Mammal Science* 11: 452–463.
- Mate BR, Stafford KM, Nawojchik R, Dunn JL (1994) Movements and dive behavior of a satellite-monitored Atlantic white-sided dolphin (*Lagenorhynchus acutus*) in the Gulf of Maine. *Marine Mammal Science* 10: 116–121.
- Matsumura M, Watanabe YY, Robinson PW, Miller PJO, Costa DP, Miyazaki N (2011) Underwater and surface behavior of homing juvenile northern elephant seals. *The Journal of Experimental Biology* 214: 629–636.
- Matthews CJD, Luque SP, Petersen SD, Andrews RD, Ferguson SH (2011) Satellite tracking of a killer whale (*Orcinus orca*) in the eastern Canadian Arctic documents ice avoidance and rapid, long-distance movement into the North Atlantic. *Polar Biology* 34: 1091–1096.
- Matthiopoulos J (2003) The use of space by animals as a function of accessibility and preference. *Ecological Modelling*: 239–268.
- Matthiopoulos J, McConnell BJ, Duck C, Fedak M (2004) Using satellite telemetry and aerial counts to estimate space use by grey seals around the British Isles. *Journal of Applied Ecology* 41: 476–491.
- Mattlin RH, Gales NJ, Costa DP (1998) Seasonal dive behaviour of lactating New Zealand fur seals (*Arctocephalus forsteri*). *Canadian Journal of Zoology* 76: 350–360.
- Maxwell SM, Frank JJ, Breed GA, Robinson PW, Simmons SE, Crocker DE, Gallo-Reynosa JP, Costa DP (2012) Benthic foraging on seamounts: A specialized foraging behavior in a deep-diving pinniped. *Marine Mammal Science* 28: E333–E344.
- McCafferty D (1998) Foraging responses of Antarctic fur seals to changes in the marine environment. *Marine Ecology Progress Series* 166: 285–299.
- McCafferty DJ, Boyd IL, Taylor RI (1998) Diving behaviour of Antarctic fur seal (*Arctocephalus gazella*) pups. *Canadian Journal of Zoology* 76: 513–520.
- McCafferty DJ, Boyd IL, Walker TR, Taylor RI (1999) Can marine mammals be used to monitor oceanographic conditions? *Marine Biology* 134: 387–395.

- McCafferty DJ, Walker TR, Boyd IL (2004) Using time-depth-light recorders to measure light levels experienced by a diving marine mammal. *Marine Biology* 146: 191–199.
- McClintock BT, Russell DJF, Matthiopoulos J, King R (2013) Combining individual animal movement and ancillary biotelemetry data to investigate population-level activity budgets. *Ecology* 94: 838–849.
- McConnell BJ, Beaton R, Bryant E, Hunter C, Lovell P, Hall A (2004) Phoning home - a new GSM mobile phone telemetry system to collect mark-recapture data. *Marine Mammal Science* 20: 274–283.
- McConnell BJ, Chambers C, Fedak MA (1992) Foraging ecology of southern elephant seals in relation to the bathymetry and productivity of the Southern Ocean. *Antarctic Science* 4: 393–398.
- McConnell BJ, Chambers C, Nicholas KS, Fedak MA (1992) Satellite tracking of grey seals (*Halichoerus grypus*). *Journal of Zoology, London* 226: 271–282.
- McConnell BJ, Fedak M (1996) Movements of southern elephant seals. *Canadian Journal of Zoology* 74: 1485–1496.
- McConnell BJ, Fedak M, Burton HR, Engelhard GH, Reijnders PJH (2002) Movements and foraging areas of naïve, recently weaned southern elephant seal pups. *Journal of Animal Ecology* 71: 65–78.
- McConnell BJ, Fedak MA, Lovell P, Hammond PS (1999) Movements and foraging areas of grey seals in the North Sea. *Journal of Applied Ecology* 36: 573–590.
- McDonald BI, Goebel ME, Crocker DE, Tremblay Y, Costa DP (2009) Effects of maternal traits and individual behavior on the foraging strategies and provisioning rates of an income breeder, the Antarctic fur seal. *Marine Ecology Progress Series* 394: 277–288.
- McDonald BI, Ponganis PJ (2013) Insights from venous oxygen profiles : oxygen utilization and management in diving California sea lions. *The Journal of Experimental Biology* 216: 3332–3341.
- McIntyre T, Ansorge IJ, Bornemann H, Plötz J, Tosh CA, Bester MN (2011) Elephant seal dive behaviour is influenced by ocean temperature: implications for climate change impacts on an ocean predator. *Marine Ecology Progress Series* 441: 257–272.
- McIntyre T, Bornemann H, Plötz J, Tosh CA, Bester MN (2011) Water column use and forage strategies of female southern elephant seals from Marion Island. *Marine Biology* 158: 2125–2139.

- McIntyre T, Bornemann H, Plötz J, Tosh CA, Bester MN (2012) Deep divers in even deeper seas: habitat use of male southern elephant seals from Marion Island. *Antarctic Science* 24: 561–570.
- McIntyre T, de Bruyn PJN, Ansorge IJ, Bester MN, Bornemann H, Plötz J, Tosh CA (2010) A lifetime at depth: vertical distribution of southern elephant seals in the water column. *Polar Biology* 33: 1037–1048.
- McIntyre T, Postma M, Van der Merwe DS, Wege M, Bester MN (2011) Hitchhiking goose barnacles and their potential implications on the functioning of animal-borne instruments. *South African Journal of Wildlife Research* 41: 218–223.
- McIntyre T, Stansfield LJ, Bornemann H, Plötz J, Bester MN (2013) Hydrographic influences on the summer dive behaviour of Weddell seals (*Leptonychotes weddellii*) in Atka Bay, Antarctica. *Polar Biology* 36: 1693–1700.
- McIntyre T, Tosh CA, Plötz J, Bornemann H, Bester MN (2010) Segregation in a sexually dimorphic mammal: a mixed-effects modelling analysis of diving behaviour in southern elephant seals. *Marine Ecology Progress Series* 412: 293–304.
- McMahon CR, Field IC, Bradshaw CJA, White GC, Hindell MA (2008) Tracking and data-logging devices attached to elephant seals do not affect individual mass gain or survival. *Journal of Experimental Marine Biology and Ecology* 360: 71–77.
- Meir JU, Champagne CD, Costa DP, Williams CL, Ponganis PJ (2009) Extreme hypoxemic tolerance and blood oxygen depletion in diving elephant seals. *American Journal of Physiology: Regulatory, Integrative and Comparative Physiology* 297: R927–R939.
- Meir JU, Ponganis PJ (2010) Blood temperature profiles of diving elephant seals. *Physiological and Biochemical Zoology* 83: 531–540.
- Meir JU, Robinson PW, Vilchis LI, Kooyman GL, Costa DP, Ponganis PJ (2013) Blood oxygen depletion is independent of dive function in a deep diving vertebrate, the northern elephant seal. *PLoS ONE* 8: e83248.
- Mellish J-A, Thomson J, Horning M (2007) Physiological and behavioral response to intra-abdominal transmitter implantation in Steller sea lions. *Journal of Experimental Marine Biology and Ecology* 351: 283–293.
- Meredith MP, Nicholls KW, Renfrew IA, Boehme L, Biuw M, Fedak M (2011) Seasonal evolution of the upper-ocean adjacent to the South Orkney Islands, Southern Ocean: Results from a “lazy biological mooring”. *Deep Sea Research Part II* 58: 1569–1579.
- Miller PJO, Biuw M, Watanabe YY, Thompson D, Fedak MA (2012) Sink fast and swim harder! Round-trip cost-of-transport for buoyant divers. *The Journal of Experimental Biology* 215: 3622–30.

- Miller PJO, Johnson MP, Madsen PT, Biassoni N, Quero M, Tyack PL (2009) Using at-sea experiments to study the effects of airguns on the foraging behavior of sperm whales in the Gulf of Mexico. *Deep Sea Research Part I* 56: 1168–1181.
- Minimikawa S, Iwasaki T, Kishiro T (2007) Diving behaviour of a Baird's beaked whale, *Berardius bairdii*, in the slope water region of the western North Pacific: first dive records using a data logger. *Fisheries Oceanography* 16: 573–577.
- Mitani Y, Andrews RD, Sato K, Kato A, Naito Y, Costa DP (2009) Three-dimensional resting behaviour of northern elephant seals: drifting like a falling leaf. *Biology Letters* 6: 163–166.
- Mitani Y, Sato K, Ito S, Cameron MF, Siniff DB, Naito Y (2003) A method for reconstructing three-dimensional dive profiles of marine mammals using geomagnetic intensity data: results from two lactating Weddell seals. *Polar Biology* 26: 311–317.
- Mitani Y, Watanabe Y, Sato K, Cameron MF, Naito Y (2004) 3D diving behavior of Weddell seals with respect to prey accessibility and abundance. *Marine Ecology Progress Series* 281: 275–281.
- Mizroch SA., Tillman MF, Jurasz S, Straley JM, Von Ziegesar O, Herman LM et al. (2011) Long-term survival of humpback whales radio-tagged in Alaska from 1976 through 1978. *Marine Mammal Science* 27: 217–229.
- Moore M, Andrews R, Austin T, Bailey J, Costidis A, George C et al. (2013) Rope trauma, sedation, disentanglement, and monitoring-tag associated lesions in a terminally entangled North Atlantic right whale (*Eubalaena glacialis*). *Marine Mammal Science* 29: 98–113.
- Mori Y, Boyd IL (2004) The behavioral basis for nonlinear functional responses and optimal foraging in Antarctic fur seals. *Ecology* 85: 398–410.
- Mori Y, Watanabe Y, Mitani Y, Sato K, Cameron M, Naito Y (2005) A comparison of prey richness estimates for Weddell seals using diving profiles and image data. *Marine Ecology Progress Series* 295: 257–263.
- Morrison C, Sparling C, Sadler L, Charles A, Sharples R, McConnell B (2012) Postrelease dive ability in rehabilitated harbor seals. *Marine Mammal Science* 28: E110–E123.
- Mouillot D, Viale D (2001) Satellite tracking of a fin whale (*Balaenoptera physalus*) in the north-western Mediterranean Sea and fractal analysis of its trajectory. *Hydrobiologia* 452: 163–171.
- Muelbert MMC, De Souza RB, Lewis MN, Hindell MA (2013) Foraging habitats of southern elephant seals, *Mirounga leonina*, from the Northern Antarctic Peninsula. *Deep Sea Research Part II* 88-89: 47–60

- Muelbert MMC, Robaldo RB, Marines PE, Colares EP, Bianchini A, Setzer A (2004) Movement of southern elephant seals (*Mirounga leonina* L.) from Elephant Is. South Shetlands, Antarctica. *Brazilian Archives of Biology and Technology* 47: 461–467.
- Mulcahy DM, Garner G (1999) Subcutaneous implantation of satellite transmitters with percutaneous antennae into male polar bears (*Ursus maritimus*). *Journal of Zoo and Wildlife Medicine* 30: 510–515.
- Naito Y, Bornemann H, Takahashi A, McIntyre T, Plötz J (2010) Fine-scale feeding behavior of Weddell seals revealed by a mandible accelerometer. *Polar Science* 4: 309–316.
- Naito Y, Costa DP, Adachi T, Robinson PW, Fowler M, Takahashi A (2013) Unravelling the mysteries of a mesopelagic diet: a large apex predator specializes on small prey. *Functional Ecology* 27: 710–717.
- Nelson D, Lien J (1996) The status of the long-finned pilot whale, *Globicephala melas*, in Canada. *Canadian Field-Naturalist* 110: 511–524.
- Nicholls KW, Boehme L, Biuw M, Fedak MA (2008) Wintertime ocean conditions over the southern Weddell Sea continental shelf, Antarctica. *Geophysical Research Letters* 35: L21605.
- Niemi M, Auttila M, Viljanen M, Kunnasranta M (2013) Home range, survival, and dispersal of endangered Saimaa ringed seal pups: Implications for conservation. *Marine Mammal Science* 29: 1–13.
- Nordøy ES, Blix AS (2009) Movements and dive behaviour of two leopard seals (*Hydrurga leptonyx*) off Queen Maud Land, Antarctica. *Polar Biology* 32: 263–270.
- Nordøy ES, Folkow LP, Blix AS (1995) Distribution and diving behaviour of crabeater seals (*Lobodon carcinophagus*) off Queen Maud Land. *Polar Biology* 15: 261–268.
- Nordøy ES, Folkow LP, Potelov V, Prischmikhin V, Blix AS (2008) Seasonal distribution and dive behaviour of harp seals (*Pagophilus groenlandicus*) of the White Sea–Barents Sea stock. *Polar Biology* 31: 1119–1135.
- Nøst OA, Biuw M, Tverberg V, Lydersen C, Hattermann T, Zhou Q, Smedsrud LH, Kovacs KM (2011) Eddy overturning of the Antarctic Slope Front controls glacial melting in the Eastern Weddell Sea. *Journal of Geophysical Research* 116: C11014.
- Ohshima KI, Fukamachi Y, Williams GD, Nihashi S, Roquet F, Kitade Y et al. (2013) Antarctic Bottom Water production by intense sea-ice formation in the Cape Darnley polynya. *Nature Geoscience* 6: 1–6.

- Olsen E, Budgell WP, Head E, Kleivane L, Nøttestad L, Prieto R et al. (2009) First satellite-tracked long-distance movement of a Sei whale (*Balaenoptera borealis*) in the North Atlantic. *Aquatic Mammals* 35: 313–318.
- Olsen GH, Mauritzen M, Derocher AE, Sørmo EG, Skaare JU, Wiig O, Jenssen BM (2003) Space-use strategy is an important determinant of PCB concentrations in female polar bears in the Barents Sea. *Environmental Science & Technology* 37: 4919–4924.
- O'Malley Miller PJ, Shapiro AD, Deecke VB (2010) The diving behaviour of mammal-eating killer whales (*Orcinus orca*): variations with ecological not physiological factors. *Canadian Journal of Zoology* 88: 1103–1112.
- Padman L, Costa DP, Bolmer T, Goebel ME, Huckstadt LA, Jenkins A, McDonald BI, Shoosmith DR (2010) Seals map bathymetry of the Antarctic continental shelf. *Geophysical Research Letters* 37: L21601.
- Page B, McKenzie J, Goldsworthy SD (2005) Inter-sexual differences in New Zealand fur seal diving behaviour. *Marine Ecology Progress Series* 304: 249–264.
- Page B, McKenzie J, Hindell MA, Goldsworthy SD (2005) Drift dives by male New Zealand fur seals (*Arctocephalus forsteri*). *Canadian Journal of Zoology* 83: 293–300.
- Page B, McKenzie J, Sumner MD, Coyne M, Goldsworthy SD (2006) Spatial separation of foraging habitats among New Zealand fur seals. *Marine Ecology Progress Series* 323: 263–279.
- Panigada S, Zanardelli M, Canese S, Jahoda M (1999) How deep can baleen whales dive? *Marine Ecology Progress Series* 187: 309–311.
- Parrish FA, Marshall GJ, Buhleier B, Antonelis GA (2008) Foraging interaction between monk seals and large predatory fish in the Northwestern Hawaiian Islands. *Endangered Species Research* 4: 299–308.
- Patterson TA, McConnell BJ, Fedak MA, Bravington MV, Hindell MA (2010) Using GPS data to evaluate the accuracy of state-space methods for correction of Argos satellite telemetry error. *Ecology* 91: 273–85.
- Peterson SH, Lance MM, Jeffries SJ, Acevedo-Gutiérrez A (2012) Long distance movements and disjunct spatial use of harbor seals (*Phoca vitulina*) in the inland waters of the Pacific Northwest. *PloS ONE* 7: e39046.
- Pitcher KW, Rehberg MJ, Pendleton GW, Raum-Suryan KL, Gelatt TS, Swain UG, Sigler MF (2005) Ontogeny of dive performance in pup and juvenile Steller sea lions in Alaska. *Canadian Journal of Zoology* 83: 1214–1231.

- Plötz J, Bornemann H, Knust R, Schröder A, Bester M (2001) Foraging behaviour of Weddell seals, and its ecological implications. *Polar Biology* 24: 901–909.
- Ponganis PJ, Gentry RL, Ponganis EP, Ponganis K V (1992) Analysis of swim velocities during deep and shallow dives of two northern fur seals, *Callorhinus ursinus*. *Marine Mammal Science* 8: 69–75.
- Ponganis PJ, Ponganis EP, Ponganis K V, Kooyman GL, Gentry RL, Trillmich F (1990) Swimming velocities in otariids. *Canadian Journal of Zoology* 68: 2105–2112.
- Rasmussen MH, Akamatsu T, Teilmann J, Vikingsson G, Miller LA (2013) Biosonar, diving and movements of two tagged white-beaked dolphin in Icelandic waters. *Deep Sea Research Part II* 88-89: 97–105.
- Rehberg MJ, Andrews RD, Swain UG, Calkins DG (2009) Foraging behavior of adult female Steller sea lions during the breeding season in Southeast Alaska. *Marine Mammal Science* 25: 588–604.
- Rehberg MJ, Burns JM (2008) Differences in diving and swimming behavior of pup and juvenile Steller sea lions (*Eumetopias jubatus*) in Alaska. *Canadian Journal of Zoology* 86: 539–553.
- Reisinger RR, McIntyre T, Bester MN (2010) Goose barnacles hitchhike on satellite-tracked southern elephant seals. *Polar Biology* 33: 561–564.
- Richard PR, Heide-Jørgensen MP, Orr JR, Dietz R, Smith TG (2001) Summer and autumn movements and habitat use by belugas in the Canadian high Arctic and adjacent areas. *Arctic* 54: 207–222.
- Riet-Sapriza FG, Costa DP, Franco-Trecu V, Marin Y, Chocca J, Gonzalez B, Beathyate G, Chilvers BL, Huckstadt LA (2013) Foraging behavior of lactating South American sea lions (*Otaria flavescens*) and spatial – temporal resource overlap with the Uruguayan fisheries. *Deep Sea Research Part II* 88-89: 106–119.
- Robinson PW, Costa DP, Crocker DE, Gallo-Reynoso JP, Champagne CD, Fowler MA et al. (2012) Foraging behavior and success of a mesopelagic predator in the northeast Pacific Ocean: insights from a data-rich species, the northern elephant seal. *PloS ONE* 7: e36728.
- Robinson PW, Simmons SE, Crocker DE, Costa DP (2010) Measurements of foraging success in a highly pelagic marine predator, the northern elephant seal. *Journal of Animal Ecology* 79: 1146–1156.
- Robinson PW, Tremblay Y, Crocker DE, Kappes MA, Kuhn CE, Shaffer SA, Simmons SE, Costa DP (2007) A comparison of indirect measures of feeding behaviour based on ARGOS tracking data. *Deep Sea Research Part II* 54: 356–368.

- Robinson PW, Villegas-Amtmann S, Costa DP (2009) Field validation of an inexpensive time-depth recorder. *Marine Mammal Science* 25: 199–205.
- Robinson SA, Goldsworthy SG, Van den Hoff J, Hindell MA (2002) The foraging ecology of two sympatric fur seal species, *Arctocephalus gazella* and *Arctocephalus tropicalis*, at Macquarie Island during the austral summer. *Marine and Freshwater Research* 53: 1071–1082.
- Robson BW, Goebel ME, Baker JD, Ream RR, Loughlin TR, Francis RC, Antonelis GA, Costa DP (2004) Separation of foraging habitat among breeding sites of a colonial marine predator, the northern fur seal (*Callorhinus ursinus*). *Canadian Journal of Zoology* 82: 20–29.
- Rodriguez DH, Dassis M, Leo AP De, Farenga M, Bastida RO, Davis RW (2013) Foraging strategies of Southern sea lion females in the La Plata River Estuary. *Deep Sea Research Part II* 88-89: 120–130.
- Rogers TL, Hogg CJ, Irvine A (2005) Spatial movement of adult leopard seals (*Hydrurga leptonyx*) in Prydz Bay, Eastern Antarctica. *Polar Biology* 28: 456–463.
- Roquet F, Charrassin J-B, Marchand S, Boehme L, Fedak M, Reverdin G, Guinet C (2011) Delayed-mode calibration of hydrographic data obtained from animal-borne satellite relay data loggers. *Journal of Atmospheric and Oceanic Technology* 28: 787–801.
- Roquet F, Park Y-H, Guinet C, Bailleul F, Charrassin J-B (2009) Observations of the Fawn Trough Current over the Kerguelen Plateau from instrumented elephant seals. *Journal of Marine Systems* 78: 377–393.
- Roquet F, Wunsch C, Forget G, Heimbach P, Guinet C, Reverdin G et al. (2013) Estimates of the Southern Ocean general circulation improved by animal-borne instruments. *Geophysical Research Letters* 40: 6176–6180.
- Russell DJF, McConnell B, Thompson D, Duck C, Morris C, Harwood J, Matthiopoulos J (2013) Uncovering the links between foraging and breeding regions in a highly mobile mammal. *Journal of Applied Ecology* 50: 499–509.
- Sakai M, Aoki K, Sato K, Amano M, Baird RW, Webster DL, Schorr GS, Miyazaki N (2011) Swim speed and acceleration measurements of short-finned pilot whales (*Globicephala macrorhynchus*) in Hawai'i. *Mammal Study* 36: 55–59.
- Sala JE, Quintana F, Wilson RP, Dignani J, Lewis MN, Campagna C (2011) Pitching a new angle on elephant seal dive patterns. *Polar Biology* 34: 1197–1209.
- Sampson K, Merigo C, Lagueux K, Rice J, Cooper R, Weber ES III, Kass P, Mandelman J, Innis C (2012) Clinical assessment and postrelease monitoring of 11 mass stranded dolphins on Cape Cod, Massachusetts. *Marine Mammal Science* 28: E404–E425.

- Sato K, Aoki K, Watanabe YY, Miller PJO (2013) Neutral buoyancy is optimal to minimize the cost of transport in horizontally swimming seals. *Scientific Reports* 3: 1–5.
- Sato K, Mitani Y, Cameron MF, Siniff DB, Naito Y (2003) Factors affecting stroking patterns and body angle in diving Weddell seals under natural conditions. *The Journal of Experimental Biology* 206: 1461–1470.
- Sato K, Mitani Y, Cameron MF, Siniff DB, Watanabe Y, Naito Y (2002) Deep foraging dives in relation to the energy depletion of Weddell seal (*Leptonychotes weddellii*) mothers during lactation. *Polar Biology* 25: 696–702.
- Sato K, Mitani Y, Kusagaya H, Naito Y (2003) Synchronous shallow dives by Weddell seal mother-pup pairs during lactation. *Marine Mammal Science* 19: 384–395.
- Sato K, Watanuki Y, Takahashi a., Miller PJ., Tanaka H, Kawabe R et al. (2007) Stroke frequency, but not swimming speed, is related to body size in free-ranging seabirds, pinnipeds and cetaceans. *Proceedings of the Royal Society B* 274: 471–477.
- Schick RS, New LF, Thomas L, Costa DP, Hindell MA, McMahon CR et al. (2013) Estimating resource acquisition and at-sea body condition of a marine predator. *The Journal of Animal Ecology* 82: 1300–1315.
- Schneider K, Baird RW, Dawson S, Visser I, Childerhouse S (1998) Reactions of bottlenose dolphins to tagging attempts using a remotely-deployed suction-cup tag. *Marine Mammal Science* 14: 316–324.
- Schorr GS, Baird RW, Hanson MB, Webster DL, McSweeney DJ, Andrews RD (2009) Movements of satellite-tagged Blainville’s beaked whales off the island of Hawai‘i. *Endangered Species Research* 10: 203–213.
- Schreer JF, Kovacs KM, O’Hara Hines RJ (2001) Comparative diving patterns of pinnipeds and seabirds. *Ecological Monographs* 71: 137–162.
- Schreer JF, Lapierre JL, Hammill MO (2010) Stomach temperature telemetry reveals that harbor seal (*Phoca vitulina*) pups primarily nurse in the water. *Aquatic Mammals* 36: 270–277.
- Schreer JF, Testa JW (1995) Statistical classification of diving behavior. *Marine Mammal Science* 11: 85–93.
- Schreer JF, Testa JW (1996) Classification of Weddell seal diving behavior. *Marine Mammal Science* 12: 227–250.
- Scott MD, Chivers SJ (2009) Movements and diving behavior of pelagic spotted dolphins. *Marine Mammal Science* 25: 137–160.

- Sheppard JK, Jones RE, Marsh H, Lawler IR (2009) Effects of tidal and diel cycles on dugong habitat use. *Journal of Wildlife Management* 73: 45–59.
- Sheppard JK, Lawler IR, Marsh H (2007) Seagrass as pasture for seacows: Landscape-level dugong habitat evaluation. *Estuarine, Coastal and Shelf Science* 71: 117–132.
- Sheppard JK, Marsh H, Jones RE, Lawler IR (2010) Dugong habitat use in relation to seagrass nutrients, tides, and diel cycles. *Marine Mammal Science* 26: 855–879.
- Sheppard JK, Preen AR, Marsh H, Lawler IR, Whiting SD, Jones RE (2006) Movement heterogeneity of dugongs, *Dugong dugon* (Müller), over large spatial scales. *Journal of Experimental Marine Biology and Ecology* 334: 64–83.
- Shpak OV, Andrews RD, Glazov DM, Litovka DI, Hobbs RC, Mukhametov LM (2010) Seasonal migrations of Sea of Okhotsk beluga whales (*Delphinapterus leucas*) of the Sakhalin-Amur summer aggregation. *Russian Journal of Marine Biology* 36: 56–62.
- Simmons SE, Crocker DE, Hassrick JL, Kuhn CE, Robinson PW, Tremblay Y, Costa DP (2010) Climate-scale hydrographic features related to foraging success in a capital breeder, the northern elephant seal *Mirounga angustirostris*. *Endangered Species Research* 10: 233–243.
- Simmons SE, Crocker DE, Kudela RM, Costa DP (2007) Linking foraging behaviour of the northern elephant seal with oceanography and bathymetry at mesoscales. *Marine Ecology Progress Series* 346: 265–275.
- Simmons SE, Tremblay Y, Costa DP (2009) Pinnipeds as ocean-temperature samplers: calibrations, validations, and data quality. *Limnology and Oceanography: Methods* 7: 648–656.
- Simpkins MA, Laidre KL, Heagerty PJ (2005) Multivariate regression of satellite-linked dive recorder data: simultaneous analysis of all bins. *Marine Mammal Science* 21: 243–259.
- Sims DW, Southall EJ, Humphries NE, Hays GC, Bradshaw CJA, Pitchford JW et al. (2008) Scaling laws of marine predator search behaviour. *Nature* 451: 1098–1102.
- Sjöberg M, Fedak MA, McConnell BJ (1995) Movements and diurnal behaviour patterns in a Baltic grey seal (*Halichoerus grypus*). *Polar Biology* 15: 593–595.
- Skern-Mauritzen M, Kirkman SP, Olsen E, Bjørge A, Drapeau L, Meyer MA, Roux J-P, Swanson S, Oosthuizen WH (2009) Do inter-colony differences in Cape fur seal foraging behaviour reflect large-scale changes in the northern Benguela ecosystem? *African Journal of Marine Science* 31: 399–408.

- Skinner J, Burkanov V, Andrews R (2012) Influence of environment, morphology, and instrument size on lactating northern fur seal *Callorhinus ursinus* foraging behavior on the Lovushki Islands, Russia. *Marine Ecology Progress Series* 471: 293–308
- Sonne C, Teilmann J, Wright AJ, Dietz R, Leifsson PS (2012) Tissue healing in two harbor porpoises (*Phocoena phocoena*) following long-term satellite transmitter attachment. *Marine Mammal Science* 28: E316–E324.
- Southwell C (2005) Diving behaviour of two Ross seals off East Antarctica. *Wildlife Research* 32: 63–65.
- Spence-Bailey LM, Verrier D, Arnould JPY (2007) The physiological and behavioural development of diving in Australian fur seal (*Arctocephalus pusillus doriferus*) pups. *Journal of Comparative Physiology B* 177: 483–494.
- Staniland IJ, Boyd IL (2003) Variation in the foraging location of Antarctic fur seals (*Arctocephalus gazella*) and the effects on diving behavior. *Marine Mammal Science* 19: 331–343.
- Staniland IJ, Boyd IL, Reid K (2007) An energy–distance trade-off in a central-place forager, the Antarctic fur seal (*Arctocephalus gazella*). *Marine Biology* 152: 233–241.
- Staniland IJ, Gales N, Warren NL, Robinson SL, Goldsworthy SD, Casper RM (2010) Geographical variation in the behaviour of a central place forager: Antarctic fur seals foraging in contrasting environments. *Marine Biology* 157: 2383–2396.
- Staniland IJ, Morton A, Robinson SL, Malone D, Forcada J (2011) Foraging behaviour in two Antarctic fur seal colonies with differing population recoveries. *Marine Ecology Progress Series* 434: 183–196.
- Staniland IJ, Reid K, Boyd IL (2004) Comparing individual and spatial influences on foraging behaviour in Antarctic fur seals *Arctocephalus gazella*. *Marine Ecology Progress Series* 275: 263–274.
- Staniland IJ, Robinson SL (2008) Segregation between the sexes: Antarctic fur seals, *Arctocephalus gazella*, foraging at South Georgia. *Animal Behaviour* 75: 1581–1590.
- Staniland IJ, Robinson SL, Silk JRD, Warren N, Trathan PN (2012) Winter distribution and haul-out behaviour of female Antarctic fur seals from South Georgia. *Marine Biology* 159: 291–301.
- Sterling JT, Ream RR (2004) At-sea behavior of juvenile male northern fur seals (*Callorhinus ursinus*). *Canadian Journal of Zoology* 82: 1621–1637.
- Stewart BS (1997) Ontogeny of differential migration and sexual segregation in northern elephant seals. *Journal of Mammalogy* 78: 1101–1116.

- Stewart BS, Antonelis GA, Baker JD, Yochem PK (2006) Foraging biogeography of Hawaiian monk seals in the northwestern Hawaiian islands. *Atoll Research Bulletin* 543: 131–145.
- Stewart BS, DeLong RL (1995) Double migrations of the northern elephant seal, *Mirounga angustirostris*. *Journal of Mammalogy* 76: 196–205.
- Stewart BS, Leatherwood S, Yochem PK, Heide-Jørgensen MP (1989) Harbor seal tracking and telemetry by satellite. *Marine Mammal Science* 5: 361–375.
- Stewart BS, Petrov EA, Baranov EA, Timonin A, Ivanov M (1996) Seasonal movements and dive patterns of juvenile Baikal seals, *Phoca sibirica*. *Marine Mammal Science* 12: 528–542.
- Stewart REA (2008) Redefining Walrus Stocks in Canada. *Arctic* 61: 292–308.
- Straneo F, Hamilton GS, Sutherland DA, Stearns LA, Davidson F, Hammill MO, Stenson GB, Rosing-Asvid A (2010) Rapid circulation of warm subtropical waters in a major glacial fjord in East Greenland. *Nature Geoscience* 3: 182–186.
- Sumner MD, Wotherspoon SJ, Hindell MA (2009) Bayesian estimation of animal movement from archival and satellite tags. *PloS ONE* 4: e7324.
- Sveegaard S, Teilmann J, Tougaard J, Dietz R, Mouritsen KN, Desportes G, Siebert U (2011) High-density areas for harbor porpoises (*Phocoena phocoena*) identified by satellite tracking. *Marine Mammal Science* 27: 230–246.
- Teilmann J, Born EW, Acquarone M (1999) Behaviour of ringed seals tagged with satellite transmitters in the North Water polynya during fast-ice formation. *Canadian Journal of Zoology* 77: 1934–1946.
- Thiemann GW, Derocher AE, Cherry SG, Lunn NJ, Sahanatien V (2013) Effects of chemical immobilization on the movement rates of free-ranging polar bears. *Journal of Mammalogy* 94: 386–397.
- Thomas AC, Lance MM, Jeffries SJ, Miner BG, Acevedo-Gutiérrez A (2011) Harbor seal foraging response to a seasonal resource pulse, spawning Pacific herring. *Marine Ecology Progress Series* 441: 225–239.
- Thompson D, Duck CD, McConnell BJ, Garrett J (1998) Foraging behaviour and diet of lactating female southern sea lions (*Otaria flavescens*) in the Falkland Islands. *Journal of Zoology, London* 246: 135–146.
- Thompson D, Fedak MA (1993) Cardiac responses of grey seals during diving at sea. *The Journal of Experimental Biology* 174: 139–54.

- Thompson D, Hammond PS, Nicholas KS, Fedak MA (1991) Movements, diving and foraging behaviour of grey seals (*Halichoerus grypus*). *Journal of Zoology, London* 224: 223–232.
- Thompson PM, McConnell BJ, Tollit DJ, Mackay A, Racey PA (1996) Comparative distribution, movements and diet of Harbour and Grey seals from Moray Firth, N. E. Scotland. *Journal of Applied Ecology* 33: 1572–1584.
- Thompson D, Moss SEW, Lovell P (2003) Foraging behaviour of South American fur seals *Arctocephalus australis*: extracting fine scale foraging behaviour from satellite tracks. *Marine Ecology Progress Series* 260: 285–296.
- Thomton J, Mellish J, Hennen D, Horning M (2008) Juvenile Steller sea lion dive behavior following temporary captivity. *Endangered Species Research* 4: 195–203.
- Thums M, Bradshaw CJA, Hindell MA (2008) A validated approach for supervised dive classification in diving vertebrates. *Journal of Experimental Marine Biology and Ecology* 363: 75–83.
- Thums M, Bradshaw CJA, Hindell MA (2008) Tracking changes in relative body composition of southern elephant seals using swim speed data. *Marine Ecology Progress Series* 370: 249–261.
- Thums M, Bradshaw CJA, Hindell MA (2011) In situ measures of foraging success and prey encounter reveal marine habitat-dependent search strategies. *Ecology* 92: 1258–1270.
- Tinker MT, Bentall G, Estes JA (2008) Food limitation leads to behavioral diversification and dietary specialization in sea otters. *Proceedings of the National Academy of Sciences, USA* 105: 560–565.
- Tinker MT, Costa DP, Estes J a., Wieringa N (2007) Individual dietary specialization and dive behaviour in the California sea otter: Using archival time–depth data to detect alternative foraging strategies. *Deep Sea Research Part II* 54: 330–342.
- Tosh CA, Bornemann H, Ramdohr S, Schröder M, Martin T, Carlini A, Plötz J, Bester MN (2009) Adult male southern elephant seals from King George Island utilize the Weddell Sea. *Antarctic Science* 21: 113–121.
- Tosh CA, Steyn J, Bornemann H, Van den Hoff J, Stewart BS, Plötz J, Bester MN (2012) Marine habitats of juvenile southern elephant seals from Marion Island. *Aquatic Biology* 17: 71–79.
- Tougaard J, Teilmann J, Tougaard S (2008) Harbour seal spatial distribution estimated from Argos satellite telemetry: overcoming positioning errors. *Endangered Species Research* 4: 113–122.

- Tremblay Y, Robinson PW, Costa DP (2009) A parsimonious approach to modeling animal movement data. *PLoS ONE* 4: e4711.
- Tremblay Y, Shaffer SA, Fowler SL, Kuhn CE, McDonald BI, Weise MJ et al. (2006) Interpolation of animal tracking data in a fluid environment. *The Journal of Experimental Biology* 209: 128–140.
- Tyack PL, Johnson M, Aguilar Soto N, Sturlese A, Madsen PT (2006) Extreme diving of beaked whales. *The Journal of Experimental Biology* 209: 4238–4253.
- Tyack PL, Zimmer WMX, Moretti D, Southall BL, Claridge DE, Durban JW et al. (2011) Beaked whales respond to simulated and actual navy sonar. *PLoS ONE* 6: e17009.
- Vacquié-Garcia J, Royer F, Dragon A-C, Viviant M, Bailleul F, Guinet C (2012) Foraging in the darkness of the Southern Ocean: Influence of bioluminescence on a deep diving predator. *PLoS ONE* 7: e43565.
- Van den Hoff J, Burton HR, Hindell MA, Sumner MD, McMahon CR (2002) Migrations and foraging of juvenile southern elephant seals from Macquarie Island within CCAMLR managed areas. *Antarctic Science* 14: 134–145.
- Verrier D, Guinet C, Authier M, Tremblay Y, Shaffer S, Costa DP, Groscolas R, Arnould JPY (2011) The ontogeny of diving abilities in subantarctic fur seal pups: developmental trade-off in response to extreme fasting? *Functional Ecology* 25: 818–828.
- Villegas-Amtmann S, Atkinson S, Paras-Garcia A, Costa DP (2012) Seasonal variation in blood and muscle oxygen stores attributed to diving behavior, environmental temperature and pregnancy in a marine predator, the California sea lion. *Comparative Biochemistry and Physiology A* 162: 413–20.
- Villegas-Amtmann S, Costa DP (2010) Oxygen stores plasticity linked to foraging behaviour and pregnancy in a diving predator, the Galapagos sea lion. *Functional Ecology* 24: 785–795.
- Villegas-Amtmann S, Costa DP, Tremblay Y, Salazar S, Aurióles-Gamboa D (2008) Multiple foraging strategies in a marine apex predator, the Galapagos sea lion *Zalophus wollebaeki*. *Marine Ecology Progress Series* 363: 299–309.
- Villegas-Amtmann S, Jeglinski JWE, Costa DP, Robinson PW, Trillmich F (2013) Individual foraging strategies reveal niche overlap between endangered Galapagos pinnipeds. *PLoS ONE* 8: e70748.
- Villegas-Amtmann S, Simmons SE, Kuhn CE, Huckstadt LA, Costa DP (2011) Latitudinal range influences the seasonal variation in the foraging behavior of marine top predators. *PLoS ONE* 6: e23166.

- Waite JN, Trumble SJ, Burkanov VN, Andrews RD (2012) Resource partitioning by sympatric Steller sea lions and northern fur seals as revealed by biochemical dietary analyses and satellite telemetry. *Journal of Experimental Marine Biology and Ecology* 416-417: 41–54.
- Wall SM, Bradshaw CJA, Southwell CJ, Gales NJ, Hindell MA (2007) Crabeater seal diving behaviour in eastern Antarctica. *Marine Ecology Progress Series* 337: 265–277.
- Waluda CM, Collins MA, Black AD, Staniland IJ, Trathan PN (2009) Linking predator and prey behaviour: contrasts between Antarctic fur seals and macaroni penguins at South Georgia. *Marine Biology* 157: 99–112.
- Ward EJ, Levin PS, Lance MM, Jeffries SJ, Acevedo-Gutiérrez A (2012) Integrating diet and movement data to identify hot spots of predation risk and areas of conservation concern for endangered species. *Conservation Letters* 5: 37–47.
- Waring GT, Gilbert JR, Loftin J, Cabana N (2006) Short-term movements of radio-tagged harbor seals in New England. *Northeastern Naturalist* 13: 1–14.
- Warren NL, Trathan PN, Forcada J, Fleming A, Jessopp MJ (2006) Distribution of post-weaning Antarctic fur seal *Arctocephalus gazella* pups at South Georgia. *Polar Biology* 29: 179–188.
- Wartzok D, Elsner R, Stone H, Kelly BP, Davis RW (1992) Under-ice movements and the sensory basis of hole finding by ringed and Weddell seals. *Canadian Journal of Zoology* 70: 1712–1722.
- Watanabe Y, Baranov EA, Sato K, Naito Y, Miyazaki N (2004) Foraging tactics of Baikal seals differ between day and night. *Marine Ecology Progress Series* 279: 283–289.
- Watanabe Y, Baranov E a, Sato K, Naito Y, Miyazaki N (2006) Body density affects stroke patterns in Baikal seals. *The Journal of Experimental Biology* 209: 3269–80.
- Watanabe Y, Bornemann H, Liebsch N, Plötz J, Sato K, Naito Y, Miyazaki N (2006) Seal-mounted cameras detect invertebrate fauna on the underside of an Antarctic ice shelf. *Marine Ecology Progress Series* 309: 297–300.
- Watanabe Y, Lydersen C, Sato K, Naito Y, Miyazaki N, Kovacs KM (2009) Diving behavior and swimming style of nursing bearded seal pups. *Marine Ecology Progress Series* 380: 287–294.
- Watanabe Y, Mitani Y, Sato K, Cameron M, Naito Y (2003) Dive depths of Weddell seals in relation to vertical prey distribution as estimated by image data. *Marine Ecology Progress Series* 252: 283–288.
- Watanabe YY, Sato K, Watanuki Y, Takahashi A, Mitani Y, Amano M et al. (2011) Scaling of swim speed in breath-hold divers. *Journal of Animal Ecology* 80: 57–68.

- Watkins WA (1978) A radio tag for big whales. *Oceanus* 21: 48–54.
- Watkins WA (1981) Reaction of three species of whales *Balaenoptera physalus*, *Megaptera novaeangliae*, and *Balaenoptera edeni* to implanted radio tags *. *Deep Sea Research A* 28: 589–599.
- Watkins WA, Daher M-A, Dimarzio A, Samuels A, Wartzok D, Fristrup KM et al. (1999) Sperm whale surface activity from tracking by radio and satellite tags. *Marine Mammal Science* 15: 1158–1180.
- Watkins WA, Daher M-A, DiMarzio N, Samuels A, Wartzok D, Fristrup KM, Howey PW, Maiefski RR (2002) Sperm whale dives tracked by radio tag telemetry. *Marine Mammal Science* 18: 55–68.
- Watkins WA, Daher M-A, Fristrup KM, Howald EJ (1993) Sperm whales tagged with transponders and tracked underwater by sonar. *Marine Mammal Science* 9: 55–67.
- Watkins WA, Moore KE, Wartzok D, Johnson JH (1981) Radio tracking of finback (*Balaenoptera physalus*) and humpback (*Megaptera novaeangliae*) whales in Prince William Sound, Alaska*. *Deep Sea Research A* 28: 577–588.
- Watkins WA, Tyack P (1991) Reaction of sperm whales (*Physeter catodon*) to tagging with implanted sonar transponder and radio tags. *Marine Mammal Science* 7: 409–413.
- Watwood SL, Miller PJO, Johnson M, Madsen PT, Tyack PL (2006) Deep-diving foraging behaviour of sperm whales (*Physeter macrocephalus*). *Journal of Animal Ecology* 75: 814–825.
- Webb PM, Crocker DE, Blackwell SB, Costa DP, Le Boeuf BJ (1998) Effects of buoyancy on the diving behavior of northern elephant seals. *Journal of Experimental Biology* 201: 2349–2358.
- Weise MJ, Costa DP, Kudela RM (2006) Movement and diving behavior of male California sea lion (*Zalophus californianus*) during anomalous oceanographic conditions of 2005 compared to those of 2004. *Geophysical Research Letters* 33: L22S10.
- Weise MJ, Harvey JT, Costa DP (2010) The role of body size in individual-based foraging strategies of a top marine predator. *Ecology* 91: 1004–1015.
- Wells RS, Fougères EM, Cooper AG, Stevens RO, Brodsky M, Lingenfelter R, Dold C, Douglas DC (2013) Movements and dive patterns of short-finned pilot whales (*Globicephala macrorhynchus*) released from a mass stranding in the Florida Keys. *Aquatic Mammals* 39: 61–72.

- Wells RS, Rhinehart HL, Cunningham P, Whaley J, Baran M, Koberna C, Costa DP (1999) Long distance offshore movements of bottlenose dolphins. *Marine Mammal Science* 15: 1098–1114.
- Werner R, Campagna C (1995) Diving behaviour of lactating southern sea lions (*Otaria flavescens*) in Patagonia. *Canadian Journal of Zoology* 73: 1975–1982.
- Westdal KH, Richard PR, Orr JR (2013) Availability bias in population survey of Northern Hudson Bay narwhal (*Monodon monoceros*). *Polar Biology* 36: 1235–1241.
- White NA, Sjöberg M (2002) Accuracy of satellite positions from free-ranging grey seals using ARGOS. *Polar Biology* 25: 629–631.
- Wiig Ø, Born EW, Pedersen LT (2003) Movements of female polar bears (*Ursus maritimus*) in the East Greenland pack ice. *Polar Biology* 26: 509–516.
- Wiig Ø, Gjertz I, Griffiths D, Lydersen C (1993) Diving patterns of an Atlantic walrus *Odobenus rosmarus rosmarus* near Svalbard. *Polar Biology* 13: 71–72.
- Williams TM (2001) Intermittent swimming by mammals : A strategy for increasing energetic efficiency during diving. *American Zoologist* 41: 166–176.
- Williams TM, Davis RW, Fuiman LA, Francis J, Le Boeuf B, Horning M, Calambokidis J, Croll DA (2000) Sink or swim: strategies for cost-efficient diving by marine mammals. *Science* 288: 133–136.
- Williams TM, Fuiman LA, Horning M, Davis RW (2004) The cost of foraging by a marine predator, the Weddell seal *Leptonychotes weddellii*: pricing by the stroke. *The Journal of Experimental Biology* 207: 973–982.
- Williams GD, Hindell M, Houssais M-N, Tamura T, Field IC (2011) Upper ocean stratification and sea ice growth rates during the summer-fall transition, as revealed by Elephant seal foraging in the Adélie Depression, East Antarctica. *Ocean Science* 7: 185–202.
- Winn HE, Goodyear JD, Kenney RD, Petricig RO (1995) Dive patterns of tagged right whales in the Great South Channel. *Continental Shelf Research* 15: 593–611.
- Winship AJ, Jorgensen SJ, Shaffer SA, Jonsen ID, Robinson PW, Costa DP, Block BA (2012) State-space framework for estimating measurement error from double-tagging telemetry experiments. *Methods in Ecology and Evolution* 3: 291–302.
- Womble JN, Gende SM (2013) Post-breeding season migrations of a top predator, the harbor seal (*Phoca vitulina richardii*), from a marine protected area in Alaska. *PLoS ONE* 8: e55386.

Woodworth PA, Schorr GS, Baird RW, Webster DL, McSweeney DJ, Hanson MB, Andrews RD, Polovina JJ (2012) Eddies as offshore foraging grounds for melon-headed whales (*Peponocephala electra*). *Marine Mammal Science* 28: 638–647.

Zeno RL, Crocker DE, Hassrick JL, Allen SG, Costa DP (2008) Development of foraging behavior in juvenile northern elephant seals. *Journal of Zoology, London* 274: 180–187.

Zimmer WMX, Tyack PL (2007) Repetitive shallow dives pose decompression risk in deep-diving beaked whales. *Marine Mammal Science* 23: 888–925.