

Figure S1. Clinical cases of tuberculosis at the KMP from 2014–2016.




Figure S2. Group Changes throughout the study.




Figure S3. Scatterplot of scaled Schoenfeld residuals for the multivariable model of survival time to death.

Table S1. Treatment set composition at commencement of the study.

Group	Treatment Set	Group Size Sep 2014	Group Composition	Previous Group History of TB	Initial TB Test positive prevalence (%)
N	Control	9	1 DF, 1DM, 2 AF, 3 AM, 1SF, 1 SM	No	0.0
Q	Control	11	1 DF, 1 DM, 1 AF, 3 SF, 2 SM, 2 JF, 1 JM	No	33.3
Z	Control	20	1 DF, 1 DM, 4 AF, 9 AM, 2 SF, 2 SM, 1 JM	No	45.4
B	High Susceptibility	19	1 DF, 1DM, 9 AF, 4AM, 4SM	No	7.1
F	High Susceptibility	22	1 DF, 1DM, 3 JF, 4JM, 1 AF 8 AM, 2PF, 2PM	No	100.0
R	High Susceptibility	9	1 DF, 1 DM, 2 AF, 2 AM, 2 SF, 1 SM	Yes, last case in 2009	30.0
J	High Contact	9	1 DF, 1DM, 2 AF, 2 AM, 1SF, 2 SM	No	20.0
P	High Contact	16	1 DF, 1 DM, 1 AF, 2 AM, 6 SF, 5 SM	No	37.5
U	High Contact	20	1 DF, 1 DM, 4 AF, 6 AM, 3 SF, 2 SM, 3 JM	No	36.4

Table S2. Survival analysis for time to a positive test in 221 wild meerkats.

<i>Variable</i>	<i>HR *</i>	<i>95% Confidence Interval</i>	<i>Wald Test p Value for Variable</i>	<i>HR *</i>	<i>95% Confidence Interval</i>	<i>p Value</i>
<i>Dominance</i>	<i>No</i>		0.188			
	<i>Yes</i>	0.53	0.21–1.36			
<i>Sex</i>	<i>F</i>		0.043			
	<i>M</i>	1.87	1.02–3.44	1.97	1.06–3.67	0.033
<i>Age</i>	<i>0-6 months</i>		0.068			
	<i>6-12 months</i>	2.02	0.82–4.98	2.06	0.84–5.07	0.12
	<i>12-24 months</i>	2.15	1.01–4.56	2.12	1.00–4.51	0.05
	<i>>24 months</i>	0.74	0.22–2.43	0.73	0.22–2.42	0.61
<i>Previous history of TB within social group</i>	<i>No</i>		0.806			
	<i>Yes</i>	0.92	0.49–1.75			
<i>Treatment Set</i>	<i>Control</i>		0.92			
	<i>High Susceptibility</i>	1.14	0.51–2.55			
	<i>High Contact</i>	0.92	0.53–1.78			
<i>Social group</i>	Full list of groups not presented here *HR, Hazard Ratio.		0.81	Variance of random effect <0.0001		