Supplementary file 3: Modified Down and Black check list

Downs and Black Quality Assessment Checklist (13)

Articl	e Title and Date:	
Auth	ors:	
	Description	Answer (circle)
	REPORTING	
1	Is the hypothesis/aim/objective of the study clearly described?	Yes = 1
		No = 0
2	Are the main outcomes to be measured clearly described in the Introduction or Methods section?	Yes = 1 No = 0
3	Are the characteristics of the patients included in the study clearly	Yes = 1
J	described?	No = 0
4	Are the interventions of interest clearly described?	Yes = 1
	, ,	No = 0
5	Are the distributions of principal confounders in each group of subjects	Yes = 1
	to be compared clearly described?	No = 0
7	Are the main findings of the study clearly described?	Yes = 1
		No = 0
	Does the study provide estimates of the random variability in the data for	Yes = 1
	the main outcomes?	No = 0
8	Have all important adverse events that may be a consequence of the	Yes = 1
	intervention been reported?	No = 0
9	Have the characteristics of patients lost to follow-up been described?	Yes = 1 No = 0
10	Have actual probability values been reported (e.g. 0.035 rather than	Yes = 1
10	<0.05) for the main outcomes except where the probability value is less	No = 0
	than 0.001?	
	EXTERNAL VALIDITY	
11	Were the subjects asked to participate in the study representative of the	Yes = 1
	entire population from which they were recruited?	No = 0
		Unable to determine = 0
12	Were those subjects who were prepared to participate representative of	Yes = 1
	the entire population from which they were recruited?	No = 0
		Unable to determine = 0
13	Were the staff, places, and facilities where the patients were treated,	Yes = 1
	representative of the treatment the majority of patients receive?	No = 0 Unable to determine = 0
	INTERNAL VALIDITY – BIAS	Onable to determine = 0
14	Was an attempt made to blind study subjects to the intervention they	Voc - 1
	have received?	No = 0
	Have received.	Unable to determine = 0
15	Was an attempt made to blind those measuring the main outcomes of	Yes = 1
	the intervention?	No = 0
		Unable to determine = 0
16	If any of the results of the study were based on "data dredging", was this	Yes = 1
	made clear?	No = 0
		Unable to determine = 0
17	In trials and cohort studies, do the analyses adjust for different lengths	Yes = 1
	of follow-up of patients, or in case-control studies, is the time period	No = 0
18	between the intervention and outcome the same for cases and controls?	Unable to determine = 0
	Were the statistical tests used to assess the main	Yes = 1
	outcomes appropriate?	No = 0
		Unable to determine = 0

19	Was compliance with the intervention/s reliable?	Yes = 1	
13	was compliance with the intervention/s reliable:	No = 0	
		Unable to determine = 0	
20	Were the main outcome measures used accurate (valid and reliable)?	Yes = 1	
20	were the main outcome measures used accurate (valid and reliable)?	Yes = 1 No = 0	
		Unable to determine = 0	
INTERNAL VALIDITY – CONFOUNDING (SELECTION BIAS)			
21	Were the patients in different intervention groups (trials and cohort	Yes = 1	
	studies) or were the cases and controls (case control studies) recruited	No = 0	
	from the same population?	Unable to determine = 0	
22	Were study subjects in different intervention groups (trials and cohort	Yes = 1	
	studies) or were the cases and controls (case control studies) recruited	No = 0	
	over the same period of time?	Unable to determine = 0	
23	Were study subjects randomised to intervention groups?	Yes = 1	
		No = 0	
		Unable to determine = 0	
24	Was the randomised intervention assignment concealed from both	Yes = 1	
	patients and health care staff until recruitment was complete and	No = 0	
	irrevocable?	Unable to determine = 0	
25	Was there adequate adjustment for confounding in the analyses from	Yes = 1	
	which the main findings were drawn?	No = 0	
		Unable to determine = 0	
26	Were losses of patients to follow-up taken into account?	Yes = 1	
		No = 0	
		Unable to determine = 0	
	POWER		
27	Did the study have sufficient power to detect a clinically important effect	Size of smallest intervention	
	where the probability value for a difference being due to chance is less	group	
	than 5%?	Yes = 1	
	Chan 5/0:	No = 0	
		Unable to determine = 0	
_		Onable to determine = 0	
Assessing the quality: excellent (11-13), good (9-10), fair (7-8), and poor (\leq 6)(1, 2)			

This checklist has been adjusted to remove the questions pertaining to RCTs, as the review used only PO (participants and outcomes).

References

- 1. Chudyk AM, Jutai JW, Petrella RJ, Speechley M. Systematic Review of Hip Fracture Rehabilitation Practices in the Elderly. Archives of Physical Medicine and Rehabilitation. 2009;90(2):246-62.
- 2. O'Connor SR, Tully MA, Ryan B, Bradley JM, Baxter GD, McDonough SM. Failure of a numerical quality assessment scale to identify potential risk of bias in a systematic review: a comparison study. BMC Res Notes. 2015;8:224-.