## **Supplementary Material**

Title: The relative role of intrinsic and extrinsic drivers in regulating population change and survival of African wild dogs (*Lycaon pictus*)

Authors: David G. Marneweck<sup>1,2</sup>, Dave J. Druce<sup>3,4</sup>, Joris P.G.M. Cromsigt<sup>5,6</sup>, Elizabeth le Roux<sup>1,6,7</sup>, & Michael J. Somers<sup>1,8</sup>

## Affiliations:

Corresponding author: David G. Marneweck; <a href="davidmarneweck@gmail.com">davidmarneweck@gmail.com</a>

<sup>&</sup>lt;sup>1</sup>Mammal Research Institute, Department of Zoology and Entomology, University of Pretoria, South Africa

<sup>&</sup>lt;sup>2</sup>Carnivore Conservation Programme, Endangered Wildlife Trust, South Africa

<sup>&</sup>lt;sup>3</sup>Ezemvelo KZN Wildlife, P.O. Box 13053, Cascades 3202, South Africa


<sup>&</sup>lt;sup>4</sup>School of Life Sciences, University of KwaZulu-Natal, Private Bag X01, Scottsville 3209, South Africa

<sup>&</sup>lt;sup>5</sup> Department of Wildlife, Fish and Environmental Studies, Swedish University of Agricultural Sciences, Umeå, 901 83, Sweden


<sup>&</sup>lt;sup>6</sup>Centre for African Conservation Ecology, Department of Zoology, Nelson Mandela University, P.O. Box 77000, Gqeberha, 6031, South Africa

<sup>&</sup>lt;sup>7</sup>Center for Biodiversity Dynamics in a Changing World (BIOCHANGE) & Section for Ecoinformatics and Biodiversity, Department of Biology, Aarhus University, Ny Munkegade 114, DK-8000 Aarhus C, Denmark


<sup>&</sup>lt;sup>8</sup>Centre for Invasion Biology, University of Pretoria, South Africa



**Fig. S1** Screenshot from the 2016 wild dog ID kit for Hluhluwe-iMfolozi Park. This shows three individuals from the Crossroads pack (including the female depicted in Fig. 2 of the manuscript). Data in cells refer to individual name, sex, year born, pack name and date last seen. For the individual at the bottom, the extra data row refers to collar type, date fitted and collar VHF frequency.



**Fig. S2** Time series showing the change in the (A) estimated lion (lions/100km²) and preferred prey (impala and nyala tons/100km²) density and (B) the wild dog density (number of adults and yearlings per 100km²) in Hluhluwe-iMfolozi Park from 1996 to 2018. The triangles in panel A depict years when density was approximated using linear regression (for more details, see methods section in manuscript).



**Fig. S3** Plotted raw values of lion density (number of lions/100km<sup>2</sup>) and prey density (tons/100km<sup>2</sup>) effects on the wild dog rate of population change from Fig. 4 in the manuscript. This shows the low number of observations at high prey density and low lion density.

**Table S1.** Time series of the historical losses (emigration or removal) and gains (immigration or reintroduction) of wild dogs into the Hluhluwe-iMfolozi Park from January 1996 to December 2018.

Type of loss or gain	Date	Group/ Individual		ber of ults	Numb yearl			ber of ips	Group size	Source	Destination	Reference
		Name	M	F	M	F	M	F	_			
Emigrate*	September 2000	iMfolozi male dispersers	2	0	0	0	0	0	2	HiP	Outside PA <sup>a</sup>	This study
	19 September 2003	Potter's Bachelors	3	0	0	0	0	0	3	HiP	Outside PA <sup>a</sup>	This study
	21 September 2003	Pleiades Sisters	0	3	0	4	0	0	7	HiP	Outside PA <sup>a</sup>	This study
	May 2005	Lost Boys	3	0	0	0	0	0	3	HiP	Outside PA <sup>a</sup>	This study
	August 2005	SS iMfolozi dispersers	0	2	0	0	0	0	2	HiP	HiP <sup>c</sup>	This study
	11 June 2006	Izimpohlo Dispersers	3	0	0	0	0	0	3	HiP	HiPe	This study
	9 September 2009	Veggie Males	3	0	5	0	0	0	8	HiP	Mkhuze Game Reserve <sup>h</sup>	This study; Whittington-Jones et al. 2014
	16 September 2011	Shiyane Male Dispersers	1	0	1	0	0	0	2	HiP	$HiP^k$	This study
	13 March 2013	Chase & Fifi	0	2	0	0	0	0	2	HiP	$Outside PA^L \\$	This study
	September 2013	Shiyane Male Dispersers 2013	5	0	3	0	0	0	8	HiP	OutsidePA <sup>a,L</sup>	This study
	January 2014	Shiyane Pack	3	3	0	0	0	0	6	HiP	Somkhanda, Outside PA <sup>a</sup> , HiP	This study
	11 August 2014	Tshokolwane 2014 Female Dispersers <sup>n</sup>	0	3	0	0	0	0	3	HiP	Outside PA <sup>a</sup>	This study
	17 November 2015	Sokhwezela males	4	0	0	0	0	0	4	HiP	Outside PA <sup>a</sup>	This study
	21 December 2015	Tshokolwane Male	1	0	3	0	0	0	4	HiP	Outside PA <sup>a</sup>	This study

	31 March 2016	dispersers 2015 Tshokolwane Male dispersers 2016	0	0	4	0	0	0	4	HiP	Outside PA <sup>a</sup>	This study
	July 2016	Tshokolwane Male disperser	1	0	0	0	0	0	1	HiP	Ithala	This study
	12 June 2018	Bhejie Male dispersers								HiP	Tembe Elephant Park	This study
	17 O-taban 2010	2018 - 2 Bhejie Female	1	0	1	0	0	0	2	HiP	Thula Thula	This study
	17 October 2018	dispersers 2018 Subtotal	0 30	3 16	0 17	0 4	$0 \\ 0$	$0 \\ 0$	3 <i>67</i>			
Removed	16 November		2	3	0	0	0	0	5	HiP	Venetia	This study
Removed	2005	Thobothi pack	_									Tins study
	20 January 2010	Ume females	0	0	0	3	0	0	3	HiP	Tembe Elephant Park	This study
	August 2011	Dojo 2011 Female Dispersers <sup>i</sup>	0	2	0	0	0	0	2	HiP	Hlambanyathi Game Reserve	This study
	2 March 2012	Juma males	3	0	0	0	0	0	3	HiP	Tembe Elephant Park	This study
	June 2015	Madlozi pack <sup>o</sup>	3	2	1	0	0	0	6	HiP	Somkhanda, Blue Canyon Conservancy	This study
	8 October 2016	Tshokolwane males	1	0	3	0	0	0	4	HiP	Balule Game Reserve	This study
	8 October 2016	Tshokolwane females								HiP	UmPhafa Nature	This study
		Temales	0	2	0	2	0	0	4	II:D	Reserve boma	This stade.
	3 June 2017	Alfie's males	1	0	2	0	0	0	3	HiP	Mkhuze Game Reserve	This study
	24 July 2017	Alfie's females	0	2	0	2	0	0	4	HiP	Kruger National Park	This study
	5 April 2018	Sokhwezela females	0	0	0	2	0	2	4	HiP	Maremani	This study

	13 September	Dela's males	0	0	2	0	0	0	2	HiP	0 11 1	This study
	2018	Subtotal	0	0	2	0	0	0	2		Somkhanda	
Immigrated	5 July 2015	Mkhuze males	10 1	0	1	0	0	0	2	Mkhuze Game Reserve	HiP	This study
		Subtotal	1	0	1	0	0	0	2			
Introduced	16 December 1997	iMfolozi pack	2	1	1	0	0	0	4	Kruger National Park	HiP	Somers and Maddock 1999
	April 2001	Madikwe- Karongwe females	0	2	0	0	0	0	2	Madikwe Game Reserve	HiP	Graf et al. 2006; Gusset et al. 2006a
	4 February 2003	Crocodile pack	2	3	0	0	3	0	8	Crocodile Ranch <sup>b</sup>	HiP	Graf et al. 2006; Gusset et al. 2006a
	29 March 2006	Venetia Girls	0	1	0	1	0	0	2	Venetia	HiP	This study
	21 May 2006	Boomerang pack <sup>d</sup>	1	2	0	0	0	0	3	HiP	HiP	This study
	6 December 2006	Saffron <sup>c</sup>	0	1	0	0	0	0	1	HiP	HiP	This study
	6 January 2007	Mercury pack	2	0	0	3 <sup>f</sup>	0	0	5	HiP <sup>f</sup> , Letsitele <sup>g</sup>	HiP	This study
	6 April 2007	Pilanesberg Females	0	3	0	0	0	0	3	Pilanesberg National Park	HiP	This study
	July 2008	Mduna	1	0	0	0	0	0	1	Thanda PGR	HiP	This study
	August 2011	Hlambanyathi Females <sup>i</sup>	0	0	0	2	0	0	2	Hlambanyat hi Game Reserve <sup>j</sup>	HiP	This study
	August 2012	Tembe males	2	0	0	0	0	0	2	Tembe Elephant Park	HiP	This study
	May 2013	Dela & Zeus pack <sup>m</sup>	1	1	0	0	0	0	2	HiP, Mkhuze Game Reserve	HiP	This study

	4 July 2015	Shiyane female <sup>p</sup>	0	1	0	0	0	0	1	HiP	HiP	This study
8	February 2018	New Hluhluwe								Thanda,	HiP	This study
	1001uary 2010	pack <sup>q</sup>	0	4	3	0	0	0	7	Somkhanda		
1	7 October 2018	Somkhanda male <sup>r</sup>	1	0	0	0	0	0	1	Somkhanda	HiP	This study
		Subtotal	12	19	4	6	3	0	44			

\*Emigration here refers to cohorts permanently leaving HiP which differs from the definition of emigration in Marneweck (2020); "Individuals died outside of protected areas; b'Originated outside of protected areas from a free-ranging pack in Limpopo Province, South Africa; one of the females eventually caught and released back into park alone after unsuccessful group formation with Boomerange packd; 'Individuals all originated from HiP (SS iMfolozi dispersers and 1 male from Thobothi pack. Bonded and released together; These two males originated from HiP (Izimpohlo dispersers); These three females were born and raised in captivity in Limpopo Province, South Africa; Seven of the eight dispersers caught and bonded with females in Mkhuze Game Reserve and released; Females initially dispersed naturally but were later caught and swapped with two females from Hlambanyathi Game Reserve; Adult male later reintroduced back into HiP with adult female (Dela & Zeus packm); Naturally formed pack outside of HiP near the Opathe-Emakhosini Park with 3 of the Shiyane Male Dispersers 2010; Females naturally formed pack with one adult male outside of protected area near Magudu, KZN; One female taken to Somkhanda and naturally bonded with pack there, one female died in boma, four males taken to Blue Canyon Conservancy in Limpopo and bonded to two adult females and eight pups there; Shiyane pack female released back into park after being held in uMphafa Private Nature Reserve boma for 6 months. Died 24 days later. Males from Somkhanda, females originally from Thanda then Tswalu then Jukani; Originally from Zimanga but reintroduced to Somkhanda Nov 2014. Bonded with Dela's females in boma before release.

**Table S2.** Sex-specific survival for yearling wild dogs to adulthood in Hluhluwe-iMfolozi Park (C.I. = confidence interval).

Variable	<b>Exact binomial</b>	95% C.I.
Male yearling survival to adulthood	0.70	0.63 - 0.76
Female yearling survival to adulthood	0.64	0.57 - 0.71

**Table S3.** Counts of confirmed mortality incidences (i.e. observed, carcass and/or tracking collar found) per mortality cause and type over the 100 pack years (i.e. from 1996 to 2018) for the population of wild dogs in Hluhluwe-iMfolozi Park.

Causes of mortality		dually identif		Pups			
	Males	Females	Unknown	Males	Females	Unknown	
	n = 52	n = 40	n = 3	n = 1	n = 3	n = 9	
Natural causes							
Injury	6	1	0	0	0	0	
Denning	0	2	0	0	0	0	
Old age	2	2	0	0	0	0	
Starvation							
Confirmed	1	4	0	0	0	0	
Suspected	1	0	0	0	0	0	
Intraspecific	2	0	0	0	0	0	
Interspecific (predation)							
Lion	4	3	0	0	1	0	
Hyena							
Confirmed	1	3	0	0	0	0	
Suspected	2	0	0	0	0	0	
Crocodile	2	0	0	0	0	0	
Leopard	0	0	0	0	1	0	
Subtotal	21	15	0	0	2	0	
Human causes							
Road accident							
Confirmed	2	2	0	1	1	0	
Suspected	2	1	0	0	0	0	
Shot	0	0	0	0	0	0	
Snared							
Confirmed	1	0	0	0	0	0	
Suspected	0	1	0	0	0	0	
Handling	0	1	0	0	0	0	
Boma	4	3	0	0	0	0	
Poison	1	0	0	0	0	0	

Subtotal	10	8	0	1	1	0
Disease						
Confirmed	2	8	0	0	0	0
Suspected	11	7	3	0	0	9
Subtotal	13	15	3	0	0	9
Unknown	8	2	0	0	0	0
Total	52	40	3	0 1	3	9