

CHAPTER 7

REFERENCES

- ABLETT, S., 1992. Overview of NMR applications in food science. *Trends in Food Science and Technology* **3**, 246-250.
- AKESON, W.R. & STAHMANN, M.A., 1964. A pepsin pancreatin digest index of protein quality evaluation. *Journal of Nutrition* **83**, 257-261.
- ALI, H.I. & HARLAND, B.F., 1991. Effects of fibre and phytate in sorghum flour on iron and zinc in weanling rats: A pilot study. *Cereal Chemistry* **68**, 234-238.
- AMBROSE, E.J. & ELLIOTT, A., 1951. Infra-red spectroscopic studies of globular protein structure. *Proceedings of the Royal Society of London* **A208**, 75-90.
- ARBAB, M.E. & EL TINAY, A.H., 1997. Effect of cooking and treatment with sodium bisulphite or ascorbic acid on the *in vitro* protein digestibility of two sorghum cultivars. *Food Chemistry* **59**, 339-343.
- ARGOS, P., PEDERSEN, K., MARKS, M.D. & LARKINS, B.A., 1982. A structural model for maize zein proteins. *Journal of Biological Chemistry* **257**, 9984-9990.
- ARMSTRONG, W.D., FEATHERSTON, W.R. & ROGLER, J.C., 1973. Influence of methionine and other dietary additions on the performance of chicks fed bird resistant sorghum grain diets. *Poultry Science* **52**, 1592-1599.
- ARMSTRONG, W.D., FEATHERSTON, W.R. & ROGLER, J.C., 1974a. Effect of bird resistant sorghum grain and various commercial tannins on chick performance. *Poultry Science* **53**, 2137-2142.
- ARMSTRONG, W.D., ROGLER, J.C. & FEATHERSTON, W.R., 1974b. *In vitro* studies of the protein digestibility of sorghum grain. *Poultry Science* **53**, 2224-2227.

AUGUSTINE, M.E. & BAIANU, I.C., 1986. High resolution carbon-13 nuclear magnetic resonance studies of maize proteins. *Journal of Cereal Science* **4**, 371-378.

AUGUSTINE, M.E. & BAIANU, I.C., 1987. Basic studies of corn proteins for improved solubility and future utilisation: A physicochemical approach. *Journal of Food Science* **52**, 649-652.

AXTELL, J.D., KIRLEIS, A., HASSEN, M.M., D'CROZ-MASON, N., MERTZ, E.T. & MUNCK, L., 1981. Digestibility of sorghum proteins. *Proceedings of the National Academy of Sciences of the United States of America* **78**, 1333-1335.

BACH KNUDSEN, K.E. & MUNCK, L., 1985. Dietary fibre contents and composition of sorghum and sorghum-based foods. *Journal of Cereal Science* **3**, 153-164.

BACIC, A., HARRIS, P.J. & STONE, B.A., 1988. Structure and function of plant cell walls. IN: PREISS, J., (ed.) *The Biochemistry of Plants: A Comprehensive Treatise Vol. 14 Carbohydrates*. San Diego: Academic Press. pp. 297-358.

BAIANU, I.C. & FÖRSTER, H., 1980. Cross-polarisation, high-field carbon-13 NMR techniques for studying physicochemical properties of wheat grain, flour, starch, gluten and wheat protein powders. *Journal of Applied Biochemistry* **2**, 347-354.

BANDEKAR, J., 1992. Amide modes and protein conformation. *Biochimica et Biophysica Acta* **1120**, 123-143.

BARBER, D.L., LOTT, J.N.A. & YANG, H., 1998. Properties of rice (*Oryza sativa* L.) faecal protein particles: Light and electron microscopic observations. *Journal of Cereal Science* **27**, 83-93.

BATTERMAN-AZCONA, S.J. & HAMAKER, B.R., 1998. Changes occurring in protein body structure and α -zein during cornflake processing. *Cereal Chemistry* **75**, 217-221.

BELITZ, H.D. & GROSCH, W., 1999. *Food Chemistry*. Berlin: Springer-Verlag. pp. 313, 314.

BELTON, P.S., COLQUHOUN, I.J., GRANT, A., WELLNER, N., FIELD, J.M., SHEWRY, P.R. & TATHAM, A.S., 1995. FTIR and NMR studies on the hydration of a high-M_r subunit of glutenin. *International Journal of Biological Macromolecules* 17, 74-80.

BIGGS, K.J. & FRY, S.C., 1990. Solubilisation of covalently bound extensin from *Capsicum* cell walls. *Plant Physiology* 92, 197-204.

BOOKWALTER, G.N., KIRLEIS, A.W. & MERTZ, E.T., 1987. *In vitro* digestibility of protein in milled sorghum and other processed cereals with and without soy-fortification. *Journal of Food Science* 52, 1577-1579, 1619.

BRADBURY, J.H., COLLINS, J.G. & PYLIOTIS, N.A., 1984. Digestibility of proteins of the histological components of cooked and raw rice. *British Journal of Nutrition* 52, 507-513.

BRADY, J.D., SADLER, I.H. & FRY, S.C., 1996. Di-isodityrosine, a novel tetrameric derivative of tyrosine in plant cell wall proteins: a new potential cross-link. *Biochemical Journal* 315, 323-327.

BRADY, J.D., SADLER, I.H. & FRY, S.C., 1998. Pulcherosine, an oxidatively coupled trimer of tyrosine in plant cell walls: Its role in crosslink formation. *Phytochemistry* 47, 349-353.

BRAVO, L., 1998. Polyphenols: Chemistry, dietary sources, metabolism and nutritional significance. *Nutrition Reviews* 56, 317-333.

BRETT, C. & WALDRON, K., 1990. *Physiology and Biochemistry of Plant Cell Walls*. London: Unwin Hyman. pp. 4-44.

BROWN, K.H. & SOLOMONS, N.W., 1993. Malnutrition in developing countries. IN: MACRAE, R., ROBINSON, R.K. & SADLER, M.J., (eds.) *Encyclopaedia of Food Science, Food Technology and Nutrition*. London: Academic Press. pp. 2847-2853.

BRUNE, M., ROSSANDER, L. & HALLBERG, L., 1989. Iron absorption and phenolic compounds: Importance of different phenolic structures. *European Journal of Clinical Nutrition* **43**, 547-558.

BUNJAPAMAI, S., MAHONEY, R.R. & FAGERSON, I.S., 1982. Determination of D-amino acids in some processed foods and effect of racemization on *in vitro* digestibility of casein. *Journal of Food Science* **47**, 1229-1234.

BUTLER, L.G., RIEDL, D.J., LEBRYK, D.G. & BLYTT, H.J., 1984. Interaction of proteins with sorghum tannin: Mechanism, specificity and significance. *Journal of the American Oil Chemists Society* **61**, 916-920.

BYLER, D.M. & SUSI, H., 1986. Examination of the secondary structure of proteins by deconvoluted FTIR spectra. *Biopolymers* **25**, 469-487.

CAMERON-MILLS, V. & VON WETTSTEIN, D., 1980. Protein body formation in the developing barley endosperm. *Carlsberg Research Communications* **45**, 577-594.

CHANDRASHEKAR, A. & KIRLEIS, A.W., 1988. Influence of protein on starch gelatinisation in sorghum. *Cereal Chemistry* **65**, 457-462.

CHAVAN, J.K., KADAM, S.S., GHONSIKAR, C.P. & SALUNKHE, D.K., 1979. Removal of tannins and improvement of *in vitro* protein digestibility of sorghum seeds by soaking in alkali. *Journal of Food Science* **44**, 1319-1321.

CHEFTEL, J.C., CUQ, J-L. & LORIENT, D., 1985. Amino acids, peptides and proteins. IN: FENNEMA, O.R., (ed.) *Food Chemistry*. 2nd Ed. New York: Marcel Dekker, pp. 245-325.

CHIBBER, B.A.K., MERTZ, E.T. & AXTELL, J.D., 1980. *In vitro* digestibility of high-tannin sorghum at different stages of dehulling. *Journal of Agricultural and Food Chemistry* **28**, 160-161.

CHINACHOTI, P., WHITE, V.A., LO, L. & STENGLE, T.R., 1991. Application of high-resolution carbon-13, oxygen-17 and sodium-23 nuclear magnetic resonance to study the influences of water, sucrose and sodium chloride on starch gelatinisation. *Cereal Chemistry* **68**, 238-244.

CHOCT, M. & ANNISON, G., 1992. The inhibition of nutrient digestion by wheat pentosans. *British Journal of Nutrition* **67**, 123-132.

CHRISTIAN, G.D., 1986. *Analytical Chemistry*. New York: John Wiley & Sons. pp. 213-215.

COULTATE, T.P., 1990. *Food – The Chemistry of its Components*. Cambridge, UK: The Royal Society of Chemistry. pp. 85-125.

COWNIE, P.J., 1993. The maize giant in a changing Africa and its challenge for cereal science and technology. IN: TAYLOR, J.R.N., RANDALL, P.G. & VILJOEN, J.H. (eds.) *Cereal Science and Technology: Impact on a Changing Africa*. Pretoria, South Africa: The CSIR. pp. 31-52.

DAIBER, K.H., 1975. Enzyme inhibition by polyphenols of sorghum grain and malt. *Journal of the Science of Food and Agriculture* **26**, 1399-1411.

DAIBER, K.H. & TAYLOR, J.R.N., 1982. Effects of formaldehyde on protein extraction and quality of high- and low-tannin sorghum. *Journal of Agricultural and Food Chemistry* **30**, 70-72.

DAMODARAN, S., 1996. Amino acids, peptides and proteins. IN: FENNEMA, O.R., (ed.) *Food Chemistry*. 3rd Ed. New York: Marcel Dekker, p. 409.

DE-ROSE, R.T., MA, D-P., KWON, I-K., HASNAIN, S.E., KLASSY, R.C. & HALL, T.C., 1989. Characterisation of the kafirin gene family from sorghum reveals extensive homology with zein from maize. *Plant Molecular Biology* **12**, 245-256.

DOGGETT, H., 1988. *Sorghum*. 2nd Ed. Essex, UK: Longman Scientific and Technical. pp. 35-69.

DUODU, K.G., MINNAAR, A. & TAYLOR, J.R.N., 1999. Effect of cooking and irradiation on the labile vitamins and antinutrient content of a traditional African sorghum porridge and spinach relish. *Food Chemistry* **66**, 21-27

DUVICK, D.N., 1961. Protein granules of maize endosperm cells. *Cereal Chemistry* **38**, 374-385.

ECKHOFF, S.R., 1995. Maize. IN: MACRAE, R., ROBINSON, R.K. & SADLER, M.J., (eds.) *Encyclopaedia of Food Science, Food Technology and Nutrition*. London: Academic Press. pp. 2825-2831.

ELKIN, R.G., FREED, M.B., HAMAKER, B.R., ZHANG, Y. & PARSONS, C.M., 1996. Condensed tannins are only partially responsible for variations in nutrient digestibilities of sorghum grain cultivars. *Journal of Agricultural and Food Chemistry* **44**, 848-853.

ELMAKI, H.B., BABIKER, E.E. & EL TINAY, A.H., 1999. Changes in chemical composition, grain malting, starch and tannin contents and protein digestibility during germination of sorghum cultivars. *Food Chemistry* **64**, 331-336.

EL NOUR, I.N.A., PERUFFO, A.D.B. & CURIONI, A., 1998. Characterisation of sorghum kafirins in relation to their cross-linking behaviour. *Journal of Cereal Science* **28**, 197-207.

EPSTEIN, L. & LAMPORT, D.T.A., 1984. An intramolecular linkage involving isodityrosine in extensin. *Phytochemistry* **23**, 1241-1246.

ERBERSDOBLER, H.F., 1989. Protein reactions during food processing and storage – Their relevance to human nutrition. IN: SOMOGYI, J.C. & MÜLLER, H.R. (eds.) *Nutritional Impact of Food Processing*. Basel: S. Karger. pp. 140-155.

ESEN, A., 1987. A proposed nomenclature for the alcohol-soluble proteins (zeins) of maize (*Zea mays* L.). *Journal of Cereal Science* **5**, 117-128.

ESEN, A., 1990. An immunodominant site of γ -zein₁ is in the region of tandem hexapeptide repeats. *Journal of Protein Chemistry* **9**, 453-460.

ESEN, A. & STETLER, D.A., 1992. Immunocytochemical localisation of δ -zein in the protein bodies of maize endosperm cells. *American Journal of Botany* **79**, 243-248.

EVANS, D.J., SCHÜSSLER, L. & TAYLOR, J.R.N., 1987. Isolation of reduced-soluble protein from sorghum starchy endosperm. *Journal of Cereal Science* **5**, 61-65.

FAY, L.F., RICHLI, U. & LIARDON, R., 1991. Evidence for the absence of amino acid isomerization in microwave-heated milk and infant formulas. *Journal of Agricultural and Food Chemistry* **39**, 1857-1859.

FIELD, L.D., 1989. Fundamental aspects of NMR spectroscopy. IN: FIELD, L.D. & STERNHELL, S. (eds.) *Analytical NMR*. Chichester, UK: John Wiley & Sons. pp. 5-39.

FINLEY, J.W., 1989. Effects of processing on proteins: An overview. IN: PHILLIPS, R.D. & FINLEY, J.W. (eds.) *Protein Quality and the Effects of Processing*. New York: Marcel Dekker. pp. 1-7.

FISHER, M.S., MARSHALL, W.E. & MARSHALL, H.F., 1990a. Carbon-13 NMR studies of glycinin and β -conglycinin at neutral pH. *Journal of Agricultural and Food Chemistry* **38**, 951-957.

FISHER, M.S., MARSHALL, W.E. & MARSHALL, H.F., 1990b. Carbon-13 NMR studies of the effects of gelation and heat and chemical denaturation at neutral pH on soy glycinin and β -conglycinin. *Journal of Agricultural and Food Chemistry* **38**, 957-966.

FOOD AND AGRICULTURE ORGANIZATION OF THE UNITED NATIONS, 1995. *Sorghum and Millets in Human Nutrition*. Rome: FAO. pp. 1-12, 52.

FOOD AND AGRICULTURAL ORGANIZATION OF THE UNITED NATIONS/WORLD HEALTH ORGANIZATION/UNITED NATIONS UNIVERSITY, 1985. *Energy and Protein Requirements. World Health Organization Technical Report Series 724*. Geneva: WHO. pp. 191-121.

FRASER, R.D.B., 1956. Interpretation of infrared dichroism in fibrous proteins – the 2μ region. *Journal of Chemical Physics* **24**, 89-95.

FRASER, R.D.B. & SUZUKI, E., 1970. Infrared methods. IN: LEACH, S.J. (ed.) *Physical Principles and Techniques of Protein Chemistry*. London: Academic Press. pp. 251-273.

FRIEDMAN, M., ZAHNLEY, J.C. & MASTERS, P.M., 1981. Relationship between *in vitro* digestibility of casein and its content of lysinoalanine and D-amino acids. *Journal of Food Science* **46**, 127-131, 134.

FRY, S.C., 1982. Isodityrosine, a new cross-linking amino acid from plant cell-wall glycoprotein. *Biochemical Journal* **204**, 449-455.

FRY, S.C., 1986. Cross-linking of matrix polymers in the growing cell walls of angiosperms. *Annual Review of Plant Physiology* **37**, 165-186.

FRY, S.C., 1988. *The Growing Plant Cell Wall: Chemical and Metabolic Analysis*. Harlow, UK: Longman Scientific & Technical. pp. 238-249.

FUKUSHIMA, D., 1991. Structures of plant storage proteins and their functions. *Food Reviews International* **7**, 353-381.

GIL, A.M., ALBERTI, E., NAITÔ, A., OKUDA, K., SAITÔ, H., TATHAM, A.S. & GILBERT, S., 1999. Solid-state ^{13}C NMR studies of wheat high molecular weight subunits. IN: BELTON, P.S., HILLS, B.P. & WEBB, G.A. (eds.) *Advances in Magnetic Resonance in Food Science*. Cambridge, UK: The Royal Society of Chemistry pp. 126-134.

GIL, A.M., ALBERTI, E., TATHAM, A.S., BELTON, P.S., HUMPFER, E. & SPRAUL, M., 1997. Magic angle spinning NMR study of the hydration of the wheat seed storage protein omega-gliadins. *Magnetic Resonance in Chemistry* **35**, S101-S111.

GIL, A.M., NAITÔ, K.M.A., TATHAM, A.S., BELTON, P.S. & SAITÔ, H., 1997. A ¹³C-NMR study on the conformational and dynamical properties of a cereal seed storage protein, C-hordein, and its model peptides. *Biopolymers* **41**, 289-300.

GLENNIE, C.W., 1984. Endosperm cell wall modification in sorghum grain during germination. *Cereal Chemistry* **61**, 285-289.

GLENNIE, C.W., LIEBENBERG, N.v.d.W. & VAN TONDER, H.J., 1984. Morphological development in sorghum grain. *Food Microstructure* **3**, 141-148.

GRAM, N.H., 1982. The ultrastructure of germinating barley seeds. II. Breakdown of starch granules and cell walls of the endosperm in three barley varieties. *Carlsberg Research Communications* **47**, 173-185.

GRANT, A., BELTON, P.S., COLQUHOUN, I.J., PARKER, M.L., PLITJER, J.J., SHEWRY, P.R., TATHAM, A.S. & WELLNER, N., 1999. Effects of temperature on sorption of water by wheat gluten determined using deuterium nuclear magnetic resonance. *Cereal Chemistry* **76**, 219-226.

GUIRAGOSSIAN, V., CHIBBER, B.A.K., VAN SCOYOC, S., JAMBUNATHAN, R., MERTZ, E.T. & AXTELL, J.D., 1978. Characteristics of proteins from normal, high lysine and high tannin sorghums. *Journal of Agricultural and Food Chemistry* **26**, 219-223.

GUPTA, R.K. & HASLAM, E., 1978. Plant proanthocyanidins. Part 5. Sorghum polyphenols. *Journal of the Chemical Society (Perkin I)* 892-896.

HAHN, D.H., FAUBION, J.M., RING, S.H., DOHERTY, C.A. & ROONEY, L.W., 1982. Semiautomated *in vitro* analysis of sorghum protein availability via pronase hydrolysis. *Cereal Chemistry* **59**, 132-136.

HAHN, D.H., ROONEY, L.W. & EARP, C.F., 1984. Tannins and phenols of sorghum. *Cereal Foods World* **29**, 776-779.

HAMAKER, B.R. & GRIFFIN, V.K., 1993. Effect of disulphide bond-containing protein on rice starch gelatinisation and pasting. *Cereal Chemistry* **70**, 377-380.

HAMAKER, B.R., MERTZ, E.T. & AXTELL, J.D., 1994. Effect of extrusion on sorghum kafirin solubility. *Cereal Chemistry* **71**, 515-517.

HAMAKER, B.R., KIRLEIS, A.W., MERTZ, E.T. & AXTELL, J.D., 1986. Effect of cooking on the protein profiles and *in vitro* digestibility of sorghum and maize. *Journal of Agricultural and Food Chemistry* **34**, 647-649.

HAMAKER, B.R., KIRLEIS, A.W., BUTLER, L.G., AXTELL, J.D. & MERTZ, E.T., 1987. Improving the *in vitro* protein digestibility of sorghum with reducing agents. *Proceedings of the National Academy of Sciences of the United States of America* **84**, 626-628.

HAMAKER, B.R., MOHAMED, A.A., HABBEN, J.E., HUANG, C.P. & LARKINS, B.A., 1995. Efficient procedure for extracting maize and sorghum kernel proteins reveals higher prolamin contents than the conventional method. *Cereal Chemistry* **72**, 583-588.

HARTMANN, S.R. & HAHN, E.L., 1962. Nuclear double resonance in the rotating frame. *Physical Review* **128**, 2042-2053.

HAWCROFT, D.M., 1997. *Electrophoresis: The Basics*. Oxford, UK: Oxford University Press. pp. 1-14.

HAYASE, F., KATO, H. & FUJIMAKI, M., 1975. Racemization of amino acid residues in proteins and poly (L-amino acids) during roasting. *Journal of Agricultural and Food Chemistry* **23**, 491-494.

HOLLECKER, M., 1997. Counting integral numbers of residues by chemical modification. IN: CREIGHTON, T.E. (ed.) *Protein Structure: A Practical Approach*. 2nd Ed. Oxford: Oxford University Press. pp 151-164.

HOOD, E.E., HOOD, K.R. & FRITZ, S.E., 1991. Hydroxyproline-rich glycoproteins in cell walls of pericarp from maize. *Plant Science* **79**, 13-22.

HOOD, E.E., SHEN, Q.X. & VARNER, J.E., 1988. A developmentally regulated hydroxyproline-rich glycoprotein in maize pericarp cell walls. *Plant Physiology* **87**, 138-142.

HOSENEY, R.C., 1994. *Principles of Cereal Science and Technology*. 2nd Ed. St. Paul: American Association of Cereal Chemists. pp. 21-24, 65-79.

HOSENEY, R.C. & FAUBION, J.M., 1981. A mechanism for the oxidative gelation of wheat flour water-soluble pentosans. *Cereal Chemistry* **58**, 421-424.

HOSENEY, R.C., DAVIS, A.B. & HARBERS, L.H., 1974. Pericarp and endosperm structure of sorghum grain shown by scanning electron microscopy. *Cereal Chemistry* **51**, 552-558.

HOSENEY, R.C., ZELEZNAK, K. & ABDELRAHMAN, A., 1983. Mechanism of popcorn popping. *Journal of Cereal Science* **1**, 43-52.

HOUSE, L.R., 1995. Sorghum and Millets: History, taxonomy and distribution. IN: DENDY, D.A.V. (ed.) *Sorghum and Millets: Chemistry and Technology*. St. Paul: American Association of Cereal Chemists Inc. pp. 1-10.

HSU, H.W., VAVAK, D.L., SATTERLEE, L.D. & MILLER, G.A., 1977. A multienzyme technique for estimating protein digestibility. *Journal of Food Science* **42**, 1269-1273.

HULSE, J.H., LAING, E.M. & PEARSON, O.E., 1980. *Sorghum and the Millets: Their Composition and Nutritive Value*. London: Academic Press. pp. 81-91.

ICRISAT, 1996. *The World Sorghum and Millet Economies: Facts, Trends and Outlook*. Patancheru, India/Rome: ICRISAT/FAO. pp. 1,2.

IKAWA, M., 1964. The configuration of aspartic acid in cell walls of lactic acid bacteria and factors affecting the racemization of aspartic acid. *Biochemistry* **3**, 594-597.

JACOBSON, S.J., WILSON, C.G. & RAPOPORT, H., 1974. Mechanism of cystine racemization in strong acid. *Journal of Organic Chemistry* **39**, 1074-1077.

JAKOBSEN, R.J., BROWN, L.L., HUTSON, T.B., FINK, D.J. & VEIS, A., 1983. Intermolecular interactions in collagen self-assembly as revealed by Fourier transform infrared spectroscopy. *Science* **220**, 1288-1290.

JAMBUNATHAN, R. & MERTZ, E.T., 1973. Relationship between tannin levels, rat growth and distribution of proteins in sorghum. *Journal of Agricultural and Food Chemistry* **21**, 692-696.

JAWORSKY, M., BRAUNER, J.W. & MENDELSON, R., 1986. Fourier transform infrared spectroscopic studies of the secondary structure and thermal denaturation of CaATPase from rabbit skeletal muscle. *Spectrochimica Acta* **42A**, 191-198.

JENKINS, W.L., TOVAR, L.R., SCHWASS, D.E., LIARDON, R. & CARPENTER, K.J., 1984. Nutritional characteristics of alkali-treated zein. *Journal of Agricultural and Food Chemistry* **32**, 1035-1041.

JOHNSON, I.T. & SOUTHGATE, D.A.T., 1994. *Dietary Fibre and Related Substances*. London: Chapman and Hall. pp. 15-38, 106-109.

JOHNSON, L.A., 1991. Corn: Production, processing and utilisation. IN: LORENZ, K.J. & KULP, K. (eds.) *Handbook of Cereal Science and Technology*. New York: Marcel Dekker. pp. 55-58, 90.

KAKALIS, L.T. & BAIANU, I.C., 1990. High-resolution carbon-13 nuclear magnetic resonance study of the soybean 7S storage protein fraction in solution. *Journal of Agricultural and Food Chemistry* **38**, 2126-2132.

KAUPPINEN, J.K., MOFFATT, D.J., MANTSCH, H.H. & CAMERON, D.G., 1981. Fourier self-deconvolution: A method for resolving intrinsically overlapped bands. *Applied Spectroscopy* **35**, 271-276.

KEMP, W., 1987. *Organic Spectroscopy*. Basingstoke, UK: Macmillan Education. pp. 83-166.

KENNEDY, E. & HADDAD, L., 1993. Population, development and nutrition. IN: MACRAE, R., ROBINSON, R.K. & SADLER, M.J., (eds.) *Encyclopaedia of Food Science, Food Technology and Nutrition*. London: Academic Press. pp. 3645-3649.

KHOO, U. & WOLF, M.J., 1970. Origin and development of protein granules in maize endosperm. *American Journal of Botany* **57**, 1042-1050.

KIELISZEWSKI, M.J., KAMYAB, A., LEYKAM, J.F. & LAMPORT, D.T.A., 1992. A histidine-rich extensin from *Zea mays* is an arabinogalactan protein. *Plant Physiology* **99**, 538-547.

KIELISZEWSKI, M. & LAMPORT, D.T.A., 1987. Purification and partial characterisation of a hydroxyproline-rich glycoprotein in a graminaceous monocot, *Zea mays*. *Plant Physiology* **85**, 823-827.

KIELISZEWSKI, M.J., LEYKAM, J.F. & LAMPORT, D.T.A., 1990. Structure of the threonine-rich extensin from *Zea mays*. *Plant Physiology* **92**, 316-326.

KLOPFENSTEIN, C.F. & HOSENEY, R.C., 1995. Nutritional properties of sorghum and the millets. IN: DENDY, D.A.V. (ed.) *Sorghum and Millets: Chemistry and Technology*. St. Paul: American Association of Cereal Chemists. pp. 125-168.

KRETSCHMER, C.B., 1957. Infrared spectroscopy and optical rotatory dispersion of zein, wheat gluten and gliadin. *Journal of Physical Chemistry* **61**, 1627-1631.

KRICHELDORF, H.R. & MULLER, D., 1984. Characterisation of proteins by means of C-13 nmr cp/mas spectroscopy. *Colloid and Polymer Science* **262**, 856-861.

KRICHELDORF, H.R., MULLER, D. & ZIEGLER, K., 1983. C-13 nmr cp/mas investigation of silk proteins. *Polymer Bulletin* **9**, 284-291.

KURIEN, P.P., NARAYANARAO, M., SWAMINATHAN, M. & SUBRAHMANYAN, V., 1960. The metabolism of nitrogen, calcium and phosphorus in undernourished children. 6. The effect of partial or complete replacement of rice in poor vegetarian diets by kaffir corn (*Sorghum vulgare*). *British Journal of Nutrition* **14**, 339-345.

LANDRY, J. & MOUREAUX, T., 1970. Hétérogénéité des glutélines du grain de maïs: Extraction sélective et composition en acides aminés des trois fractions isolées. *Bulletin de la Société de Chimie Biologique* **52**, 1021-1037.

LANDRY, J. & MOUREAUX, T., 1980. Distribution and amino acid composition of protein groups located in different histological parts of maize grain. *Journal of Agricultural and Food Chemistry* **28**, 1186-1191.

LANDRY, J., PAULIS, J.W. & WALL, J.S., 1987. Chromatographic and electrophoretic analysis of zein heterogeneity. *Journal of Cereal Science* **5**, 51-60.

LARKINS, B.A., PEDERSEN, K., MARKS, M.D. & WILSON, D.R., 1984. The zein proteins of maize endosperm. *Trends in Biochemical Sciences* **9**, 306-308.

LASKOWSKI, M. & SEALOCK, R.W., 1971. Protein proteinase inhibitors – Molecular aspects. IN: BOYER, P.D. (ed.) *The Enzymes, Vol. III, Hydrolysis: Peptide Bonds*. New York: Academic Press pp. 375-399.

LAVIALLE, F., ADAMS, R.G. & LEVIN, I.W., 1982. Infrared spectroscopic study of the secondary structure of melittin in water, 2-chloroethanol and phospholipid bilayer dispersions. *Biochemistry* **21**, 2305-2312.

LENDING, C.R. & LARKINS, B.A., 1989. Changes in the zein composition of protein bodies during maize endosperm development. *The Plant Cell* **1**, 1011-1023.

LENDING, C.R.; KRIZ, A.L.; LARKINS, B.A. & BRACKER, C.E., 1988. Structure of maize protein bodies and immunocytochemical localisation of zeins. *Protoplasma* **143**, 51-62.

LIARDON, R. & HURRELL, R.F., 1983. Amino acid racemization in heated and alkali-treated proteins. *Journal of Agricultural and Food Chemistry* **31**, 432-437.

LILLFORD, P.J. & ABLETT, S., 1999. From solid-liquid ratios to real time tomography – The development of NMR in food applications. IN: BELTON, P.S., HILLS, B.P. & WEBB, G.A. (eds.) *Advances in Magnetic Resonance in Food Science*. Cambridge, UK: The Royal Society of Chemistry pp. 3-15.

LORRI, W. & SVANBERG, U., 1993. Lactic-fermented gruels with improved *in vitro* protein digestibility. *International Journal of Food Sciences and Nutrition* **44**, 29-36.

MACLEAN, W.C., DE ROMANA, G.L., PLACKO, R.P. & GRAHAM, G.G., 1981. Protein quality and digestibility of sorghum in pre-school children: Balance studies and plasma free amino acids. *Journal of Nutrition* **111**, 1928-1936.

MANNING, J.M., 1970. Determination of D- and L-amino acid residues in peptides. Use of tritiated hydrochloric acid to correct for racemization during acid hydrolysis. *Journal of the American Chemical Society* **92**, 7449-7454.

MASTERS, P.M. & FRIEDMAN, M., 1979. Racemization of amino acids in alkali-treated food proteins. *Journal of Agricultural and Food Chemistry* **27**, 507-511.

McGRATH, R.M., KALUZA, W.Z., DAIBER, K.H., VAN DER RIET, W.B. & GLENNIE, C.W., 1982. Polyphenols of sorghum grain, their changes during malting and their inhibitory nature. *Journal of Agricultural and Food Chemistry* **30**, 450-456.

MELITO, C. & TOVAR, J., 1995. Cell walls limit *in vitro* protein digestibility in processed legume seeds. *Food Chemistry* **53**, 305-307.

MERTZ, E.T., HASSEN, M.M., CAIRNS-WHITTERN, C., KIRLEIS, A.W., TU, L. & AXTELL, J.D., 1984. Pepsin digestibility of proteins in sorghum and other major cereals. *Proceedings of the National Academy of Sciences of the United States of America* **81**, 1-2.

MIFLIN, B.J., BURGESS, S.R. & SHEWRY, P.R., 1981. The development of protein bodies in the storage tissues of seeds: Subcellular separations of homogenates of barley, maize and wheat endosperms and of pea cotyledons. *Journal of Experimental Botany* **32**, 199-219.

MOHAMMAD, K.B. & ESEN, A., 1990. Zein degradation in the endosperm of maize seeds during germination. *American Journal of Botany* **77**, 973-980.

MUINDI, P.J., THOMKE, S. & EKMAN, R., 1981. Effect of Magadi soda treatment on the tannin content and *in vitro* nutritive value of grain sorghums. *Journal of the Science of Food and Agriculture* **32**, 25-34.

MUJOO, R., CHANDRASHEKAR, A. & ALI, S.Z., 1988. Rice protein aggregation during the flaking process. *Journal of Cereal Science* **28**, 187-195.

MURTY, D.S. & KUMAR, K.A., 1995. Traditional uses of sorghum and millets. IN: DENDY, D.A.V. (ed.) *Sorghum and Millets: Chemistry and Technology*. St. Paul: American Association of Cereal Chemists. pp. 185-221.

NG, A., GREENSHIELDS, R.N. & WALDRON, K.W., 1997. Oxidative cross-linking of corn bran hemicellulose: formation of ferulic acid dehydrodimers. *Carbohydrate Research* **303**, 459-462.

NIP, W.K. & BURNS, E.E., 1969. Pigment characterisation in grain sorghum. I. Red varieties. *Cereal Chemistry* **46**, 490-495.

NIP, W.K. & BURNS, E.E., 1971. Pigment characterisation in grain sorghum. II. White varieties. *Cereal Chemistry* **48**, 74-80.

NISHITANI, K. & NEVINS, D.J., 1989. Enzymic analysis of feruloylated arabinoxylans (feraxan) derived from *Zea mays* cell walls. *Plant Physiology* **91**, 242-248.

ORIA, M.P., HAMAKER, B.R. & SHULL, J.M., 1995a. *In vitro* protein digestibility of developing and mature sorghum grain in relation to α -, β - and γ -kafirin disulphide crosslinking. *Journal of Cereal Science* **22**, 85-93.

ORIA, M.P., HAMAKER, B.R. & SHULL, J.M., 1995b. Resistance of sorghum α -, β - and γ -kafirins to pepsin digestion. *Journal of Agricultural and Food Chemistry* **43**, 2148-2153.

ORIA, M.P., HAMAKER, B.R., AXTELL, J.D. & HUANG, C-P., 2000. A highly digestible sorghum mutant cultivar exhibits a unique folded structure of endosperm protein bodies. *Proceedings of the National Academy of Sciences of the United States of America* **97**, 5065-5070.

OSBORNE, T.B., 1924. *The Vegetable Proteins*. 2nd Ed. London: Longmans, Green and Company. p.25.

OTTERBURN, M.S., 1989. Protein crosslinking. IN: PHILLIPS, R.D. & FINLEY, J.W. (eds.) *Protein Quality and the Effects of Processing*. New York: Marcel Dekker. pp. 247-261.

PARKER, M.L. & HAWES, C.R., 1982. The Golgi apparatus in developing endosperm of wheat (*Triticum aestivum* M.). *Planta* **154**, 272-283.

PARKER, M.L., GRANT, A., RIGBY, N.M., BELTON, P.S. & TAYLOR, J.R.N., 1999. Effects of popping on the endosperm cell walls of sorghum and maize. *Journal of Cereal Science* **30**, 209-216

PASTORE, A. & SAUDEK, V., 1990. The relationship between chemical shift and secondary structure in proteins. *Journal of Magnetic Resonance* **90**, 165-176.

PAULIS, J.W. & WALL, J.S., 1979. Distribution and electrophoretic properties of alcohol-soluble proteins in normal and high-lysine sorghums. *Cereal Chemistry* **56**, 20-23.

PEDERSEN, B. & EGGUM, B.O., 1983. Prediction of protein digestibility by an *in vitro* enzymatic pH-stat procedure. *Zeitschrift fuer Tierphysiologie Tierernaehrung und Futtermittelkde.* **49**, 265-277.

PINES, A., GIBBY, M.G. & WAUGH, J.S., 1973. Proton-enhanced NMR of dilute spins in solids. *Journal of Chemical Physics* **59**, 569-590.

PORDESIMO, L.O., ANANTHESWARAN, R.C. & MATTERN, P.J., 1991. Quantification of horny and floury endosperm in popcorn and their effects on popping performance in a microwave oven. *Journal of Cereal Science* **14**, 189-198.

PRICE, M.L., BUTLER, L.G., ROGLER, J.C. & FEATHERSTON, W.R., 1979. Overcoming the nutritionally harmful effects of tannin in sorghum grain by treatment with inexpensive chemicals. *Journal of Agricultural and Food Chemistry* **27**, 441-445.

PURCELL, J.M. & SUSI, H., 1984. Solvent denaturation of proteins as observed by resolution-enhanced Fourier transform infrared spectroscopy. *Journal of Biochemical and Biophysical Methods* **9**, 193-199.

RAZ, R., CRÉTIN, C., PUIGDOMÈNECH, P. & MARTÍNEZ-IZQUIERDO, J.A., 1991. The sequence of a hydroxyproline-rich glycoprotein from *Sorghum vulgare*. *Plant Molecular Biology* **16**, 365-367.

RESURRECCION, A.P., LI, X., OKITA, T.W. & BIENVENIDO, J.O., 1993. Characterisation of poorly digested protein of cooked rice protein bodies. *Cereal Chemistry* **70**, 101-104.

ROM, D.L., SHULL, J.M., CHANDRASHEKAR, A. & KIRLEIS, A.W., 1992. Effects of cooking and treatment with sodium bisulfite on *in vitro* protein digestibility and microstructure of sorghum flour. *Cereal Chemistry* **69**, 178-181.

ROONEY, L.W. & SERNA-SALDIVAR, S.O., 1993. Sorghum. IN: MACRAE, R., ROBINSON, R.K. & SADLER, M.J., (eds.) *Encyclopaedia of Food Science, Food Technology and Nutrition*, London: Academic Press. pp. 4210-4214.

ROSTAGNO, H.S., FEATHERSTON, W.R. & ROGLER, J.C., 1973. Studies on the nutritional value of sorghum grains with varying tannin content for chicks. 1. Growth studies. *Poultry Science* **52**, 765-772.

RYDEN, P. & SELVENDRAN, R.R., 1993. Phytic acid: Properties and determination. IN: MACRAE, R., ROBINSON, R.K. & SADLER, M.J., (eds.) *Encyclopaedia of Food Science, Food Technology and Nutrition*. London: Academic Press. pp. 3582-3587.

SAITO, H., TABETA, R., SHOJI, A., OZAKI, T. & ANDO, I., 1983. Conformational characterisation of polypeptides in the solid state as viewed from the conformation-dependent ^{13}C chemical shifts determined by the ^{13}C cross polarisation/magic angle spinning method: Oligo (L-alanine), poly (L-alanine), copolymers of L- and D-alanine, and copolymers of L-alanine with *N*-methyl- or *N*-benzyl-L-alanine. *Macromolecules* **15**, 1050-1057.

SAULNIER, L. & THIBAUT, J-F., 1999. Ferulic acid and diferulic acids as components of sugar-beet pectins and maize bran heteroxylans. *Journal of the Science of Food and Agriculture* **79**, 396-402.

SAULNIER, L., VIGOUROUX, J. & THIBAUT, J-F., 1995. Isolation and partial characterisation of feruloylated oligosaccharides from maize bran. *Carbohydrate Research* **272**, 241-253.

SAUNDERS, R.M., CONNER, M.A., BOOTHER, A.M., BOCKOFF, E.M. & KOHLER, G.D., 1973. Measurement of digestibility of alfalfa protein concentrates by *in vivo* and *in vitro* methods. *Journal of Nutrition* **103**, 530-535.

SCHAFFERT, R.E., LECHTENBERG, V.L., OSWALT, D.L., AXTELL, J.D., PICKETT, R.C. & RHYKERD, C.L., 1974. Effect of tannin on *in vitro* dry matter and protein disappearance in sorghum grain. *Crop Science* **14**, 640-643.

SCHERZ, H. & SENSER, F., 1989. *Food Composition and Nutrition Tables 1989/90*. Stuttgart: Wissenschaftliche Verlagsgesellschaft. pp. 459-460, 483-484.

SCHOFIELD, J.D. & BAIANU, I.C., 1982. Solid-state, cross-polarisation magic-angle spinning carbon-13 nuclear magnetic resonance and biochemical characterisation of wheat proteins. *Cereal Chemistry* **59**, 240-245.

SECKINGER, H.L. & WOLF, M.J., 1973. Sorghum protein ultrastructure as it relates to composition. *Cereal Chemistry* **50**, 455-465.

SENTI, F.R., COPLEY, M.J. & NUTTING, G.C., 1945. Fibrous from globular proteins. *Journal of Physical Chemistry* **49**, 192-211.

SERNA-SALDIVAR, S. & ROONEY, L.W., 1995. Structure and chemistry of sorghum and millets. IN: DENDY, D.A.V. (ed.) *Sorghum and Millets: Chemistry and Technology* St. Paul: American Association of Cereal Chemists. pp. 69-124.

SHOJI, A., OZAKI, T., SAITO, H., TABETA, R. & ANDO, I., 1984. Conformational characterisation of solid polypeptides by ^{13}C NMR recorded by the cross polarisation-magic angle spinning method: Conformation-dependent ^{13}C chemical shifts of oligo- and poly (γ -benzyl L-glutamates) and sequential copolymers of γ -benzyl and γ -methyl L-glutamates and qualitative evaluation of side-chain orientation. *Macromolecules* **17**, 1472-1479.

SHULL, J.M., WATTERSON, J.J. & KIRLEIS, A.W., 1991. Proposed nomenclature for the alcohol-soluble proteins (kafirins) of *Sorghum bicolor* (L. Moench) based on molecular weight, solubility and structure. *Journal of Agricultural and Food Chemistry* **39**, 83-87.

SHULL, J.M., WATTERSON, J.J. & KIRLEIS, A.W., 1992. Purification and immunocytochemical localisation of kafirins in *Sorghum bicolor* (L. Moench) endosperm. *Protoplasma* **171**, 64-74.

SHULL, J.M., CHANDRASHEKAR, A., KIRLEIS, A.W. & EJETA, G., 1990. Development of sorghum (*Sorghum bicolor* (L.) Moench) endosperm in varieties of varying hardness. *Food Structure* **9**, 253-267.

SKOCH, L.V., DEYOE, C.W., SHOUP, F.K. & BATHURST, J., 1970. Protein fractionation of sorghum grain. *Cereal Chemistry* **47**, 472-481.

SOSULSKI, F., KRYGIER, K. & HOGGE, L., 1982. Free, esterified and insoluble-bound phenolic acids. 3. Composition of phenolic acids in cereal and potato flours. *Journal of Agricultural and Food Chemistry* **30**, 337-340.

SOUTH AFRICAN BUREAU OF STANDARDS, 1970. Method 235 - Standard test method for the determination of the diastatic power of malts prepared from kaffircorn (sorghum) including bird-proof varieties, and from millet.

SUREWICZ, W.T. & MANTSCH, H.H., 1988. New insight into protein secondary structure from resolution-enhanced infrared spectra. *Biochimica et Biophysica Acta* **952**, 115-130.

SUREWICZ, W.T., MOSCARELLO, M.A. & MANTSCH, H.H., 1987. Secondary structure of the hydrophobic myelin protein in a lipid environment as determined by Fourier-transform infrared spectrometry. *Journal of Biological Chemistry* **262**, 8598-8602.

TATHAM, A.S., SHEWRY, P.R. & BELTON, P.S., 1985. ¹³C-NMR study of C hordein. *Biochemical Journal* **232**, 617-620.

TAYLOR, J.R.N. & EVANS, D.J., 1989. Action of sorghum proteinase on the protein bodies of sorghum starchy endosperm. *Journal of Experimental Botany* **40**, 763-768.

TAYLOR, J.R.N. & SCHÜSSLER, L., 1986. The protein compositions of the different anatomical parts of sorghum grain. *Journal of Cereal Science* **4**, 361-369.

TAYLOR, J.R.N., NOVELLIE, L. & LIEBENBERG, N.v.d.W., 1984c. Sorghum protein body composition and ultrastructure. *Cereal Chemistry* **61**, 69-73.

TAYLOR, J.R.N., NOVELLIE, L. & LIEBENBERG, N.v.d.W., 1985b. Protein body degradation in the starchy endosperm of germinating sorghum. *Journal of Experimental Botany* **36**, 1287-1295.

- TAYLOR, J.R.N., SCHÜSSLER, L. & LIEBENBERG, N.v.d.W., 1984b. Location of zein-2 and crosslinked kafirin in maize and sorghum protein bodies. *Journal of Cereal Science* **2**, 249-255.
- TAYLOR, J.R.N., SCHÜSSLER, L. & LIEBENBERG, N.v.d.W., 1985a. Protein body formation in the starchy endosperm of developing *Sorghum bicolor* (L.) Moench seeds. *South African Journal of Botany* **51**, 35-40.
- TAYLOR, J.R.N., SCHÜSSLER, L. & VAN DER WALT, W.H., 1984a. Fractionation of proteins from low-tannin sorghum grain. *Journal of Agricultural and Food Chemistry* **32**, 149-154.
- TAYLOR, J.R.N., DEWAR, J., TAYLOR, J. & VON ASCHERADEN, R.F., 1997. Factors affecting the porridge-making quality of South African sorghums. *Journal of the Science of Food and Agriculture* **73**, 464-470.
- TIMASHEFF, S.N., SUSI, H. & STEVENS, L., 1967. Infrared spectra and protein conformations in aqueous solutions. II. Survey of globular proteins. *Journal of Biological Chemistry* **242**, 5467-5473.
- TORRENT, M., GELI, M.I. & LUDEVID, M.D., 1989. Storage-protein hydrolysis and protein-body breakdown in germinated *Zea mays* L. seeds. *Planta* **180**, 90-95.
- TOVAR, J., DE FRANCISCO, A., BJÖRCK, I. & ASP, N.-G., 1991. Relationship between microstructure and *in vitro* digestibility of starch in pre-cooked leguminous seed flours. *Food Structure* **10**, 19-26.
- TOVAR, J., GRANFELDT, Y. & BJÖRCK, I., 1992. Effect of processing on blood glucose and insulin responses to starch in legumes. *Journal of Agricultural and Food Chemistry* **40**, 1846-1851.
- TSAI, C.Y., HUBER, D.M. & WARREN, H.L., 1978. Relationship of the kernel sink for N to maize productivity. *Crop Science* **18**, 399-404.

TSAI, C.Y., HUBER, D.M. & WARREN, H.L., 1980. A proposed role of zein and glutelin as N sinks in maize. *Plant Physiology* **66**, 330-333.

UMMADI, P., CHENOWETH, W.L. & NG, P.K.W., 1995. Changes in solubility and distribution of semolina proteins due to extrusion processing. *Cereal Chemistry* **72**, 564-567.

VAN SUMERE, C.F., DE POOTER, H., ALI, H. & DEGRAUW-VAN BUSSEL, M., 1973. N-feruloylglycyl-L-phenylalanine: A sequence in barley proteins. *Phytochemistry* **12**, 407-411.

VERBRUGGEN, M.A., 1996. *Glucuronoarabinoxylans from Sorghum Grain*. PhD thesis. Wageningen Agricultural University, The Netherlands.

VIVAS, N.E., WANISKA, R.D. & ROONEY, L.W., 1992. Effect on proteins in sorghum, maize and pearl millet when processed into acidic and basic *tô*. *Cereal Chemistry* **69**, 673-676.

WATTERSON, J.J., SHULL, J.M. & KIRLEIS, A.W., 1993. Quantitation of α -, β - and γ -kafirins in vitreous and opaque endosperm of *Sorghum bicolor*. *Cereal Chemistry* **70**, 452-457

WEAVER, C.A., HAMAKER, B.R. & AXTELL, J.D., 1998. Discovery of sorghum germ plasm with high uncooked and cooked *in vitro* protein digestibilities. *Cereal Chemistry* **75**, 665-670.

WELLNER, N., BELTON, P.S. & TATHAM, A.S., 1996. Fourier transform IR spectroscopic study of hydration-induced structure changes in the solid state of ω -gliadins. *Biochemical Journal* **319**, 741-747.

WINTON, A.L. & WINTON, K.B., 1932. *The Structure and Composition of Foods. Vol. 1: Cereals, Nuts and Oilseeds*. New York: John Wiley & Sons. pp. 49-52.

WISHART, D.S. & SYKES, B.D., 1994. Chemical shifts as a tool for structure determination. *Methods in Enzymology* **239**, 363-392.

WISHART, D.S., SYKES, B.D. & RICHARDS, F.M., 1991. Relationship between nuclear magnetic resonance chemical shift and protein secondary structure. *Journal of Molecular Biology* **222**, 311-333.

WORLD HEALTH ORGANIZATION, 1990. *Diet, Nutrition, and the Prevention of Chronic Diseases. World Health Organization Technical Report Series 797*. Geneva: WHO. pp. 16-21.

WU, Y.V., CLUSKEY, J.E. & JONES, R.W., 1971. Sorghum prolamins: Their optical rotatory dispersion, circular dichroism and infrared spectra. *Journal of Agricultural and Food Chemistry* **19**, 1139-1143.

YANG, W., GRIFFITHS, P.R., BYLER, D.M. & SUSI, H., 1985. Protein conformation by infrared spectroscopy: Resolution enhancement by Fourier self-deconvolution. *Applied Spectroscopy* **39**, 282-287.

YOUSSEF, A.M., 1998. Extractability, fractionation and nutritional value of low and high tannin sorghum proteins. *Food Chemistry* **63**, 325-329.

ZHANG, G. & HAMAKER, B.R., 1998. Low α -amylase starch digestibility of cooked sorghum flours and the effect of protein. *Cereal Chemistry* **75**, 710-713.

LIST OF PUBLICATIONS

DUODU, K.G., TANG, H., GRANT, A., WELLNER, N., BELTON, P.S. & TAYLOR, J.R.N., 2000. FTIR and solid-state ^{13}C NMR spectroscopy of proteins of wet cooked and popped sorghum and maize. *Journal of Cereal Science* **33** (in press).

DUODU, K.G., NUNES, A., DELGADILLO, I., PARKER, M.L., MILLS, E.N.C., BELTON, P.S. & TAYLOR, J.R.N., 2001. Effect of grain organisational structure and cooking on sorghum and maize protein digestibility. *Journal of Cereal Science* (submitted).

DUODU, K.G. & TAYLOR, J.R.N., 2000. Sorghum grain organisational structure and protein digestibility. *Cereals, Health and Life. 11th International Cereal and Bread Congress incorporating the 50th Australian Cereal Chemistry Conference*, Gold Coast, Australia, 11-14 September.