

5 REFERENCES

ABE, Y. AND KONDOH, Y., 1989. Oxygen absorbers. *In: Brody A.L. (Ed.) Controlled/Modified atmosphere / Vacuum packaging of foods.* Trumbull: Food and Nutrition Press Inc. pp. 149-158.

ALVES, R.M.V., ISABEL, C., SARANTOPOULOS, G., FERNANDES, A.G.F. AND FARIA J., 1996. Stability of sliced Mozzarella cheese in modified atmosphere packaging. *Journal of Food Protection* 59, 838-834.

ARAN, N. AND EKE, D., 1987. Mould mycoflora of Kasar cheese at the stage of consumption. *Food Microbiology* 4, 101-104.

BARNETT, H.L. AND HUNTER, B.B., 1998. *Illustrated Genera of the Imperfect Fungi.* 4th Edition. St. Paul: APS Press.

BASILICO, J.C., DE BASILICO, M.Z., CHERICATTI, C., AND VINDEROLA, C.G. 2001. Characterisation and control of thread mould in cheese. *Letters in Applied Microbiology* 32, 419-423.

BAXTER, A.P., RONG, I.H., ROUX, C., SCHUTTE, L. AND VAN DER LINDE, E., 1994. *Elementary keys to common fungi in South Africa.* Published by, National collection of fungi, Biosystematics Division, Plant Protection Research Institute, Pretoria.

BERESFORD, T.P., FITZSIMONS, N.A., BRENNAN, N.L. AND COGAN, T.M., 2001. Recent advances in cheese microbiology. *International Dairy Journal* 11, 259-274.

BISHOP, R., MARCY, J.E. AND MOLER, T., 1996. Improved quality of shredded cheese, antimycotics, oxygen scavengers and modified atmosphere packaging. *CDR Annual report* 92-93.

BRODY A.L., 1989. Modified atmosphere packaging of meat. In: Brody A.L. (Ed.) *Controlled/ Modified atmosphere/ Vacuum packaging of foods*. Trumbull: Food and Nutrition Press, Inc. pp. 149-158.

BULLERMAN L.B., 1976. Examination of Swiss cheese for incidence of mycotoxin producing moulds. *Journal of Food Science* 41, 26-28.

BULLERMAN, L.B., 1980. Incidence of mycotoxic moulds in domestic and imported cheeses. *Journal of Food Safety* 2, 47-58.

BULLERMAN L.B. AND OLIVIGNI, F.J., 1974. Mycotoxin producing potential of moulds isolated from Cheddar cheese. *Journal of Food Science* 39, 1166-1168.

CHEN, J.H. AND HOTCHKISS, J.H., 1991. Effect of dissolved carbon dioxide on the growth of psychrotrophic organisms in cottage cheese. *Journal of Dairy Science* 74, 2941-2945.

CIBA, 2002. Oxygen absorbers keep freshness in the package. Ciba® SHELPLUS™ O₂. *Ciba Specialty Chemicals*.

DANIELS, J.A., KRISHNAMURTHI, R. AND RIZVI, S.S.H., 1984. A review of effects of carbon dioxide on microbial growth and food quality. *Journal of Food Protection* 48, 532-537.

DAY, B.P.F., 1992. *Guidelines for the good manufacturing and handling of modified atmosphere packed food products*. Gloucestershire: Campden Food and Drink Research Association. pp. 6-9.

DAY, B.P.F., 1998. Active packaging of foods. *CCFRA New Technologies Bulletin* 17, 23-24.

- DEMAN, J.C., ROGOSA, M. AND SHARPE, M.E., 1960. A medium for the cultivation of lactobacilli. *Journal of Bacteriology* 23, 130-135.
- DEVLIEGHERE, F., DEBEVERE, J. AND IMPE, J.V., 1998a. Concentration of carbon dioxide in the water phase as a parameter to model the effect of a modified atmosphere on micro organisms. *International Journal of Food Microbiology* 43, 105-113.
- D'MELLO, J.P.F. AND MACDONALD, A.M.C., 1997. Mycotoxins. *Animal Feed Science and Technology* 69, 155-166.
- DOMSCH, K.H., GAMS, W. AND ANDERSON, T.H., (1980). *Compendium of soil fungi*. Vol 1, London: Academic Press.
- ELLIOT, S.C., VUILLEMARD, J.C. AND EMOND, J.P., 1998. Stability of Mozzarella cheese under modified atmospheres. *Journal of Food Science* 63, 1075-1080.
- ELLIS, M.B., (1971). *Dematiaceus Hyphomycetes*. Commonwealth Mycological Institute. Kew, Surrey: England.
- FANDOS, E.G., SANZ, S. AND OLARTE, C., 2000. Microbiological, physiochemical and sensory characteristics of Cameros cheese packaged under modified atmospheres. *Food Microbiology* 17, 407-414.
- FARBER, J.M., 1991. Microbiological aspects of modified atmosphere packaging technology. – A review. *Journal of Food Protection* 54, 58-70.
- FARBER, J.M., WARBURTON, D.W., GOUR, L. AND MILLING, M., 1990. Microbiological quality of foods packaged under MAP conditions. *Food Microbiology* 7, 327-334.

FENTE-SAMPAYO, C.A., VAZQUEZ-BELDA, B., FRANCO-ABUIN, C. QUINTO-FERNANDEZ, E., RODRUGUEZ-OTERO, J.L. AND CEPEDA-SAEZ, A., 1995. Distribution of fungal genera in cheese and dairies. *Archiv für Lebensmittelhygiene* 46, 49-72.

FILTENBORG, O., FRISVAD, J.C. AND THRANE, U., 1996. Moulds in food spoilage. *International Journal of Food Microbiology* 33, 85-102.

FLEET, G.H., 1990. Yeasts in dairy products. *Journal of Applied Bacteriology* 68, 199-211.

FLOROS, J.D., NIELSEN, P.V. AND FARKAS, J.K., 1999. Advances in modified atmosphere and active packaging with applications in the dairy industry. *Bulletin of the International Dairy Federation* 346, 22-28.

FRISVAD, J.C. 1988. Fungal species and their specific production of mycotoxins. In Samson R. A. and Van Reenen-Hoekstra E. S. (Eds.) *Introduction to Food-Borne Fungi*. Baarn: Centraalbureau voor Schimmelcultures. pp 242 – 243.

GIBB, E. AND WALSH, J.H., 1980. Effect of nutritional factors and carbon dioxide on growth of *Fusarium moniliforme* and other fungi in reduced oxygen concentrations. *Transactions of the British Mycological Society* 74, 111-118.

GOLDING, N.S., 1945. The gas requirements of moulds. IV. A preliminary interpretation of the growth rates of four common mould cultures on the basis of absorbed gases. *Journal of Dairy Science* 28, 737-750.

HAASUM, I., AND NIELSEN, P.V., 1996. Pre-incubation of *Penicillium commune* conidia under modified atmosphere conditions: Influence on growth potential as determined by an impedimetric method. *Journal of Stored Product Research* 32, 329-337.

HAASUM, I., AND NIELSEN, P.V., 1998a. Physiological characterisation of common fungi associated with cheese. *Journal of Food Science* 63, 157-161.

HAASUM, I., AND NIELSEN, P.V., 1998b. Ecophysiological characterization of common food-borne fungi in relation to pH and water activity under various atmospheric compositions. *Journal of Applied Microbiology* 84, 451-460.

HEPERKAN, D., ARAN, N., AND AYFER, M., 1994. Mycoflora and aflatoxin contamination in shelled pistachio nuts. *Journal of the Science of Food and Agriculture* 66, 273-278.

HOCKING A.D., 1990. Responses of fungi to modified atmospheres. *Australian centre for International Research* 25, 70-82.

HOCKING, A.D., 1994. Fungal spoilage of high fat food. *Food Australia* 46, 30-33.

HOCKING, A.D., 1997. Understanding and controlling mould spoilage in cheese. *The Australian Journal of Dairy Technology* 52, 123-124.

HOCKING, A.D. AND FAEDO, M., 1992. Fungi causing thread mould spoilage of vacuum packaged Cheddar cheese during maturation. *International Journal of Food Microbiology* 16, 123-131.

HOCKING, A.D. AND TANIWAKI, M.H., 1997. Growth of fungi in high carbon dioxide and low oxygen atmospheres. In: *Proceedings of the international congress on controlled atmosphere and fumigation in storage of products*. Printco Nicosia Cyprus pp 103-112.

KILCH, M.A. AND PITT, J.I., 1988. *A laboratory guide to common Aspergillus species and their teleomorphs*. North Ryde: Commonwealth Scientific and Industrial Research organization.

KIVANC, M., 1990. Mould growth and presence of aflatoxin in some Turkish cheeses. *Journal of Food Safety* 10, 287-294.

KOSIKOWSKI, F.V. AND MISTRY, V.V., 1997. *Cheese and fermented milk foods: Volume 1: Origins and principles*. Great Falls: Virginia. pp. 109-120.

KOTSIANIS, I.S., GIANNOU, V. AND TZIA, C., 2002. Production and packaging of bakery products using MAP technology. *Trends in Food Science and Technology* 13, 319-324.

KURE, C.F. AND SKAAR, I., 2000. Mould growth on the Norwegian semi-hard cheeses Norvegia and Jarlsberg. *International Journal of Food Microbiology* 62, 133-137.

KURE, C.F., WASTESON, Y., BRENDEHAUG, J. AND SKAAR, I., 2001. Mould contaminants from Jarlsberg and Norvegia cheese blocks from four factories. *International Journal of Food Microbiology* 70, 21-27.

KURE, C.F., SKAAR, I. AND BRENDEHAUG, J., 2004. Mould contamination in production of semi-hard cheese. *International Journal of Food Microbiology* 93, 41-49.

LIEU, F.Y. AND BULLERMAN, L.B., 1977. Production and stability of aflatoxins, penicillic acid and patulin in several substrates. *Journal of Food Science* 42, 1222-1224.

LOPEZ-DIAZ, T.M., SANTOS, J.A., PRIETO, M., GARCIA-LOPEZ, M.L., AND ANDRES, O., 1996. Mycoflora of a traditional Spanish blue cheese. *Netherlands Milk and Dairy Journal* 49, 191-199.

LOWENADLER, J. AND RONNER, U., 1994. Determination of dissolved carbon dioxide by coulometric titration in modified atmosphere systems. *Letters in Applied Microbiology* 18, 285-288.

LUND, F., FILTENBORG, O. AND FRISVAD, J.C., 1995. Associated mycoflora of cheese. *Food Microbiology* 12, 173-180.

MAGAN, N. AND LACEY, J., 1984. Effects of gas composition and water activity on growth of field and storage fungi and their interactions. *Transactions of the British Mycological Society* 82, 305-314.

MANIAR, A.B., MARCY, J.E., BISHOP, R. AND DUNCAN, E., 1994. Modified atmosphere packaging to maintain direct set cottage cheese quality. *Journal of Food Science* 59, 1305-1327.

MANNHEIM, C.H. AND SOFFER, T., 1996. Shelf life extension of cottage cheese by modified atmosphere packaging. *Lebensmittel-Wissenschaft und Technologie* 29, 767-771.

MOIR, C.J., EYLES, J. AND DAVEY, J.A., 1993. Inhibition of pseudomonads in cottage cheese by packaging in atmospheres containing carbon dioxide. *Food Microbiology* 10, 345-351.

MUIR D.D., HUNTER, E.A., BANKS, J.M. AND HORNE, D.S., 1996. Sensory properties of Cheddar cheese: changes during maturation. *Food Research International* 28, 561-568.

NELSON, P.E., TOUSSOUN, T.A. AND MARASAS, W.F.O., 1983. *Fusarium species. An Illustrated Manual for Identification*. University Park: Pennsylvania State University Press.

NORTHOLT, M.D., EGMOND, H.P.V., SOENTORO, P. AND DEIJII, E., 1980. Fungal growth and the presence of sterigmatocystin in hard cheese. *Journal of The Association of Official Analytical Chemists* 62, 115-119.

OLIVIGNI, F.J. AND BULLERMAN, L.B., 1977. Simultaneous production of penicillic acid and patulin by a *Penicillium* species isolated from Cheddar cheese. *Journal of Food Science* 42, 1654-1657.

PARRY, R.T., 1993. Introduction In: Parry, R.T. (Ed.). *Principles and Applications of Modified Atmosphere Packaging of Food*. Glasgow: Blackie Academic and Professional. pp. 14-15.

PITT, J.I., 1988. *A laboratory guide to common Penicillium species*. 2nd Edition. North Ryde: Commonwealth Scientific and Industrial Research organization, Division of Food Processing.

PITT, J.I., HOCKING, A.D., BHUDHASAMAI, K., MISCAMBLE, B.F., WHEELER, K.A., AND TANBOON-EK, P., 1993. The normal mycoflora of commodities from Thailand. 1. Nuts and oilseeds. *International Journal of Food Microbiology* 20, 211-226.

PITT, J.I. AND HOCKING, A.D., 1997. 2nd Edition. *Fungi and Food spoilage*. Blackie Academic and Professional. London. pp. 505-507.

ROBINSON, R.K. (Ed.) 1995. *A colour guide to cheese and fermented milks*. Chapman and Hall: London. pp. 47-48.

ROONEY, M.L., 1995. Active packaging in polymer films. In: Rooney, M. L. (Ed.) *Active Food Packaging*. Glasgow: Blackie Academic and Professional. pp. 74-109.

ROSENTHAL, I., ROSEN, B., BERNSTEIN, S. AND POPEL, G., 1991. Preservation of fresh cheeses in a CO₂-enriched environment. *Milchwissenschaft* 4, 706-708.

SUTTON, B.C., 1989. *The Concomycetes: Fungi imperfecti with Zygomycota, Ascomycota and Strigaria*. Kew: Commonwealth Mycological Institute.

SAMSON R.A. AND VAN REENEN-HOEKSTRA E.S., 1988. Identification of the common fungi. In Samson R. A and Van Reenen-Hoekstra, E. S. *Introduction to Food Borne Fungi* Baarn: Centraalbureau voor Schimmelcultures. pp. 3-4.

TANIWAKI, M.H. AND DENDER, A.G.F., 1992. Occurrence of toxicogenic moulds in SHEPARD, G.S., THIEL, P.G., SYDENHAM, E.W., VLEGGAR, R. AND MARASAS, W.F.O., 1991. Reversed-phase high-performance liquid chromatography of tenuazonic acid and related tetramic acids. *Journal of Chromatography* 556, 195-205.

SIVERTSVIK, J., JEKSRUD, W.K., VAGANE, A. AND ROSNES, J.T., 2003. Solubility and absorption rate of carbon dioxide onto non-respiring foods. Part 1: Development and validation of experimental apparatus using a monomeric method. *Journal of Food Engineering* 61, 449- 458.

SKANDAMIS, P. N. AND NYCHAS, G. E., 2002. Preservation of fresh meat with active and modified atmosphere conditions. *International Journal of Food Microbiology* 79, 35-45.

SMITH, J.P., OORAikul, B., KOERSEN, W.J., JACKSON, E.D. AND LAWRENCE, R.A. 1986. Novel approach to oxygen control in modified atmosphere packaging of bakery products. *Food Microbiology* 3, 315-320.

SMITH, J.P., RAMASWAMY H.S. AND SIMPSON, B.K., 1990. Developments in food packaging technology. Part 2: Storage aspects. *Trends in Food Science and Technology* 11, 11-18.

SMITH, J.P., HOSHINO, J. AND ABE, Y., 1995. Interactive packaging involving sachet technology. In: Rooney, M. L. (Ed.) *Active Food Packaging*. Glasgow: Blackie Academic and Professional. pp.143-173

SUTTON, B.C., 1980. *The Coelomycetes: Fungi Imperfecti with Pycnidia, Acervuli and Stromata*. Kew: Commonwealth Mycological Institute.

STADHOUDERS, J., 1975. Microbes in milk and dairy products. An ecological approach. *Netherlands Milk and Dairy Journal* 29, 104-126.

TANIWAKI, M.H. AND DENDER, A.G.F., 1992. Occurrence of toxigenic moulds in Brazilian cheese. *Journal of Food Protection* 55, 187-191.

TANIWAKI, M.H., HOCKING A.D., PITT, J.I. AND FLEET, G.H., 2001. Growth of fungi and mycotoxin production on cheese under modified atmospheres. *International Journal of Food Microbiology* 68, 125-133.

TSAI, W.J., LIEWEN, M.B. AND BULLERMAN, L.B., 1988. Toxicity and sorbate sensitivity of moulds isolated from surplus commodity cheeses. *Journal of Food Protection* 5, 457-462.

TSIGARIDA, E. AND NYCHAS, G.J.E., 2001. Ecophysiological attributes of *Lactobacillus* sp. and *Pseudomonads* sp. on sterile beef fillets in relation to storage temperature and film permeability. *Journal of Applied Microbiology* 90, 696-705.

VAN DEN TEMPEL, T., AND NIELSEN, M.S., 2000. Effects of atmospheric conditions, NaCl and pH on growth and interaction between moulds and yeasts related to blue cheese production. *International Journal of Food Microbiology* 57, 193-199.

VAN DYK, K., 2003. Fungi associated with root and crown rot of wheat and barley in Tanzania. MSc dissertation, University of Pretoria.

VERMEIREN, L., DEVLIEGHERE, F., BEEST, M., KRUIJF, N. AND DEBEVERE, J., 1999. Developments in the active packaging of foods. *Trends in Food Science and Technology* 10, 77-86.

WELTHAGEN, J.J. AND VILJOEN, B.C., 1999. The isolation and identification of yeasts obtained during the manufacture and ripening of Cheddar cheese. *Food Microbiology* 16, 63-73.

YANAI, S., ISHITANI, T., AND KOJO, T. 1980. The effects of low-oxygen atmospheres on the growth of fungi. *Nippon Shokukin Kogyo Gakkai-Shi* 27, 20-24.

ZERFIRIDIS, G.K., 1985. Potential aflatoxin hazards to human health from direct mould growth on Teleme cheese. *Journal of Dairy Science* 68, 2184-2188.