

References

ACOCKS, J.P.H. 1988. Veld types of South Africa. *Memoirs of the botanical Survey of South Africa* 57. Botanical Research Institute, Pretoria.

ALDEN, P.C., ESTES, R.D., SCHLITTER, D. & McBRIDE, B. 1995. National audubon society field guide to African wildlife. Knopf, New York.

BAILEY, J.A. 1984. Principles of wildlife management. John Wiley and Sons Inc., New York

BOTHMA, J. du P. (ed.). 1986. Wildplaasbestuur. J.L. van Schaik, Pretoria.

BREDENKAMP, G.J., JOUBERT, A.F. & BEZUIDENHOUT, H. 1989. A reconnaissance survey of the vegetation of the plains of the Potchefstroom Fochville – Parys Area. *South African Journal of Botany* 55:199-206.

BREDENKAMP, G.J. & VAN ROOYEN, N. 1994 'n Natuurlewebestuurplan vir die Premier Mine Game Park. Unpublished report, Ekotrust cc., Pretoria.

BREDENKAMP, G.J., THERON, G.K. & VAN VUUREN, D.R.J. 1983. Ecological interpretation of plant communities by classification and ordination of quantitative soil characteristics. *Bothalia* 14: 691-699.

BROMILOW, C. 1996. Probleemplant van Suid-Afrika. Briza publications cc. Pretoria

BROWN, L.R. 1997. A plant ecological study and wildlife management plan of The Borakalalo Nature Reserve, North West Province. PhD thesis. University of Pretoria, Pretoria.

BRICENO, S. & PITT, D.C. 1988. New ideas in environmental education. Croon Helm, New York.

CLARKE, N. & LONGMAN, M.M. 1998. Technology education to solve environmental problems. *Enviroteach* 3:24.

COETZEE, J.P., BREDENKAMP, G.J. & VAN ROOYEN, N. 1995. Plant communities of the sub-humid temperate mountain bushveld in the Pretoria, Witbank, Heidelberg area. *South African Journal of Botany* 61(3): 114-122.

COETZEE, J.P. 1993. Phytosociology of the Ba and Ib land types in the Pretoria - Witbank - Heidelberg area. MSc Thesis University of Pretoria, Pretoria.

KENT, M. & COKER, P. 1992. *Vegetation description and analysis, a practical*
DANKWERTS, J.E. 1989. Animal performance. In: *Veld management in the*
Eastern Cape. J.E. Dankwerts & G.W.R. Teague (eds.). Pasture research
station. Eastern Cape. Stutterheim.

GILBERT, F.F. & DODDS, D.G. 1992. *The philosophy and practice of wildlife*
Management. Krieger publishing company, Florida.

FORAN, D.B., TANTON, N.M. & BOOYSEN, P. de V. 1978. The development
of a method for assessing veld condition in three grassveld types in Natal.
Proceedings of the grassland society of Southern Africa 13:27-33.

HACKING, T. & NICHOLLS, H.A. 1995. Unki mine, preliminary environmental
impact assessment. Unpublished report. Envirolink, Johannesburg.

HENNEKENS, S.M. 1996. Turbo(veg), Software package for input, processing
And presentation of phytosociological data. University of Lancaster, England.

HILL, M.O. 1979a. TWINSpan – a FORTRAN program for arranging
multivariate data in an ordered two way table by classification of the individuals
and attributes. Cornell University, Ithaca.

KENT, M. & COKER, P. 1992. Vegetation description and analysis, a practical Approach. John Wiley and Sons Ltd, London.

LACEY, C. & WILLIAMS, R. 1987. Education, ecology and development: The Case for an education network. Surrey world wildlife fund, Ooldaming.

LOW, A.B. & REBELO, A.G. 1996. Vegetation of South Africa, Lesotho and Swaziland. Department of Environmental Affairs and Tourism, Pretoria.

MEISNER, H.H. 1981. The theory and application of a method to calculate Forage intake of wild southern African ungulates for purposes of estimating carrying capacity. *South African journal of wildlife research* 12:41-47.

MENTIS, M.T. 1981. Evaluation of the wheel-point and step-point methods of Veld condition assessment. *Proceedings of the grassland society of Southern Africa* 16: 89-94.

PAUW, J.C. 1988. Riglyne vir die bestuur van die natuurlewe in die Bosveldgemeenskappe van die Atherstone natuurreserveaat in die noordwes-Transvaal. Msc (Wildlife management) thesis, University of Pretoria, Pretoria.

SKINNER, J.D. & SMITHERS, R.H.N. 1990. The mammals of the southern African subregion. University of Pretoria, Pretoria.

ZIEGER, U. 1994. A management plan for the Vaal Spa nature reserve.

SMIT, G.N. 1996. BECVOL: Biomass estimates from canopy volume (version 2). Users guide. Unpublished manual, University of the Orange Free State, Bloemfontein.

SWART, H.B. 1995. Plantekologie en habitatbenutting van letaba Ranch, Noordelike Provinsie. MSc (Wildlife Management) Thesis University of Pretoria, Pretoria.

VAN OUDTSHOORN, F.P. 1994 Gids tot grasse van Suid Afrika. Briza Publishers cc, Pretoria.

VORSTER, M. 1982. The development of the ecological index method for Assessing veld condition in the karoo. *Proceedings of the grassland society of Southern Africa* 17: 84-89

WERGER, M.J.A. 1974. On concepts and techniques applied in the Zurich-Montpellier method of vegetation survey. *Bothalia* 11(3): 309-323.

WESTHOFF, V. & VAN DER MAAREL, E. 1978. The Braun-Blanquet approach. In: Classification of plant communities. R.H. Whittaker (ed). Dr. W. Junk bv. Publishers, The Hague

ZIEGER, U. 1994. A management plan for the Vaal Spa nature reserve.

Bsc Hons (Wildlife management) dissertation. University of Pretoria, Pretoria.

Appendix A: Plant species list for the Synespori Game Park