

Searching for common patterns in parasite ecology: species and host contributions to beta-diversity in helminths of South African ungulates and fleas of South American rodents

Supplementary material

Ivan G. Horak^a, Joop Boomker^a, Vasily I. Grabovsky^b, Irina S. Khokhlova^b, Kerstin Junker^c, Juliana P. Sanchez^d, M. Fernanda López Berrizbeitia^e, Boris R. Krasnov^f

^aDepartment of Veterinary Tropical Diseases, University of Pretoria, Private Bag X04, Onderstepoort 0110, South Africa

^bFrench Associates Institute for Agriculture and Biotechnology of Drylands, Jacob Blaustein Institutes for Desert Research, Ben-Gurion University of the Negev, Sede Boqer Campus, 8499000, Midreshet Ben-Gurion, Israel

^cNational Collection of Animal Helminths, Epidemiology, Parasites and Vectors Programme, ARC-Onderstepoort Veterinary Institute, Private Bag X05, Onderstepoort 0110, South Africa

^dCentro de Investigaciones y Transferencia del Noroeste de la Provincia de Buenos Aires- CITNOBA (UNNOBA- UNSAdA- CONICET), Pergamino, Argentina


^ePrograma de Conservación de los Murciélagos de Argentina (PCMA) and Instituto de Investigaciones de Biodiversidad Argentina (PIDBA)-CCT CONICET Noa Sur (Consejo Nacional de Investigaciones Científicas y Técnicas), Facultad de Ciencias Naturales e IML, UNT, and Fundación Miguel Lillo, Miguel Lillo 251, San Miguel de Tucumán CP 4000, Argentina

^fMitrani Department of Desert Ecology, Swiss Institute for Dryland Environmental and Energy Research, Jacob Blaustein Institutes for Desert Research, Ben-Gurion University of the Negev, Sede Boqer Campus, 8499000, Midreshet Ben-Gurion, Israel

*Corresponding author at: Mitrani Department of Desert Ecology, Jacob Blaustein Institutes for Desert Research, Ben-Gurion University of the Negev, Sede Boqer Campus, 84990, Midreshet Ben-Gurion, Israel.

Email: krasnov@bgu.ac.il.

Supplementary Fig. S1



Supplementary Fig. S2



Supplementary Fig. S3

