



Author index

AIRE, T.A. The structure of the interstitial tissue of the active and resting avian testis—T.A. AIRE	291–299
AITCHISON, H. The humoral immune response in cattle after immunization with a multivalent IBR/PI ₃ / <i>Pasteurella haemolytica</i> A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON	205–212
ALEXANDER, S. Helminth fauna of <i>Anas undulata</i> , <i>Anas erythrorhyncha</i> , <i>Anas capensis</i> and <i>Anas smithii</i> at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN	125–133
A comparison of the helminth communities in <i>Anas undulata</i> , <i>Anas erythrorhyncha</i> , <i>Anas capensis</i> and <i>Anas smithii</i> at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN	161–173
ALEXANDER, S.J. A checklist of helminths from the respiratory system and gastrointestinal tracts of African Anatidae—S.J. ALEXANDER and J.D. McLAUGHLIN	5–16
ALLSOPP, B.A. Development of the OPgun™ for bombardment of animal tissues—K.A. BRAYTON, G.C. BOTHMA, S.W. VOGEL and B.A. ALLSOPP	153–156
AVARZED, A. Prevalence of equine piroplasmiasis in Central Mongolia—A. AVARZED, D.T. DE WAAL, I. IGARASHI, A. SAITO, T. OYAMADA, Y. TOYODA and N. SUZUKI	141–145
BAER, G.M. Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERAS TORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. Taweel (EL-) and J.C. WLODKOWSKI	115–124
BALDERAS TORRES, J.M. Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERAS TORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. Taweel (EL-) and J.C. WLODKOWSKI	115–124
BARNARD, B.J.H. Antibodies against some viruses of domestic animals in southern African wild animals—B.J.H. BARNARD	95–110
Some factors governing the entry of <i>Culicoides</i> spp. (Diptera: Ceratopogonidae) into stables—B.J.H. BARNARD ...	227–233
BENGIS, R.G. Detection of AHV-1 DNA in lung sections from blue wildebeest (<i>Connochaetes taurinus</i>) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENGIS and V. DE VOS	235–238
BOOMKER, J. Parafilariosis in African buffaloes (<i>Syncerus caffer</i>)—D.F. KEET, J. BOOMKER, N.P.J. KRIEK, G. ZAKRISSON and D.G.A. MELTZER	217–225

- Parasites of South African wildlife. XV. Helminths of scrub hares, *Lepus saxatilis* in the Kruger National Park—J. BOOMKER, I.G. HORAK and D.G. BOOYSE 285–290
- BOOYSE, D.G.**
Parasites of South African wildlife. XV. Helminths of scrub hares, *Lepus saxatilis* in the Kruger National Park—J. BOOMKER, I.G. HORAK and D.G. BOOYSE 285–290
- BOTHA, C.J.**
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from *Tylecodon wallichii* (Harv.) Toelken subsp. *wallichii*—C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGGAAR 189–194
- BRAGG, R.R.**
Effects of growth conditions and incubation times on the expression of antigens of *Haemophilus paragallinarum* which are detected by monoclonal antibodies—R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR 57–63
- BRAYTON, K.A.**
Development of the OPgun™ for bombardment of animal tissues—K.A. BRAYTON, G.C. BOTHMA, S.W. VOGEL and B.A. ALLSOPP 153–156
- CARSTENS, J.**
Ulcerative pododermatitis in free-ranging African elephant (*Loxodonta africana*) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT 25–32
- CHAI, D.**
Sparganosis in non-human primates—D. CHAI, I. FARAH and G. MUCHEMI 243–244
- CHITI, L.**
Canine visceral leishmaniosis: first case in Zambia—K. MATSUKAWA, L. CHITI, M. YOSHIMA and P.D. SAYER 77–79
- COETZEE, L.**
Effects of growth conditions and incubation times on the expression of antigens of *Haemophilus paragallinarum* which are detected by monoclonal antibodies—R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR 57–63
- COMBRINK, M.P.**
Evaluation of a 3 ml heartwater (cowdriosis) infective blood vaccine dose—M.P. COMBRINK, D.T. DE WAAL and P.C. TROSKIE 309–311
- DE VOS, V.**
Detection of AHV-1 DNA in lung sections from blue wildebeest (*Connochaetes taurinus*) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENGIS and V. DE VOS 235–238
- DE WAAL, D.T.**
In vitro cultivation of *Babesia equi*: detection of carrier animals and isolation of parasites—E. ZWEYGARTH, M.C. JUST and D.T. DE WAAL 51–56
Prevalence of equine piroplasmiasis in Central Mongolia—A. AVARZED, D.T. DE WAAL, I. IGARASHI, A. SAITO, T. OYAMADA, Y. TOYODA and N. SUZUKI 141–145
Evaluation of a 3 ml heartwater (cowdriosis) infective blood vaccine dose—M.P. COMBRINK, D.T. DE WAAL and P.C. TROSKIE 309–311
- DREYER, KARIN**
Predation of livestock ticks by chickens as a tick-control method in a resource-poor urban environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 273–276
- DU PREEZ, E.**
The humoral immune response in cattle after immunization with a multivalent IBR/PI₃/ *Pasteurella haemolytica* A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON 205–212
- DU PLESSIS, L.**
Morphological evidence for infection of impala, *Aepyceros melampus*, platelets by a rickettsia-like organism—L. DU PLESSIS, F. REYERS and K. STEVENS 317–318
- ENGELBRECHT, M.M.**
Escherichia coli serotypes in pigs in South Africa—M.M. HENTON and M.M. ENGELBRECHT 175–187
- ENGEMAN, R.M.**
Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERAS TORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. TAWEEL (EL-) and J.C. WLODKOWSKI 115–124

- ERASMUS, G.L.**
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from *Tylecodon wallichii* (Harv.) Toelken subsp. *wallichii*—C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGAR 189–194
- ERASMUS, C.P.**
The endocrine pancreas of the Cape fur seal, *Arctocephalus pusillus* (Schreber, 1776): an immunocytochemical study—C.P. ERASMUS and G. VAN ASWEGEN 239–242
- ESTERHUYSEN, J.**
Aspects of rabies epidemiology in Tsumkwe District, Namibia—K. LAURENSEN, J. ESTERHUYSEN, P. STANDER and J. VAN HEERDEN 39–45
- FARAH, I.**
Sparganosis in non-human primates—D. CHAI, I. FARAH and G. MUCHEMI 243–244
- FLORES COLLINS, E.**
Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERAS TORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. TAWEEL (EL-) and J.C. WLODKOWSKI 115–124
- FOURIE, H.J.**
A scanning electron-microscope examination of the scolex of *Houttuynia struthionis*—H.J. FOURIE, A.F. VAN AMELS-FOORT, L.M. MICHAEL and J.F. PUTTERILL 47–50
- FOURIE, L.J.**
Predation of livestock ticks by chickens as a tick-control method in a resource-poor urban environment—KARIN DREYER, L.J. FOURIE and D.J. KOK 273–276
- GERDES, G.H.**
Experimental infection of vaccinated slaughter ostriches with virulent Newcastle disease virus—D.J. VERWOERD, G.H. GERDES, A. OLIVIER and R. WILLIAMS 213–216
- GITAU, T.**
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. McDERMOTT 135–140
- GOUWS, J.**
Ulcerative pododermatitis in free-ranging African elephant (*Loxodonta africana*) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT 25–32
- GROBLER, D.G.**
Ulcerative pododermatitis in free-ranging African elephant (*Loxodonta africana*) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT 25–32
- HABIBUR RAHMAN, A.**
Toxorhynchites-fluorescent antibody system for the detection of bluetongue virus from *Culicoides* midges (Diptera: Ceratopogonidae)—A. HABIBUR RAHMAN and R. MANICKAM 301–307
- HEITMANN, L.P.**
Schistosoma mattheei infection in cattle: The course of the intestinal syndrome, and an estimate of the lethal dose of cercariae—J.A. VAN WYK, L.J. VAN RENSBURG and L.P. HEITMANN 65–75
- HENTON, M.M.**
Escherichia coli serotypes in pigs in South Africa—M.M. HENTON and M.M. ENGELBRECHT 175–187
- HORAK, I.G.**
Parasites of South African wildlife. XV. Helminths of scrub hares, *Lepus saxatilis* in the Kruger National Park—J. BOOMKER, I.G. HORAK and D.G. BOOYSE 285–290
- HUCHZERMEYER, F.W.**
Salmonella isolated from crocodiles and other reptiles during the period 1985–1994 in South Africa—MARTHA L. VAN DER WALT, F.W. HUCHZERMEYER and HELENA C. STEYN 277–283
- IGARASHI, I.**
Prevalence of equine piroplasmiasis in Central Mongolia—A. AVARZED, D.T. DE WAAL, I. IGARASHI, A. SAITO, T. OYAMADA, Y. TOYODA and N. SUZUKI 141–145
- JOSEMANS, E.J.**
Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus—R. WILLIAMS, M. SCHOE-MAN, A. VAN WYK, K. ROOS and E.J. JOSEMANS 245–250

JUST, M.C.	
<i>In vitro</i> cultivation of <i>Babesia equi</i> : detection of carrier animals and isolation of parasites—E. ZWEYGARTH, M.C. JUST and D.T. DE WAAL	51–56
KABRÉ, G.B.	
<i>Camallanus polypteri</i> n. sp. (Nematoda: Camallanidae) in freshwater fishes from Burkina Faso— G.B. KABRÉ and A.J. PETTER	33–37
KEET, D.F.	
Ulcerative pododermatitis in free-ranging African elephant (<i>Loxodonta africana</i>) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT	25–32
Parafilariosis in African buffaloes (<i>Syncerus caffer</i>)—D.F. KEET, J. BOOMKER, N.P.J. KRIEK, G. ZAKRISSON and D.G.A. MELTZER	217–225
KELLERMAN, T.S	
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from <i>Tylecodon wallichii</i> (Harv.) Toelken subsp. <i>wallichii</i> —C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGGAAR	189–194
KIWANUKA, A.	
Acquisition of protective immunity in <i>Geochelone pardalis</i> against <i>Amblyomma marmoreum</i> (Acari: Ixodidae) nymphal ticks—S.D. TEMBO and A. KIWANUKA	1–4
KOK, D.J.	
Predation of livestock ticks by chickens as a tick-control method in a resource-poor urban environment—KARIN DREYER, L.J. FOURIE and D.J. KOK	273–276
KRIEK, N.P.J.	
Parafilariosis in African buffaloes (<i>Syncerus caffer</i>)—D.F. KEET, J. BOOMKER, N.P.J. KRIEK, G. ZAKRISSON and D.G.A. MELTZER	217–225
LAURENSEN, K.	
Aspects of rabies epidemiology in Tsumkwe District, Namibia—K. LAURENSEN, J. ESTERHUYSEN, P. STANDER and J. VAN HEERDEN	39–45
Seroepidemiological survey of sympatric domestic and wild dogs (<i>Lycaon pictus</i>) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN	313–316
LINHART, S.B.	
Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERAS TORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. TAWEEL (EL-) and J.C. WLODKOWSKI	115–124
MANICKAM, R.	
Toxorhynchites-fluorescent antibody system for the detection of bluetongue virus from <i>Culicoides</i> midges (Diptera: Ceratopogonidae)—A. HABIBUR RAHMAN and R. MANICKAM	301–307
MARIBEI, J.M.	
Pathological changes in calves that died from experimental water intoxication—E.M. NJOROGE, J.M. MARIBEI and P.N. MBUGUA	111–114
MATSUKAWA, K.	
Canine visceral leishmaniosis: first case in Zambia—K. MATSUKAWA, L. CHITI, M. YOSHIMA and P.D. SAYER	77–79
MBIUKI, S.M.	
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. McDERMOTT	135–140
MBUGUA, P.N.	
Pathological changes in calves that died from experimental water intoxication—E.M. NJOROGE, J.M. MARIBEI and P.N. MBUGUA	111–114
McDERMOTT, J.J.	
Assessment of bovine hoof conformation and its association with lameness, animal factors and management practices on small-scale dairy farms in Kiambu district, Kenya—T. GITAU, S.M. MBIUKI and J.J. McDERMOTT	135–140
McLAUGHLIN, J.D.	
Helminth fauna of <i>Anas undulata</i> , <i>Anas erythrorhyncha</i> , <i>Anas capensis</i> and <i>Anas smithii</i> at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN	125–133
A checklist of helminths from the respiratory system and gastrointestinal tracts of African Anatidae—S.J. ALEXANDER and J.D. McLAUGHLIN	5–16

- A comparison of the helminth communities in *Anas undulata*, *Anas erythrorhyncha*, *Anas capensis* and *Anas smithii* at Barberspan, South Africa—S. ALEXANDER and J.D. McLAUGHLIN 161–173
- MEISWINKEL, R.**
Discovery of a *Culicoides imicola*-free zone in South Africa: preliminary notes and potential significance—R. MEISWINKEL 81–86
- MELTZER, D.G.A.**
Parafilariosis in African buffaloes (*Syncerus caffer*)—D.F. KEET, J. BOOMKER, N.P.J. KRIEK, G. ZAKRISSON and D.G.A. MELTZER 217–225
- MESLIN, F.X.**
Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERAS TORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. TAWEEL (EL-) and J.C. WLODKOWSKI 115–124
- MICHAEL, L.M.**
A scanning electron-microscope examination of the scolex of *Houttuynia struthionis*—H.J. FOURIE, A.F. VAN AMELSFORT, L.M. MICHAEL and J.F. PUTTERILL 47–50
- MICHEL, ANITA L.**
Detection of AHV-1 DNA in lung sections from blue wildebeest (*Connochaetes taurinus*) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENGIS and V. DE VOS 235–238
- MOHAN, K.**
Strains of *Actinobacillus* spp. from diseases of animals and ostriches in Zimbabwe—K. MOHAN, P. MUVAVARIRWA and A. PAWANDIWA 195–199
- MORRIS, S.**
The humoral immune response in cattle after immunization with a multivalent IBR/PI₃/ *Pasteurella haemolytica* A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON 205–212
- MUCHEMI, G.**
Sparganosis in non-human primates—D. CHAI, I. FARAH and G. MUCHEMI 243–244
- MUVAVARIRWA, P.**
Strains of *Actinobacillus* spp. from diseases of animals and ostriches in Zimbabwe—K. MOHAN, P. MUVAVARIRWA and A. PAWANDIWA 195–199
- NESBIT, J.W.**
Ulcerative pododermatitis in free-ranging African elephant (*Loxodonta africana*) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT 25–32
- NEVILL, E.M.**
Seasonal abundance and parity of stock-associated *Culicoides* species (Diptera: Ceratopogonidae) in different climatic regions in southern Africa in relation to their viral vector potential—G.J. VENTER, E.M. NEVILL and T.C. DE K. VAN DER LINDE 259–271
- NJOROGE, E.M.**
Pathological changes in calves that died from experimental water intoxication—E.M. NJOROGE, J.M. MARIBEI and P.N. MBUGUA 111–114
- ODENDAAL, M.W.**
The humoral immune response in cattle after immunization with a multivalent IBR/PI₃/ *Pasteurella haemolytica* A1 leukotoxin vaccine—M.W. ODENDAAL, S. MORRIS, E. DU PREEZ and H. AITCHISON 205–212
- OELOFSEN, M.J.**
The binding potential of commercial antibody conjugates with sera of various small terrestrial mammals—A. PRETORIUS, M.J. OELOFSEN, M.S. SMITH and E. VAN DER RYST 201–203
- OLIVIER, A.**
Experimental infection of vaccinated slaughter ostriches with virulent Newcastle disease virus—D.J. VERWOERD, G.H. GERDES, A. OLIVIER and R. WILLIAMS 213–216
- OYAMADA, T.**
Prevalence of equine piroplasmiasis in Central Mongolia—A. AVARZED, D.T. DE WAAL, I. IGARASHI, A. SAITO, T. OYAMADA, Y. TOYODA and N. SUZUKI 141–145
- PAWANDIWA, A.**
Strains of *Actinobacillus* spp. from diseases of animals and ostriches in Zimbabwe—K. MOHAN, P. MUVAVARIRWA and A. PAWANDIWA 195–199

PAWESKA, J.T.	
Failure to establish chronic infection of the reproductive tract of the male horse with a South African asinine strain of equine arteritis virus (EAV)—J.T. PAWESKA	17–24
Effect of the South African asinine-94 strain of equine arteritis virus (EAV) in pregnant donkey mares and duration of maternal immunity in foals—J.T. PAWESKA	147–152
PETTER, A.J.	
<i>Camallanus polypteri</i> n. sp. (Nematoda: Camallanidae) in freshwater fishes from Burkina Faso—G.B. KABRÉ and A.J. PETTER	33–37
PRETORIUS, A.	
The binding potential of commercial antibody conjugates with sera of various small terrestrial mammals—A. PRETORIUS, M.J. OELOFSEN, M.S. SMITH and E. VAN DER RYST	201–203
PUTTERILL, J.F.	
A scanning electron-microscope examination of the scolex of <i>Houttuynia struthionis</i> —H.J. FOURIE, A.F. VAN AMELSFORT, L.M. MICHAEL and J.F. PUTTERILL	47–50
RAATH, J.P.	
Ulcerative pododermatitis in free-ranging African elephant (<i>Loxodonta africana</i>) in the Kruger National Park—D.F. KEET, D.G. GROBLER, J.P. RAATH, J. GOUWS, J. CARSTENS and J.W. NESBIT	25–32
REYERS, F.	
Morphological evidence for infection of impala, <i>Aepyceros melampus</i> , platelets by a rickettsia-like organism—L. DU PLESSIS, F. REYERS and K. STEVENS	317–318
ROOS, K.	
Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus—R. WILLIAMS, M. SCHOEMAN, A. VAN WYK, K. ROOS and E.J. JOSEMANS	245–250
SAITO, A.	
Prevalence of equine piroplasmiasis in Central Mongolia—A. AVARZED, D.T. DE WAAL, I. IGARASHI, A. SAITO, T. OYAMADA, Y. TOYODA and N. SUZUKI	141–145
SAYER, P.D.	
Canine visceral leishmaniasis: first case in Zambia—K. MATSUKAWA, L. CHITI, M. YOSHIMA and P.D. SAYER	77–79
SCHOEMAN, M.	
Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus—R. WILLIAMS, M. SCHOEMAN, A. VAN WYK, K. ROOS and E.J. JOSEMANS	245–250
SCHULTZ, R. ANITRA	
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from <i>Tylecodon wallichii</i> (Harv.) Toelken subsp. <i>wallichii</i> —C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGGAAR	189–194
SCHUMACHER, C.L.	
Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERAS TORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. TAWHEEL (EL-) and J.C. WLODKOWSKI	115–124
SMITH, M.S.	
The binding potential of commercial antibody conjugates with sera of various small terrestrial mammals—A. PRETORIUS, M.J. OELOFSEN, M.S. SMITH and E. VAN DER RYST	201–203
STANDER, P.	
Aspects of rabies epidemiology in Tsumkwe District, Namibia—K. LAURENSEN, J. ESTERHUYSEN, P. STANDER and J. VAN HEERDEN	39–45
Seroepidemiological survey of sympatric domestic and wild dogs (<i>Lycaon pictus</i>) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN	313–316
STEVENS, K.	
Morphological evidence for infection of impala, <i>Aepyceros melampus</i> , platelets by a rickettsia-like organism—L. DU PLESSIS, F. REYERS and K. STEVENS	317–318
STEYN, HELENA C.	
<i>Salmonella</i> isolated from crocodiles and other reptiles during the period 1985–1994 in South Africa—MARTHA L. VAN DER WALT, F.W. HUCHZERMAYER and HELENA C. STEYN	277–283
SUZUKI, N.	
Prevalence of equine piroplasmiasis in Central Mongolia—A. AVARZED, D.T. DE WAAL, I. IGARASHI, A. SAITO, T. OYAMADA, Y. TOYODA and N. SUZUKI	141–145

- TAWEEL (EL-), A-H.**
Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERAS TORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. TAWEEL (EL-) and J.C. WLODKOWSKI 115–124
- TEMBO, S.D.**
Acquisition of protective immunity in *Geochelone pardalis* against *Amblyomma marmoreum* (Acari: Ixodidae) nymphal ticks—S.D. TEMBO and A. KIWANUKA 1–4
- TITOY, G.A.P.**
Cryopreservation of sheathed third-stage larvae of *Oesophagostomum radiatum* (nodular worm of cattle)—G.A.P. TITOY, L.J. VAN RENSBURG and M.F. VAN STRIJP 157
Cryopreservation of third-stage larvae of *Strongylus vulgaris* (large strongyle of horses)—G.A.P. TITOY and L.J. VAN RENSBURG 159–160
- TROSKIE, P.C.**
Evaluation of a 3 ml heartwater (cowdriosis) infective blood vaccine dose—M.P. COMBRINK, D.T. DE WAAL and P.C. TROSKIE 309–311
- VAN AMELSFOORT, A.F.**
A scanning electron-microscope examination of the scolex of *Houttuynia struthionis*—H.J. FOURIE, A.F. VAN AMELSFOORT, L.M. MICHAEL and J.F. PUTTERILL 47–50
- VAN ASWEGEN, G.**
The endocrine pancreas of the Cape fur seal, *Arctocephalus pusillus* (Schreber, 1776): an immunocytochemical study—C.P. ERASMUS and G. VAN ASWEGEN 239–242
- VAN DEN BOSSCHE, P.**
The control of *Glossina morsitans morsitans* (Diptera: Glossinidae) in a settled area in Petauke District (Eastern Province, Zambia) using odour-baited targets—P. VAN DEN BOSSCHE 251–257
- VAN DER LINDE, T.C. DE K.**
Seasonal abundance and parity of stock-associated *Culicoides* species (Diptera: Ceratopogonidae) in different climatic regions in southern Africa in relation to their viral vector potential—G.J. VENTER, E.M. NEVILL and T.C. DE K. VAN DER LINDE 259–271
- VAN DER LUGT, J.J.**
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from *Tylecodon wallichii* (Harv.) Toelken subsp. *wallichii*—C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGAR 189–194
Detection of AHV-1 DNA in lung sections from blue wildebeest (*Connochaetes taurinus*) calves by in situ hybridization—ANITA L. MICHEL, J.J. VAN DER LUGT, R.G. BENGIS and V. DE VOS 235–238
- VAN DER RYST, E.**
The binding potential of commercial antibody conjugates with sera of various small terrestrial mammals—A. PRETORIUS, M.J. OELOFSEN, M.S. SMITH and E. VAN DER RYST 201–203
- VAN DER WALT, MARTHA L.**
Salmonella isolated from crocodiles and other reptiles during the period 1985–1994 in South Africa—MARTHA L. VAN DER WALT, F.W. HUCHZERMEYER and HELENA C. STEYN 277–283
- VAN HEERDEN, J.**
Aspects of rabies epidemiology in Tsumkwe District, Namibia—K. LAURENSEN, J. ESTERHUYSEN, P. STANDER and J. VAN HEERDEN 39–45
Seroepidemiological survey of sympatric domestic and wild dogs (*Lycan pictus*) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN 313–316
- VAN RENSBURG, L.J.**
Schistosoma mattheei infection in cattle: The course of the intestinal syndrome, and an estimate of the lethal dose of cercariae—J.A. VAN WYK, L.J. VAN RENSBURG and L.P. HEITMANN 65–75
Cryopreservation of sheathed third-stage larvae of *Oesophagostomum radiatum* (nodular worm of cattle)—G.A.P. TITOY, L.J. VAN RENSBURG and M.F. VAN STRIJP 157
Cryopreservation of third-stage larvae of *Strongylus vulgaris* (large strongyle of horses)—G.A.P. TITOY and L.J. VAN RENSBURG 159–160
- VAN STRIJP, M.F.**
Cryopreservation of sheathed third-stage larvae of *Oesophagostomum radiatum* (nodular worm of cattle)—G.A.P. TITOY, L.J. VAN RENSBURG and M.F. VAN STRIJP 157

VAN VUUREN, M.J.	
Seroepidemiological survey of sympatric domestic and wild dogs (<i>Lycaon pictus</i>) in Tsumkwe District, north-eastern Namibia—K. LAURENSEN, J. VAN HEERDEN, P. STANDER and M.J. VAN VUUREN	313–316
VAN WYK, A.	
Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus—R. WILLIAMS, M. SCHOEMAN, A. VAN WYK, K. ROOS and E.J. JOSEMANS	245–250
VAN WYK, J.A.	
<i>Schistosoma mattheei</i> infection in cattle: The course of the intestinal syndrome, and an estimate of the lethal dose of cercariae—J.A. VAN WYK, L.J. VAN RENSBURG and L.P. HEITMANN	65–75
VENTER, G.J.	
Seasonal abundance and parity of stock-associated <i>Culicoides</i> species (Diptera: Ceratopogonidae) in different climatic regions in southern Africa in relation to their viral vector potential—G.J. VENTER, E.M. NEVILL and T.C. DE K. VAN DER LINDE	259–271
VERSCHOOR, J.A.	
Effects of growth conditions and incubation times on the expression of antigens of <i>Haemophilus paragallinarum</i> which are detected by monoclonal antibodies—R.R. BRAGG, L. COETZEE and J.A. VERSCHOOR	57–63
VERWOERD, D.J.	
Experimental infection of vaccinated slaughter ostriches with virulent Newcastle disease virus—D.J. VERWOERD, G.H. GERDES, A. OLIVIER and R. WILLIAMS	213–216
VLEGGaar, R.	
Krimpsiekte, associated with thalamic lesions, induced by the neurotoxic cardiac glycoside, cotyledoside, isolated from <i>Tylecodon wallichii</i> (Harv.) Toelken subsp. <i>wallichii</i> —C.J. BOTHA, J.J. VAN DER LUGT, G.L. ERASMUS, T.S. KELLERMAN, R. ANITRA SCHULTZ and R. VLEGGaar	189–194
VOGEL, S.W.	
Development of the OPgun™ for bombardment of animal tissues—K.A. BRAYTON, G.C. BOTHMA, S.W. VOGEL and B.A. ALLSOPP	153–156
WILLIAMS, R.	
Experimental infection of vaccinated slaughter ostriches with virulent Newcastle disease virus—D.J. VERWOERD, G.H. GERDES, A. OLIVIER and R. WILLIAMS	213–216
Comparison of ELISA and HI for detection of antibodies against Wesselsbron disease virus— R. WILLIAMS, M. SCHOEMAN, A. VAN WYK, K. ROOS and E.J. JOSEMANS	245–250
WLODKOWSKI, J.C.	
Acceptance of candidate baits by domestic dogs for delivery of oral rabies vaccines—S.B. LINHART, G.M. BAER, J.M. BALDERAS TORRES, R.M. ENGEMAN, E. FLORES COLLINS, F.X. MESLIN, C.L. SCHUMACHER, A-H. Taweel (EL-) and J.C. WLODKOWSKI	115–124
YOSHIMA, M.	
Canine visceral leishmaniosis: first case in Zambia—K. MATSUKAWA, L. CHITI, M. YOSHIMA and P.D. SAYER	77–79
ZAKRISSON, G.	
Parafilariosis in African buffaloes (<i>Syncerus caffer</i>)—D.F. KEET, J. BOOMKER, N.P.J. KRIEK, G. ZAKRISSON and D.G.A. MELTZER	217–225
ZWEYGARTH, E.	
<i>In vitro</i> cultivation of <i>Babesia equi</i> : detection of carrier animals and isolation of parasites—E. ZWEYGARTH, M.C. JUST and D.T. DE WAAL	51–56