

**LETTER TO THE EDITOR**

**Open Access**

# Need of surveillance response systems to combat Ebola outbreaks and other emerging infectious diseases in African countries

Ernest Tambo<sup>1,2,5\*</sup>, Emmanuel Chidiebere Ugwu<sup>3,5</sup> and Jeane Yonkeu Ngogang<sup>4</sup>

## Abstract

There is growing concern in Sub-Saharan Africa about the spread of the Ebola virus disease (EVD), formerly known as Ebola haemorrhagic fever, and the public health burden that it ensues. Since 1976, there have been 885,343 suspected and laboratory confirmed cases of EVD and the disease has claimed 2,512 cases and 932 fatality in West Africa. There are certain requirements that must be met when responding to EVD outbreaks and this process could incur certain challenges. For the purposes of this paper, five have been identified: (i) the deficiency in the development and implementation of surveillance response systems against Ebola and others infectious disease outbreaks in Africa; (ii) the lack of education and knowledge resulting in an EVD outbreak triggering panic, anxiety, psychosocial trauma, isolation and dignity impounding, stigmatisation, community ostracism and resistance to associated socio-ecological and public health consequences; (iii) limited financial resources, human technical capacity and weak community and national health system operational plans for prevention and control responses, practices and management; (iv) inadequate leadership and coordination; and (v) the lack of development of new strategies, tools and approaches, such as improved diagnostics and novel therapies including vaccines which can assist in preventing, controlling and containing Ebola outbreaks as well as the spread of the disease. Hence, there is an urgent need to develop and implement an active early warning alert and surveillance response system for outbreak response and control of emerging infectious diseases. Understanding the unending risks of transmission dynamics and resurgence is essential in implementing rapid effective response interventions tailored to specific local settings and contexts. Therefore, the following actions are recommended: (i) national and regional inter-sectorial and trans-disciplinary surveillance response systems that include early warnings, as well as critical human resources development, must be quickly adopted by allied ministries and organisations in African countries in epidemic and pandemic responses; (ii) harnessing all stakeholders commitment and advocacy in sustained funding, collaboration, communication and networking including community participation to enhance a coordinated responses, as well as tracking and prompt case management to combat challenges; (iii) more research and development in new drug discovery and vaccines; and (iv) understanding the involvement of global health to promote the establishment of public health surveillance response systems with functions of early warning, as well as monitoring and evaluation in upholding research-action programmes and innovative interventions.

**Keywords:** Surveillance response system, Ebola, Outbreak, Emerging infectious diseases, Africa

\* Correspondence: tambo0711@gmail.com

<sup>1</sup>Sydney Brenner Institute for Molecular Bioscience, Wits 21st Century Institute, Faculty of Health Sciences, University of the Witwatersrand, Johannesburg, South Africa

<sup>2</sup>Center for Sustainable Malaria Control, Department of Biochemistry, Faculty of Natural and Agricultural Sciences, University of Pretoria, Pretoria, South Africa

Full list of author information is available at the end of the article

### Multilingual abstracts

Please see Additional file 1 for translations of the abstract into the six official working languages of the United Nations.

### The growing public health concern and the burden of Ebola outbreaks

In the absence of an effective drug and vaccine for the dreadful and deadly outbreak caused by the Ebola virus disease (EVD), formerly known as Ebola haemorrhagic fever, there is growing concern for its public health burden in Sub-Saharan Africa. Since 1976, there have been 885,343 suspected and laboratory confirmed cases of EVD, including 1711 cases on the ongoing disease outbreak has claimed 932 lives in West Africa [1]. This part of the world is persistently confronted with this fatal disease which has an incubation period of two to 21 days (averagely 3-13days). Symptoms range from, firstly, fever and fatigue before descending into headaches, vomiting, violent diarrhoea, then multiple organ failure and massive internal bleeding [1,2]. Ebola typically begins in remote places and can be distributed via hospitals/healthcare centers or within the community as it takes several infections before the disease is ascertained. The prevalence, morbidity and case fatality of chronological EVD outbreaks showed the persistent resurgence in different regions in Sub-Saharan Africa (see Figure 1).

Ebola outbreaks have a case fatality rate of 60–90%, yet no specific drug or vaccine is available for people

and/or animals hosts. As of 4 August 2014, the cumulative number of cases attributed to EVD in the four countries stands at 1711 including 932 deaths. The distribution and classification of the cases are as follows: Guinea, 495 cases (351 confirmed, 133 probable, and 11 suspected), including 363 deaths; Liberia, 516 cases (143 confirmed, 252 probable, and 121 suspected), including 282 deaths; Sierra Leone, 691 cases (576 confirmed, 49 probable, and 66 suspected), including 286 deaths and Nigeria, 9 cases (0 confirmed, 2 probable, and 7 suspected) including 1 death. Between the 24 and 27 July 2014, a total of 122 new cases (laboratory-confirmed, probable, and suspect cases) of EVD, and 57 deaths, were reported from the four countries as follows: Guinea, 33 new cases and 20 deaths; Liberia, 80 new cases and 27 deaths; Sierra Leone, 8 new cases and 9 deaths; and Nigeria, 1 new case who died [1]. The outbreak is expected to last longer if proper diagnostic tools and rigorous integrated active surveillance response systems are not rapidly established and instituted [3]. Therefore, the following requirements for rapid, scalable and sustainable responses to EVD and other outbreaks across African countries, and globally, have been identified.

### Rapid, scalable and sustainable responses to EVD and other outbreaks of disease

First, the need to urgently recognise and coordinate outbreak action-responses in affected African countries and in cross-border neighbours, as well as collaboration with those that experienced outbreaks in the past, is vital.



**Figure 1** Western Africa: Economic Community of Western African States (ECOWAS) Countries: Benin, Burkina Faso, Cape Verde, Cote d'Ivoire, Gambia, Ghana, Guinea, Guinea-Bissau, Liberia, Mali, Niger, Nigeria, Senegal, Sierra Leone and Togo.

Overall, Ebola virus socio-ecology systems have shown to be linked by direct and indirect transmission through contact with objects from patients. For example, the blood or secretions of an infected person or objects that have been contaminated with infected secretions can reach humans from a variety of hosts/sources: naïve infected populations, infected wildlife, fruit and vegetable bats and the handling of infected fruit bats, monkeys, chimpanzees, gorillas, forest antelopes and porcupines are all possible natural hosts (whether ill or dead or found in the jungle or rainforest) [1,2]. Thus, tracking, mapping, reporting and documenting veterinary public health zoonosis surveillance responses, the behaviour and medical history of butchers and poachers, as well as agro-livestock business trading are imperative to be able to establish integrated community-based and national comprehensive early warning and outbreak surveillance response systems.

Second, understanding the unending transmission dynamics and resurgence is essential to actively identify and map transmission foci and local micro-epidemiological situations, which can lead to implementing prompt, effective response interventions tailored to specific local settings. Hence, active early warnings approach under the framework of a surveillance response system both for veterinary and human public health should be established and implemented. This system could include, for example, a ban on bush meat consumption, a ban on public places and markets, a reinforcement of safety and inspection regulations on food and fruit eating bats and examining bat migration as well as other animal-household drivers and risk factors [3,4].

Third, instituting electronic-based reporting systems based on advances in information and communication technologies (ICTs) is crucial as already about 40% of the West African affected populations use mobile phones (*mhealth* or *ehealth*). Building a local network (e.g. WhatsApp) or crowdsourcing data for targeted active responses, as well as the implementation of a geographical information system (GIS), are necessary spatial-temporal mapping and decision-making support systems to contain Ebola outbreaks. Lessons learnt from other outbreaks including cholera, H7N9 and H1N1 avian influenza, severe acute respiratory syndrome (SARS), Lassa fever, the Middle East respiratory syndrome (MERS), dengue pandemic and the human-animal with environmental-climate interface in Africa and elsewhere can assist in setting benchmarks for monitoring epicentre/focal early warning alert, incidence and prevalence as well as effective surveillance response interventions measures [1,5]. Meanwhile, modelling factors and trends in different changing transmission scenarios could also yield better tactics, as well as strategic evidence not only for policy support, but also for direction, planning and implementation of national and regional early alert and surveillance

response systems to control and prevent sentinel sites [4]. Following from the aforementioned three challenges and requirements to respond to EVD outbreaks in Africa, the following actions are recommended to combat EVD as well as other emerging infectious diseases.

### **Mapping the unprecedented geographical migration of EVD across Africa**

Ebola was first reported in 1976 in Sudan and Congo and named after the river where it was identified. It was later reported in Gabon, Central Africa. The genus *Ebolavirus* is one of three members of the *Filoviridae* family (*filovirus*), along with the genus *Marburgvirus* and the genus *Cuevavirus*, and comprises five distinct species, of which *Zaire ebolavirus*, *Sudan ebolavirus* and *Bundibugyo ebolavirus* are mostly associated with the major EVD outbreaks in Africa. *Reston ebolavirus* and *Tai Forest ebolavirus* are mostly reported in the Asia-Pacific region, especially Philippines and the People's Republic of China, but no symptoms or deaths in humans from these have been reported to date [2]. The disease outbreak has persisted over the years across Central, East and Southern Africa. On March 21, 2014, the first case of an outbreak was identified in Guinea, West Africa, witnessing a total of 460 cases with 339 fatalities, as it spread beyond the remote rural areas to the capital city of Conakry. Soon after the outbreak was identified, it appeared across the border in the small nation of Liberia on March 30, 2014. This country was the least hit with 339 cases and 156 fatalities thus far. Later, it was also identified in Sierra Leone in late May 2014, just as it appeared the outbreaks in Guinea and Liberia were winding down. It has since spread to at least two Sierra Leone districts with 533 cases claiming at least 233 lives, including 68 deaths of 85 new cases within just four days. Similarly, between 21 and 23 July 2014, 96 new cases and 7 deaths were reported from Liberia and Sierra Leone. In Guinea, 12 new cases and 5 deaths were reported during the same period and one death in Nigeria [1] (see Table 1).

### **Understanding African cultural and customs practices and how they affect psychosocial-behavioural attitudes towards Ebola outbreaks**

Socio-demographically, Western Africa, the Economic Community of Western African States (ECOWAS) is made up of 15 countries with a population of about 340 million and a population density of 49.2 persons/km<sup>2</sup> and 127.5 persons/square mile. Nigeria accounts for half of the population and half of the regional aggregate. The ECOWAS has a total area of 5,112,903 km<sup>2</sup>. The total GDP (PPP) is US\$ 752,983 billion and US\$ 2,500 per capita, making ECOWAS the single largest economic and trading union in Africa and one of the pillars of the

**Table 1 Geographical and spatiotemporal epidemiology of Ebola virus disease outbreaks across Africa from 1976 to 2014**

<b>Countries</b>	<b>Species/year</b>	<b>Total cases</b>	<b>Total deaths</b>	<b>Diagnosis</b>	<b>Existing interventions</b>	<b>Challenges and prospects</b>
<b>South Sudan</b>	<i>Sudan ebolavirus</i> , 1976	284	151		– Balancing infusion of fluids/electrolytes	– Early stage diagnosis
	<i>Sudan ebolavirus</i> , 1979	34	22	– Syndromic or retrospective assessment	– Maintaining oxygen status and blood pressure	– Effective mass screening tools
	<i>Sudan ebolavirus</i> , 2004	17	7			
<b>Congo</b>	<i>Zaire ebolavirus</i> , 2001–02	59	44			– Novel drugs in management
	<i>Zaire ebolavirus</i> , 2003	178	157			– Primary prevention measures such as education, capacity building, training and advocacy
	<i>Zaire ebolavirus</i> , 2005	12	10		– Management of complicated cases	
<b>Gabon</b>	<i>Zaire ebolavirus</i> , 1994	52	31	–Antibodies ELISA IgM and IgG assay	– Community mobilisation, participation and health education	
	<i>Zaire ebolavirus</i> , 1996	91	61			
	<i>Zaire ebolavirus</i> , 2001–02	65	53			
<b>Ivory Coast</b>	<i>Tai Forest ebolavirus</i> , 1994	1	0			– Human-animal migration
<b>DRC</b>	<i>Zaire ebolavirus</i> , 1976	318	280			
	<i>Zaire ebolavirus</i> , 1977	1	1		– Routine cleaning and disinfection of host farms	– Resettlements and wars
	<i>Zaire ebolavirus</i> , 1995	315	250			
	<i>Zaire ebolavirus</i> , 2005	32	15	– Immunological testing		– Poaching
	<i>Zaire ebolavirus</i> , 2007	264	187		– Close supervision of burial or incineration of carcasses	– Deforestation and forest degradation
				Serum neutralisation test	– Personal protective measures	– Climate change and global warming
				– Molecular assays such as qPCR – Electron microscopy		– Infrastructure factors
	<i>Zaire ebolavirus</i> , 2008	32	14			– Animal-environmental factors
	<i>Zaire ebolavirus</i> , 2012	36	13			– Trans-trading, mining and urbanisation
<b>South Africa</b>	<i>Zaire ebolavirus</i> , 1996	1	1			– Poverty cycle
<b>Uganda</b>	<i>Zaire ebolavirus</i> , 2000	425	224			– Health education
	<i>B. ebolavirus</i> , 2007	149	37	– Virus isolation and susceptibility testing		– Community participation and empowerment and bioinformatics
	<i>Zaire ebolavirus</i> , 2011	1	1			
	<i>Sudan ebolavirus</i> , 2012	31	21			
<b>Guinea</b>	<i>Zaire ebolavirus</i> , 2014	495	363			
<b>Sierra Leone</b>	<i>Zaire ebolavirus</i> , 2014	691	281			
<b>Liberia</b>	<i>Zaire ebolavirus</i> , 2014	516	286			
<b>Nigeria</b>	<i>Zaire ebolavirus</i> , 2014	9	1			

DRC: Democratic Republic of Congo, Congo: Republic of Congo, ICT: Information and Communication Technology.

African economic community according to the World Bank, 2013. Each country consists broadly of two distinct zones: a sahelian zone (North), largely landlocked, and a more humid, forested coastal zone (South), with the literacy rate varying from 41-62% (see Figure 1).

Similar to the conception and spread of the HIV/AIDS pandemic in Africa, one of the main obstacles in reducing the distribution of Ebola has been the widespread ignorance, lack of knowledge and potential panic over EVD, considered to be a 'Satanic or bewitched' disease, leading to trepidation, isolation, dignity impounding, stigmatisation and ostracism from associated socio-ecological and public health consequences. Recently, local residents of the Sadialu village in Sierra Leone were sheltering those infected with Ebola, refusing to go to or escaping from hospitalisation referred as "death sentence", and hiding from the local health centre due to circulating beliefs, myths and rumours that the interventions being administered to patients were actually causing the disease (see Figure 2).


Such consequences and misconceptions are proscribed in the International Health Regulations (IHR), human rights laws, as well as the Helsinki and the WHO declarations. These detail the challenges and opportunities that Ebola and other infectious diseases are currently facing, including neglected tropical disease (NTD) prevention, control and management, as well as health system coverage and service delivery bottlenecks. Harnessing all stakeholders' collaboration, communication and networking, including communities, is essential for improving and nurturing community participation, informal and formal health education, ownership and empowerment of the programmes, and patient independence and dignity, as well as ensuring human rights for all ages at all levels in

order develop a productive and sustainable African continent and achieve the Millennium Development Goals (MDGs) and global health.

Hence, accelerating the response through provision of minimum essential information on risk communication for behavioural impact, developmental communication and health promotion/education personnel and community, working in multidisciplinary to respond to the disease outbreak, will be very useful for adequate and appropriate national staff and other national resources to the field operational epidemiologists, clinicians, and public health officers in fostering positive behavioural changes while respecting cultural practices, and impact on local contexts and outbreak dynamics, prevention and control interventions and scaling up outbreak containment measures, especially effective contact tracing.

### **Developing surveillance response systems against Ebola and other infectious disease outbreaks**

Unfortunately, several countries in Africa, as well as governmental and research institutions, are inadequately equipped in diagnostics, tracking, active reporting, prompt healthcare delivery, and accessible and affordable treatment to combat the Ebola infection and other emerging infectious diseases. The development of new tools, strategies and approaches, such as improved diagnostics and novel therapies including vaccines, is needed to prevent, control and contain Ebola as well as SARS, bird flu, Lassa fever, dengue and MERS outbreaks. Hence, the urgent need to develop and implement early warning alert and active surveillance response systems for emerging infectious diseases and the control and elimination of NTDs, as well as early warning and emergency systems, cannot be overemphasised. The prerequisites for fighting and



**Figure 2** Ebola virus blood testing by government health workers in the Kenema district, Sierra Leone, June 25, 2014.


containing the transmission and saving lives include concerted actions to empower communities through mobilisation, communication and participation; formal and informal education; and training of community and environmental health professionals. Timely and effective reporting, documentation and communication of incidence and prevalence by all stakeholders including the health ministries, international and local NGOs, UN agencies, religious leaders, WHO regional and Partners (CDC, MSF, UNICEF, IFRC) continue to work together through the Sub-regional Ebola Outbreak Coordination Center (SEOCC), global health institutions and other stakeholders are paramount in early containment response [4]. WHO does not recommend any travel or trade restrictions is applied to Guinea, Liberia, Sierra Leone or Nigeria, based on the current information available. Moreover, people who don't have the knowledge should be educated on how to protect themselves. Also important is the prompt quarantining of the sick and the dead in line with the African customs and burial traditional, cultural myths and practices, as it is believed in such cultures that corpses are still contagious and customary transmits the disease.

### Implementing new surveillance tools and strategies to combat Ebola outbreaks and other infectious diseases

There is an urgent necessity to strengthen the primary healthcare system, and develop more sensitive serological and molecular diagnostic tools, as well as innovative methods and approaches to assess vulnerability in agreement with current practices (see Figure 3). This requires further research and development (R&D), capacity building based on international best practices for containing public outbreaks, the drafting of standard processes and operating procedures, biorisk management as samples from patients and animals are an extreme biohazard risk, thorough adherence to the WHO global alert and response operations, and outbreak communication guide-

lines. Moreover, maximizing the advances in genomic, biotechnological and communication technologies provides efficient and improved surveillance tools for early warning system prognostic, monitoring and evaluation control and prevention of outbreaks; these should be based on preventing the source as ascribed in the 'One World-One Health' standpoint [2,6]. In addition, intensive efficacy and pharmacovigilance assessment of these interventions including diagnostics, drugs and vaccines against Ebola and other emerging infectious diseases including NTDs must be carefully re-evaluated, and the cut-offs determined and monitored over time, in addition to enhance cross-border collaboration and strengthen effective coordination across African government and populations [2-4].

Real-time active surveillance response systems, research priorities and innovative mechanisms for outbreaks include the development of tools targeting early active diagnosis especially at the onset and during the low level of transmission; tracking and mapping; monitoring human and host population migration; forecasting outbreaks based on risk factors; assessment of indicators and minimal essential datasets to guide evidence decision making; strategic planning and effective control; and prevention programmes and response packages tailored to local settings [4,5]. Experiences and lessons learnt from outbreaks in developed nations could be shared with limited-resource countries so that they can to establish early warning and surveillance response systems [4]. Irrefutably, national and regional inter-sectorial and trans-disciplinary approaches must be adopted and related to ministries and organisations in order to build innovative early warning system surveillance response systems through fostering capacity building and training on outbreaks and emerging infectious disease prevention, control and elimination. It is also imperative to understand global health involvement and governance, establish monitoring and evaluation (M&E) of research for action programmes, as well as increase funding to support efforts of existing



**Figure 3** Chronology of Ebola virus disease outbreaks in affected African countries from 1976 to July 2014.

and new consortiums and research projects in Africa. Furthermore, there is need to analyse the socio-economic and cultural factors, the status of prevailing health systems, and the risk factors and determinants of the emergence and spread of outbreaks in Africa. Reliable and well-organised monitoring, the establishment of GISs and appraisals of cost-effectiveness in an integrated national health system (with a care management approach) will eventually improve evidence information for policy-makers [4]. In turn, they can make decisions and guide implementers of health programmes to achieve beneficial and innovative sustainable global public health interventions, quality healthcare outcomes and economic prosperity.

## Conclusion

Consolidating and harmonizing the technical support at local, country, regional, and international level is required in mobilizing the international community in support of national efforts in epidemic and pandemic prevention and control. Hence, developing, scaling up and strengthening all aspects of the outbreak surveillance response system including contact tracking, public information and community mobilization, case management and infection prevention and control, and effective coordination.

## Additional file

**Additional file 1: Multilingual abstracts in the six official working languages of the United Nations.**

### Competing interests

The authors declare that they have no competing interests.

### Authors' contributions

ET conceived, collected and analysed the data, and drafted the manuscript. ET, ECU and JYN provided additional information. All authors read and approved the final manuscript.

### Acknowledgments

No funding body supported this study.

### Author details

<sup>1</sup>Sydney Brenner Institute for Molecular Bioscience, Wits 21st Century Institute, Faculty of Health Sciences, University of the Witwatersrand, Johannesburg, South Africa. <sup>2</sup>Center for Sustainable Malaria Control, Department of Biochemistry, Faculty of Natural and Agricultural Sciences, University of Pretoria, Pretoria, South Africa. <sup>3</sup>Faculty of Basic Medical Sciences, Department of Human Biochemistry, Nnamdi Azikiwe University Awka, Nnewi Campus, Nigeria. <sup>4</sup>Faculté des Sciences Biomédicales, Département de Biochimie, Université de Yaoundé, Yaoundé, République du Cameroun. <sup>5</sup>National Institute of Parasitic Diseases, Chinese Center for Disease Control and Prevention, and the WHO Collaborating Centre on Malaria, Schistosomiasis and Filariasis, Shanghai 200025, PR China.

Received: 12 July 2014 Accepted: 31 July 2014

Published: 5 August 2014

### References

1. WHO: Ebola virus disease, West Africa-update (31st July). *Disease Outbreak News*. 2014, [http://www.who.int/csr/don/2014\\_07\\_31\\_ebola/en/](http://www.who.int/csr/don/2014_07_31_ebola/en/).
2. WHO/AFRO: Ebola virus outbreaks in Africa update(7th May 2014). *Disease Outbreak News*. 2013, [programmes/dpc/epidemic-a-pandemic-alert-and-response/outbreak-news/4240-ebola-virus-disease-west-africa-6-august-2014.html.

  3. Zhou XN, Bergquist R, Tanner M: \*\*Elimination of tropical disease through surveillance and response.\*\* \*Infect Dis Poverty\* 2013, \*\*2\*\*:1.
  4. Tambo E, Lin A, Xia Z, Jun-Hu C, Wei H, Robert B, Jia-Gang G, Jürg U, Marcel T, Xiao-Nong Z: \*\*Surveillance-response systems: the key to elimination of tropical diseases.\*\* \*Infect Dis Poverty\* 2014, \*\*3\*\*:17. <http://www.idjournal.com/content/3/1/17>.
  5. Zhang H, Lai S, Wang L, Zhao D, Zhou D, Lan Y, Buckeridge DL, Li Z, Yang W: \*\*Improving the performance of outbreak detection algorithms by classifying the levels of disease incidence.\*\* \*PLoS One\* 2013, \*\*8\*\*:e71803.
  6. Zhou XN: \*\*Prioritizing research for "One health - One world".\*\* \*Infect Dis Poverty\* 2012, \*\*1\*\*:1.](http://www.afro.who.int/en/clusters-a-</a></li></ol></div><div data-bbox=)

doi:10.1186/2049-9957-3-29

**Cite this article as:** Tambo *et al.*: Need of surveillance response systems to combat Ebola outbreaks and other emerging infectious diseases in African countries. *Infectious Diseases of Poverty* 2014 **3**:29.

**Submit your next manuscript to BioMed Central and take full advantage of:**

- Convenient online submission
- Thorough peer review
- No space constraints or color figure charges
- Immediate publication on acceptance
- Inclusion in PubMed, CAS, Scopus and Google Scholar
- Research which is freely available for redistribution

Submit your manuscript at  
[www.biomedcentral.com/submit](http://www.biomedcentral.com/submit)



## Additional file 1: Multilingual abstracts in the six official working languages of the United Nations.

Translation of the abstract into the six official working languages of the United Nations

الحاجة إلى نظام استجابي رقابي لمكافحة تفشي مرض الإيبولا وغيرها من الأمراض المعدية الناشئة في البلدان الأفريقية.

إرنست تامبو، إيمانويل تشيديبير أوجو، جين يونكو نجوجانج

### ملخص

مرض فيروس إيبولا (EVD) والمعروف سابقاً بحمى الإيبولا النزيفية. هناك قلق متزايد في أفريقيا - جنوب الصحراء الكبرى بشأن تفشي مرض الإيبولا والعبء الموضوع على الصحة العامة. هذا المرض الذي تسبب في 884,764 حالة بين مشتبه فيها ومؤكدة مختبرياً وأودى بحياة 603 من الشعوب الأفريقية منذ 1976. تم تحديد خمسة تحديات واحتياجات للاستجابة لتفشي مرض الإيبولا: (1) نقص في تنمية وتنفيذ نظام استجابي رقابي ضد مرض الإيبولا وغيرها من الأمراض المعدية في أفريقية. (2) ضعف التعليم والمعرفة والوعي للاستجابة لمرض الإيبولا مما يبعث بالذعر والقلق والصدمة النفسية والعزلة وامتهان الكرامة والوصمة والنبذ المجتمعي والمقاومة وارتباط ذلك بآثار بيئية مجتمعية وأثار مرتبطة بالصحة العامة. (3) موارد مالية وقدرات بشرية تقنية محدودة، ضعف الخطط العملية لنظام الصحة الوطنية والمجتمعية للوقاية وضبط الاستجابة والممارسات والإدارة. (4) عدم كفاءة القيادة والتنسيق. (5) نقص في تنمية استراتيجيات وآليات وأساليب جديدة مثل تحسين التشخيص وإيجاد علاجات حديثة بما في ذلك اللقاح الذي بإمكانه المساعدة في الوقاية والسيطرة واحتواء تفشي مرض الإيبولا وانتشاره. ومن ثمة فهناك احتياج لتنمية وتفعيل نظام استجابي رقابي نشط لمواجهة تفشي المرض وللسيطرة على الأمراض المعدية الناشئة. إن فهم المخاطر التي لا تنتهي من ديناميكية انتقال العدوى وعودة ظهورها، هي من الأمور الهامة لتفعيل تدخلات استجابية فعّالة مصممة خصيصاً للظرف والسياق المحلي المحدد.

علاوة على ذلك، ينصح بالإجراءات التالية: (1) نظام استجابي رقابي على المستوى الوطني وبين القطاعات والتخصصات المحلية، تأخذ نهج الإنذار المبكر، بالإضافة إلى تنمية الموارد البشرية الحرجة. كل ذلك يجب أن تتبناه الوزارات والمنظمات المتحالفة في الدول الأفريقية في الاستجابة للأمراض الوبائية. (2) تسخير كل أصحاب المصلحة والتزامهم في التمويل المستدام والتعاون والتواصل والاتصال مع المشاركة المجتمعية في تعزيز الاستجابة المنسقة وتتبع وإدارة الحالات لمكافحة تلك التحديات. (3) المزيد من الأبحاث والتنمية لاكتشاف أدوية ولقاحات جديدة. (4) ادراك أن مشاركة الصحة العالمية سيعزز من تأسيس نظم استجابية رقابية للصحة العامة والتي ستعمل على الإنذار المبكر ورصد وتقييم برامج البحوث العملية والتدخلات المبتكرة.

Translated from English version into Arabic by T. Catherine Hanna, through





## 非洲国家应对埃博拉病毒病爆发和其他新发传染病的监测响应体系需求

Ernest Tambo, Emmanuel Chidiebere Ugwu, Jeane Yonkeu Ngogang

### 摘要

埃博拉病毒病（Ebola virus disease, EVD），原名埃博拉出血热，该病的爆发及其公共卫生负担在撒哈拉以南非洲地区越来越引起关注，自 1976 年起，该病已致非洲 884,764 例疑似和确诊病例，报告死亡人数为 603 人。响应该病爆发面临有以下五个挑战和需求：1.非洲应对埃博拉病毒病和其他传染病爆发的监测响应体系发展与实施的不足；2.缺乏对埃博拉病毒病的教育与知识，因缺乏相关知识引起的恐慌、焦虑、心理创伤、受侮辱、被群体排斥等相关的社会生态学和公共卫生后果；3.在防治应答、实践和管理方面有限的经济资源和人员技术能力，以及薄弱的社区和国家卫生体系工作计划；4.领导力和协调能力不足；5.缺少发展新策略、新工具和方法，例如一些更好的诊断方法和包括疫苗在内新的治疗手段，而这些均有助于预防、控制和应对埃博拉病毒病爆发与扩散。因此，迫切需要发展和实施新发传染病爆发响应和控制的主动监测响应体系。并且了解其传播动力学和复燃的风险是实施适合特定情况下快速有效的应答措施必不可少的。

此外，推荐以下工作方案：1.非洲国家间快速联合不同部委和组织采用包括早期预警和关键性人力资源开发在内的全国性和区域性部门间和跨学科监测响应体系；2.利用所有利益攸关方在持续资助、合作、信息和网络建设方面的承诺，包括克服上述挑战的协同应答提高、追踪病例和及时的病例管理等；3.更多的新药和疫苗研发；4.了解参与全球卫生对促进公共卫生监测响应体系建立的意义，该体系具有在支撑研究-行动方案和創新性干预措施方面的早期预警、督导和评估功能。

Translated from English version into Chinese by Yin Jian-hai, through



## **De la nécessité d'un système de surveillance et de réponse dans la lutte contre les épidémies du virus Ebola et autres maladies infectieuses émergentes dans les pays africains**

Ernest Tambo, Emmanuel Chidiebere Ugwu, Jeane Yonkeu Ngogang

### **Résumé**

La maladie à virus Ebola (autrefois appelée aussi fièvre hémorragique à virus Ebola), est de plus en plus préoccupante en Afrique subsaharienne, où sa propagation épidémique crée un poids important pour la santé publique avec 884 cas suspects, 764 confirmés en laboratoire et 603 décès dans les populations africaines depuis 1976. Face aux épidémies du virus Ebola, cinq difficultés ont été identifiées : (i) les carences de développement et de déploiement d'un système de surveillance et de réponse aux flambées du virus Ebola et d'autres maladies infectieuses en Afrique, (ii) le manque d'éducation et de connaissances sur les épidémies de MVE, suscitant panique, inquiétude, traumatisme psychosocial, isolement et perte de dignité, stigmatisation, ostracisme et résistance communautaire, avec les conséquences socio-écologiques et sanitaires qui en découlent, (iii) les limites des ressources financières, des moyens techniques humains et des plans d'action des systèmes de santé locaux et nationaux pour la prévention et la lutte contre la maladie, des pratiques et des méthodes de gestion, (iv) une direction et une coordination insuffisantes et (v) l'absence de nouvelles stratégies, approches et outils, par exemple d'instruments de diagnostic améliorés et de moyens thérapeutiques (y compris les vaccins) pour prévenir les flambées du virus Ebola, les contrôler et juguler leur propagation. Il est donc urgent de développer et de déployer un système de surveillance et de réponse active pour réagir aux épidémies et lutter contre les maladies infectieuses émergentes. La compréhension des risques infinis de la dynamique de la transmission et de la résurgence est indispensable pour déployer des interventions efficaces, adaptées au contexte et aux conditions locales.

Les actions suivantes sont également préconisées : (i) un système de surveillance et de réponse intersectoriel et transdisciplinaire, national et régional, avec alerte précoce, doté des moyens humains indispensables, doit être adopté rapidement par les ministères et organismes alliés dans les pays africains, en réponse aux épidémies et aux pandémies ; (ii) toutes les parties prenantes doivent s'engager durablement dans le financement, la collaboration, la communication et la création de réseaux, avec la

participation des communautés, afin de renforcer et de coordonner la réponse, de pérenniser et d'encourager la gestion des cas pour résoudre ces difficultés ; (iii) la recherche sur les nouveaux médicaments et les vaccins doit être intensifiée ; (iv) les structures de santé mondiales doivent être impliquées afin de favoriser la création de systèmes de surveillance et de réponse sanitaires assurant aussi bien les alertes avancées que la surveillance et l'évaluation en vue de mettre en place des programmes de recherche et d'action et des interventions innovantes.

Translated from English version into French by Suzanne Assenat, through



## **Необходимость системы ответного реагирования в борьбе со вспышками Эболы и другими новыми инфекционными заболеваниями в Африканских странах.**

Эрнест Тамбо, Эммануэль Кидьебере Угву, Жан Йонкё Нгоганг

### **Реферат**

Болезнь, вызванная вирусом Эбола (известная ранее как геморрагическая лихорадка Эбола) вызывает растущую озабоченность в странах Африки, расположенных к югу от Сахары, в связи с распространением вспышек этого заболевания и вызванной ими нагрузкой на национальные системы здравоохранения: с 1976 года они явились причиной 884764 подозреваемых и лабораторно подтвержденных смертей и еще 603 заявленных смертей африканского населения. Определены пять основных проблем в организации ответных действий на вспышки вируса Эбола: (i) недостатки в разработке и реализации систем ответного реагирования на вспышки Эболы и других инфекционных заболеваний в Африке, (ii) недостаточная просвещенность и осведомленность о вирусе Эбола, вызывающие панику, тревожность, психосоциальный травматизм, изоляцию и унижение достоинства, социально-психологическую дискриминацию, остракизм и сопротивление, сопровождаемые социально-экологическими последствиями и влиянием на здоровье населения, (iii) ограниченные финансовые ресурсы, уровень технического развития, недостаточно развитые планы действия местных сообществ и системы здравоохранения по профилактике и управлению и методам реагирования, (iv) не отвечающие требованиям руководство и координация (v) нехватка новых стратегий, инструментов и подходов, таких как более совершенные диагностические средства и новые методы терапии, включая вакцинацию, которые могут помочь в предотвращении, контроле и сдерживании вспышек и распространения болезни Эбола. Отсюда следует острая необходимость в создании и реализации активной системы ответного реагирования в борьбе со вспышками Эболы и других новых инфекционных заболеваний. Понимание бесчисленных рисков динамики переноса имеет первостепенное значение для принятия своевременных и эффективных мер, отвечающих специфическим местным условиям и контексту.

Кроме того, рекомендуется проведение следующих мероприятий: (i) родственные министерства и организации африканских стран должны создать национальные и региональные межотраслевые и трансдисциплинарные системы ответного реагирования, основанные на подходе раннего предупреждения и подготовки необходимых человеческих ресурсов для борьбы с эпидемиями и пандемиями, (ii) объединение усилий всех заинтересованных сторон в сфере долгосрочного финансирования, сотрудничества, создания сети контактов, включая участие общественности в укреплении координированного реагирования, отслеживания и управления в решении таких проблем, (iii) расширение исследовательской работы по созданию новых медикаментов и вакцин, (iv) понимание значения всемирной охраны здоровья в создании систем по надзору в сфере здравоохранения с функциями раннего предупреждения, а также мониторинга и оценки программ исследований и инновационных мероприятий.

Translated from English version into Russian by Alena Hrybouskaya, through



## **Necesidad de un sistema de vigilancia de la respuesta para combatir los brotes de Ébola y otras enfermedades infecciosas emergentes en los países africanos**

Ernest Tambo, Emmanuel Chidiebere Ugwu, Jeane Yonkeu Ngogang

### **Resumen**

La enfermedad del virus del Ébola (EVD, por su sigla en inglés), anteriormente conocida como fiebre hemorrágica del Ébola, es motivo de creciente preocupación en el África subsahariana por la propagación de los brotes de esta enfermedad y por la carga de la salud pública que han sido la causa de 884.764 muertes sospechadas y confirmadas por laboratorio y que cobró 603 vidas de las poblaciones africanas desde 1976. Se identifican cinco desafíos y necesidades de respuesta a los brotes de EVD: (i) deficiencia en el desarrollo e implementación del sistema de vigilancia de la respuesta para combatir los brotes de Ébola y de otras enfermedades infecciosas en África (ii) falta de educación y conocimiento de la respuesta a los brotes de EVD que provocan pánico, ansiedad, traumatismo psicológico, aislamiento y privación de la dignidad, estigmatización, ostracismo y resistencia de la comunidad, con las consecuencias socio ecológicas y de salud pública asociadas (iii) recursos financieros y capacidad técnica humana limitados, y planes operativos comunitarios y del sistema nacional de salud débiles en las respuestas, prácticas y gestión de la prevención y del control (iv) liderazgo y coordinación inadecuadas y (v) falta de desarrollo de nuevas estrategias, herramientas y enfoques, como la mejora de los diagnósticos y de nuevos tratamientos, incluyendo la vacunación que puede ayudar a prevenir, controlar y contener los brotes y la propagación del Ébola. De ahí, la urgente necesidad de desarrollar e implementar un sistema de vigilancia activa de la respuesta a los brotes y del control de las enfermedades infecciosas emergentes.

Comprender los riesgos interminables de la dinámica de la transmisión y del resurgimiento es esencial para la implementación de intervenciones de respuesta rápidas y eficaces adaptadas a las condiciones locales específicas y al contexto.

Además, se recomiendan las siguientes acciones: (i) la rápida adopción por los ministerios y organizaciones aliadas entre los países africanos de un sistema nacional y regional de vigilancia de respuesta intersectorial y transdisciplinario que incluya el enfoque de alerta temprana, así como el desarrollo fundamental de los recursos humanos en las respuestas epidémicas y pandémicas (ii) aprovechar el compromiso de todos los interesados para lograr el financiamiento sostenido, la colaboración, la

comunicación y la creación de redes, incluyendo la participación de la comunidad para mejorar la respuesta coordinada, el seguimiento y la pronta gestión de los casos para luchar contra esos desafíos (iii) más investigación y desarrollo para descubrir nuevos medicamentos y vacunas, (iv) entender la participación de la salud mundial para promover el establecimiento de sistemas de vigilancia de la respuesta de salud pública con funciones de alerta temprana, así como el seguimiento y la evaluación en la defensa de los programas de investigación y acción e intervenciones innovadoras.

Translated from English version into Spanish by Susana Rosselli, through

